



FEATURES AND ADVANTAGES


For Airsoft only

- → The most cost effective conversion kit.
- → The quickest conversion kit assembly on the market today.
- → Toolless installation and no pistol disassembly required.
- Very compact and light Ideal for concealed carry.
- → Dramatically reduces recoil.
- → Tremendous increase in accuracy.
- → Ergonomic and user friendly.
- → Ambidextrous.
- → Long top Picatinny rail to mount various sighting devices.
- Side accessory Picatinny rails.
- → Folding stock non-slip butt pad.
- → Fully functional with folded stock.
- → Direct access slide release.
- → Port for quick detach sling swivel.
- → Safety trigger guard cover.
- → Set of left and right ergonomic thumb-rests for better grip.
- → Front grip and extra magazine carrier for fast reload.
- → Integrated ambidextrous compact flashlight Inot including in package).





Airsoft MIGRO RONI PARTS INDEX



*Optional associated products (1, 4, 7, 11, 13)

For Airsoft only

- * 1 Integral light & sleeve
- 2 Barrel Shroud
- 3 Accessory side-rails
- 4 Front folding sight
 - 5 Upper accessory rail
 - 6 Frame
- 7 Rear folding sight
- 8 Stock locking push button

- 9 Folding stock
- 10 Rubber butt-pad
- + 11 One point sling
 - 12 Sling swivel insert
- * 13 Sling swivel
- 14 Pistol insertion hatch/door
- 15 Locking button
- 16 Charging handle

- 17 Direct access Slide release
- 18 Front grip & extra mag carrier
- 19 Trigger guard cover
- 20 Pistol extraction button
- 21 Light sleeve locking-lever
- 22 Right & left tumb rests

CAD-SK-08 #: AIRSOFT MICRO RONI

Compatible with:

Umarex Gas Blowback Glock 17, Glock 19, Glock 22 VFC Gas Blowback G17, G18C, G19

Tokyo Marui, KSC, WE Gas Blowback G17, G18C, G19, G23F


and other G series compatible pistols #modification might necessary

Color:



Airsoft MICRO RONI PISTOL INSTALLATION





STEP 1

Make sure that your pistol's model appears on the list. Otherwise, DO NOT try to install it into the MICRO-RONI.

Modification might necessary for fitting vary brand pistol. Consult expert if there are doubts.

STEP 2

Push and hold the locking-button (16). Pull back the insertion hatch/door [15].





STEP 3

Pull down open the insertion hatch/door (15) to fully extension.

Slid out the charging-handle (17).

STEP 4



MAKE SURE:

PISTOL IS UNLOADED AND THE CHAMBER IS EMPTY!

Place the charging handle (17) over the pistol's cocking serrations and rear sight - as shown above.

Airsoft MICRO PISTOL INSTALLATION





STEP 5

Insert the pistol into the MICRO-RONI at the angle illustrated above and the charging-handle (17) in the direction of the arrow above.

STEP 6

Slide the pistol forward till the extraction button (21) clicks.





STEP 7

Close the insertion hatch/door (15) and push it forward till it clicks and locks on its locking-pin (circled). Make sure that the locking-button (16) extends out.

STEP 8

To draw out the pistol, first follow steps 2 and 3. To unlock it, push down simultaneously the extraction buttons (21) from both sides [left and right]. Only then you can slide the pistol out.

Airsoft MICRO RONI STOCK CONFIGURATIONS





OPERATING THE STOCK

STEP 1

Closing- push the locking push-button (9) and swing the stock (10) on its hinge till it locks against the body.

Note:

The stock will not lock unless a pistol is installed first.

STEP 2

Opening- to release the stock from its locking-hook |circled|, slightly lift it and pull the stock (10) open so the push-button (9) extends and locks.



Airsoft MICRO RON

> FLASHLIGHT INSTALLATION

This accessories is not including in package.





STEP 1

Push on both |left/right| locking-levers (22) and pull out the dummy-tube (green).

Do not use the pistol extraction button (21) by mistake.



STEP 2

By rotating the flashlight 180°, you can choose which direction the activation push button (24) faces [left or right).







STEP 3

Slide the flashlight sleeve (1) into its slot till its locks.

STEP 4

To replace the battery, by going through STEP-1 labovel, unscrew the butt cap.



For Airsoft only Airsoft Micro CONI THUMB REST, MAGAZINE AND SAFETY COVER



THUMB RESTS - RIGHT AND LEFT

Slide the thumb rest [23] on the accessory side rail [3]. Place it in position by using the locking-tooth |circled|.

Make sure that the locking-tooth |circled| is forward and the thumb rest [23] faces the same angle





The extra magazine is held by pressure only. To use the extra magazine, pull it down while pushing with your thumb |circled| against the rear edge of the mag' carrier (19), or at the bottom of the trigger guard.

#modification might necessary.



TRIGGER GUARD SAFETY COVER

To secure the trriger, swing the safety cover [20] on its hinge as illustrated above.

Airsoft MICRO RODUCTS



FLIP UP SIGHTS

Can be used as primary or back-up sights.

#CAD-SIS-01: Low profile rear flip-up sight.

Low profile front flip-up sight.



TACTICAL SLINGS & SLING SWIVEL

#CAA-OPS: One point sling #PBSS: Push button heavy duty sling swivel.



POLYMER SUITCASE

#CAA-MIC-ROCASE: accepts the MIC-RONI and/or other accessories.



THUMB REST

#CAA-THR: Set of two.
For left and right hand users



FLASHLIGHT

#CAA-MRFL: Integral front flashlight for both left and right users.



C



WARNINGS AND SAFETY:

READ AND FOLLOW THE MANUAL, FOR MORE INFORMATION VISIT OUR WEBSITE.

MAKE SURE THE FIREARM IS UNLOADED PRIOR TO INSTALATION.

PRACTICE SAFE FIREARM HANDLING PROCEDURES AT ALL TIMES.

DO NOT USE COMPENSATED PISTOLS OF ANY KIND.

WWW.CAAAIRSOFT.COM





CAA AIRSOFT DIVISION

MUAL-237-A01 #VER-25101&