


BB TOY GRENADE MK-II & M26A1



Always read through this manual before operation.

\triangle	WARNING A
Only for 18 years of age or older	Operation of this Toy for competition use is restricted to users of 18 years of age or older.
Injury caution	Since plastic BB bullets reach 50 to 60 meters, careless shooting may cause eye damage or other injuries.
Careful reading of Handling cautions and Instruction manual	Always read through this HANDLING CAUTIONS AND INSTRUCTION MANUAL carefully before operation. Operate the Toys with full recognition of warning and cautions.

MARNING

This product is not suitable for children under 18 years old.

This product is designed as toy demonstrating the action of a grenade, it uses gas to push open the plastic cabinet and release powder and/or BB to the surrounding air.

We assume no responsibility, directly or indirectly, for financial losses or claims frim third persons resulting from using this product.

The information in this manual is subject to change without notice.

DeepFire has the final explanation on any dispute regarding the content of this user manual.

Never inject gas to the product before using it.

MARNING

Never use the product in a closed environment.

Never throw the product to any living objects.

Never use the product for practical joke else you could be seriously punished.




Never use the product without wearing eye and ear protection facilities.

Never try to modify the product; it is already tuned to optimal performance.

Assembly and Usage:



Roll the upper body anticlockwise to open the body.



Adjust the switch to control the time of explosion (Clockwise - extend the time and vice versa)



Assemble the body by rolling the upper body clockwise.



Prepare cap, top cover, bottom cover and valve.



Make sure the top and bottom parts presses tightly before infuse compress gas



Install the cap and use hexagon key to tighten the screw.



After complete will same as picture.




Install valve, top and bottom covers.



Install handle and safety key.



Insert 134a gas for 5-7 seconds.



Assemble outer covers (M26 x 2 pcs, MK-II x 3 pcs) and insert the BBs bullets.



Assemble the last piece of outer covers.

Deepfire Mk-II & M26A1 Grenade series Assembly Drawing and Parts List.

Descriptions	Assembly Number
Upper Body	1
Lower Body	2,3
Valve	13
Cap	
Handle	3/1
Safety Key	ADDES A
M26A1 Top Cover	
M26 A1 Outer Cover	
M26A1 Bottom Cover	9
MK-II Top Cover	10
MK-II Outer Cover	11
MK-II Bottom Cover	12

