King Arms




PREDATOR

AWARNING

Read through this Handling and Instruction Manual carefully before operating this Gas Pistol

This sport gun is developed for recreational use and it is capable to shoot BB bullets as a projectile so please be caution when handling or using this gun. Careless shooting or improper use is dangerous, and it can cause damage or injury on human or animal. Make sure you read through this manual and all the warnings before operating this gun.


Operating this airsoft gun must be aged over 18 years old. Careless shooting or improper operation are dangerous. Users must understand and follow the laws of country before possessing or operating this product.



Always wear eyes protective gear



Be careful what target you shoot.



Never look into the gun muzzle.



Avoid pulling the trigger carelessly.




Never point or shoot the gun towards a person or an animal



Always put the gun in a case or bag when you are carrying it.



Store the air gun at places out of reach by children.



Always put your finger away from the trigger except when you are ready to fire the gun.



Even if the magazine is removed, there might be remaining BB bullet in the gun which still can be shooting.



Always apply safety habits: -Set the safety lever to SAFE position.

-Remove the magazine.

1.Remove the magazine



Press magazine catch and remove magazine.

3.Load BB bullets



Hold the follower and load bullets.

4.Insert magazine



6.Fire



Pull the trigger.

2.Fill gas



Fill gas into the magazine vertically for 5-6 sec.



To avoid jamming, arranged neatly while loading the bullets.

5.Load



Pull the slide completely to the rear.

7.Safety




Safety off. (ready for fire)

Safety on.

INSTALLATION CO2 CARTRIDGE




1.Loose the hex-screw.




3. Place the Co2 cartridge in proper position.


ADJUST TRAJECTORY



- 1.Press magazine catch and remove magazine.
- 2. Move the slide backward until the take-down notch is just above the slide stop tab.
- 3. Remove the tab.



5. Twist the dial to adjust.




2. Align the Co2 cartridge to the pierce tip and angularly put it in.




4.Use a hex key to tighten the screw quickly. The Co2 cartridge is the power source to the pistol. Continue to tighten with key until snug, then give one final 1-2 turn.



4. Remove the slide.



6. Please adjust according to trajectory.



4	DC 11 01 BK A02	EΩ	OD 2V4 A04
	PG-11-01-BK-A02 Depend on color PG-11-03-CP-A01		OR-3X1-A01
			PG-11-56-A01
	PG-11-14-A01		PG-11-57-BK-A01 Depend on color
	PG-11-15-A01	_	P-C-AG-175-04-A01
	PG-11-16-A01		PG-11-23-BK-A01 Depend on color
_	WAS-5X3X0D5-A01	_	PG-11-24-BK-A01 Depend on color
	PG-11-18-A01		PG-11-25-A01
	PG-11-19-A01		PG-11-26-A01
	PG-11-20-BK-A01 Depend on color		PG-11-27-A01
_	PG-11-21-BK-A01 Depend on color	_	PG-11-28-A01
	PG-11-22-BK-A01 Depend on color		PG-11-30-A01
	S-L-PG-11-01-A01	_	PG-11-32-A01
	S-R-126X9D7X0D7X24NXA01		S-R-PG-11-03-A01
	SCR-HE-0M2X3-A01		S-R-PG-11-04-A01
	SCR-HE-2M2D5X3S-A01		SCR-CR-1M2X8-A01
	SCR-HE-2M3X10-A01		PG-11-29-CP-A01
	PG-11-04-A01		PG-02-25-A01
	PG-11-05-A01		P-C-2X7D5-A01
	PG-11-06-A01	-	PG-11-46-A01
_	IB-133-A01		P-O-1D5X5-A01
	PA-10-A01		PG-11-59-CP-A01
_	OR2D9X0D55-A01	_	PG-11-47-BK-A01 Depend on color
	SCR-CR-1M2X6-A01		PG-11-48-A01
	PG-02-51-A01	-	PG-11-49-A01
	PG-11-08-A01	_	S-R-PG-11-06-A01
	PG-11-09-A01		PG-11-50-BK-A01 Depend on color
	PG-11-10-A01		PG-11-51-BK-A01 Depend on color
	PG-11-11-A01	1111	S-R-PG-11-07-A01
	PG-11-12-A01	_	SCR-HE-0M4X6-A01
	PG-11-13-A01	<u> </u>	PG-11-54-BK-A01 Depend on color
	S-R-14X6D7X0D35X8N-A01		PG-11-MAG-A01
	SCR-HE-3M3X6-A01		PG-12-02-A01
	PG-11-02-BK-A03 Depend on color	_	PG-12-03-A01
	PG-11-33-A01		PG-12-04-A01
	PG-11-34-A01		PG-12-05-A01
	PG-11-35-BK-A01 Depend on color		PG-12-06-A01
	PG-11-36-BK-A01 Depend on color	_	PG-12-07-A01
	PG-11-37-BK-A01 Depend on color	87	PG-11-45-A01
	PG-11-38-A01		
	PG-11-39-BK-A01 Depend on color		
_	PG-11-40-A01		
	PG-11-41-A01		
	PG-11-42-A01		
	PG-11-43-A01	<u> </u>	
	PG-02-38-A01		
46	PG-11-53-A01		
47	S-R-PG-11-05-A01		
48	SCR-CR-1M2X6-A01		
49	SCR-HE-2M2D5X6-A01		

Thank you very much for buying King Arms product



PREDATOR