


### G2 SYSTEM










# G&GARMAMENT





70% more in height and 74% more in thickness.







ETU + MOSFET with burst control feature. Size of the MOSFET has been reduced by 50% to leave more space in stock tube. The new MOSFET will have a micro speaker to alert player when the battery is low. ETU has been improved for better trigger response and avoid over-press damage.










### G2 SYSTEM



Redesigned bevel gear engagements for better performance. Lower power consumption, less heat generated.

Power cut-off when magazine is removed from the receiver, this feature will also work with hi-cap magazine or any compatible magazine that would fit into the lower receiver. G2 proprietary mid-cap magazine will activate the power cut-off when the magazine is empty.

Ambidextrous fire selector, bolt release and magazine release buttons.





### G2 SYSTEM













BLOW BACK | NO , MOSFET | YES

VELOCITY | According to Local Regulation



[ETU + MOSFET WITH BURST CONTROL FEATURE.]



ET)

#### **NEW GBB PISTOL LINE**





# G&GARMAMENT

#### [ WHIRL CYLINDER VALVE ]

The whirl cylinder valve reduces frost to be built inside by having a high speed rotation.

#### [ COLLAPSIBLE SAFETY VALVE ]


The gas valve will collapse and release gas when the gas pressure exceeds the threshold. This is to avoid magazine blowing up when the gas pressure is too high.




#### [ METAL GAS FILTER ]

Micro filter only allows gasified gas to go through, leaving liquid gas inside the magazine.






Partial gas pushes cylinder valve to spin.



The remaining gas is filled up to the rear part of the cylinder and it pushes the valve forward.



Whirl valve will be pushed until the cylinder is closed.



The leftover gas will push the piston and bring the slide backwards.







### GPM92/GM1911/GTP9



# ARP 9/ARP 556 DINTERMEDIATE MOSFET MOSFET

















# GC16 LAR GBB / GC12 DMR GBB III / GC16 SBR GBB / GTW91 / GTW91 GBB



### RK74 T/E/CQB















### PDW15 AR/CQB





### **ACCESSORIES**







### G&GARMAMENT





M-LOK Rail I 5" for ARP-9 G-03-191



for ARP-556

G-03-192

M-LOK Rail III 16" for GC16 LBR GBB G-03-193



M-LOK Vertical Grip G-03-196

M-LOK Side Rail G-03-197



M-LOK 45 Degree Rail G-03-200

G-03-198

Two-Piece M-LOK Rail Panel



KeyMod rail system

G-03-182 [Black] G-03-182-1 [Green]

G-03-182-2 [Red]

KeyMod Rail I 16" for TR16 MBR 308SR

> KeyMod Rail IV 16" for TR16 MBR 308WH G-03-188



Forward Grip for G&G Keymod Handguard

KEYMOD

G-03-176 [Black] G-03-176-1 [DesertTan] G-03-176-2 [Gray]

for SR series G-03-177 [Black] G-03-177-2 [Gray] for MPW series G-03-178 [Black]

G-03-178-1 [DesertTan] G-03-178-2 [Gray]

for PREDATOR series

G-03-179 [Black] G-03-177-1 [DesertTan] G-03-179-1 [DesertTan] G-03-179-2 [Gray]

for WILD HOG series G-03-180 [Black]

G-03-180-1 [DesertTan] G-03-180-2 [Gray]

for WARTHOG series

G-03-181 [Black]

G-03-181-1 [DesertTan] G-03-181-2 [Gray]

G-03-187





### **ACCESSORIES**









G-08-153 [Gray] G-08-153-2 [Black] G-08-153-1 [DesertTan] G-08-153-3 [Pink]



G2H Magazine 40R G-08-160 [Tinted]



G-08-161 [Black]



G2 Magazine110R G-08-148 [Black] G-08-148-1 [DesertTan]



for G&G Keymod **RK74 Handguard** 

G-03-183 [Black]

G-03-183-1 [DesertTan] G-03-183-2 [Gray]

for CM15 KR series

G-03-184 [Black]

G-03-184-1 [DesertTan]

G-03-184-2 [Gray]



GOG Pistol Grip - V1 G-03-194 [Black]



GOG Pistol Grip - V2 G-03-195 [Black]



G&G Battle Wheel Metal Amplifier - Black (14mmCCW) G-02-108 [Black]



**G&G Battle Wheel Plastic** Amplifier - Black (14mmCCW) G-02-108 [Black] G-02-108 [Orange]

### ACCESSORIES



# G&GARMAMENT





GCH-V4 Ambidextrous Charging Handle "Raptor" Style for GR16 G-06-052 -2 [Green] G-06-052 [Black] G-06-052 -1 [Gold] G-06-052 -3 [Red]



Midnight Hawk Tracer Unit G-01-048 [Black] G-01-048-1 [DesertTan]











**G&G Mechanix** Gloves G-07-246 [S] G-07-247 [M] G-07-248 [L] G-07-249 [XL] G-07-250 [XXL]



# TOP FUTURE INNOVATION FINEST QUALITY FAST SERVICE FREE ITEMS FAIR PRICE

### G&G NIGHT VISION GOGGLES



#### HIGH PRECISION BB's PELLETS



# G&GARMAMENT

#### FROM A PELLET TO THE GLOBE

BB's manufactured by G&G Armament are high precision products, unlike other manufacturers in the market accepting tolerance of size and sphere within 0.01mm, G&G Armament controls the tolerance within 0.005mm, which is the most precise BB's in the market. Perfect surface and precise size for incredible air-seal and feeding. Bio BBs from G&G Armament are true bio degradable, well received by world market and environmental friendly sites.G&G Armament's BB's are well known for being the best




- 1 G-07-215 0.20G (white)
- 2 G-07-218 0.25G (white)
- 3 G-07-221 0.28G (white)
- 4 G-07-232 0.20G (white)
- 5 G-07-233 0.25G (white)
- 6 G-07-234 0.28G (white)
- 7 G-07-242 0.30G (gray)
- 8 G-07-238 0.20G (white)
- 9 G-07-240 0.25G (white)
- 10 G-07-243 0.28G (white)
- 11 G-07-244 **0.33G** (gray)
- 12 G-07-137 0.20G (green)
- G-07-138 0.25G (green)
- 14 G-07-212 0.20G (red)

13 G-07-170 0.20G (pink)

#### **UTURE INNOVATION INEST QUALITY AST SERVICE** REE ITEMS



#### HIGH PRECISION BB's PELLETS





19 PSBP





22



26



[ 5000 shots PACK 0.20G P.S.B.P.] G-07-096 (white)

[ 4000 shots PACK 0.25G P.S.B.P.] G-07-097 (white)

[ 3571 shots PACK 0.28G P.S.B.P.] G-07-106 (white)

[ 5000 shots PACK 0.20G P.S.B.P.]

23

G-07-132 (green) G-07-156 (brown) G-07-155 (black)

[ 4000 shots PACK 0.25G P.S.B.P.]

G-07-117 (green) G-07-157 (brown) G-07-119 (black)

[ 3571 shots PACK 0.28G P.S.B.P.]

G-07-106 (white) G-07-114 (brown)

19 [ 3000 shots PACK

0.20G P.S.B.P.] G-07-107 (white) G-07-133 (green) G-07-158 (brown) G-07-162 (black)

[ 3000 shots PACK 0.25G P.S.B.P.]

G-07-108 (white) G-07-113 (green) G-07-159 (brown) G-07-125 (black) [ 3000 shots PACK 0.28G P.S.B.P.]

G-07-109 (white) G-07-110 (brown) G-07-152 (black)

20 [ 2000 shots PACK 0.30G P.S.B.P.]

G-07-208 (gray)

21 [ 1000 shots PACK P.S.B.P.]

G-07-134 0.20G (white) G-07-135 0.25G (white)

22 [ 5000 shots PACK 0.20G BIO]

> G-07-103 (white) G-07-128 (green) G-07-136 (Desert Tan)

[ 4350 shots PACK 0.23G BIO]

G-07-169 (white)

[ 4000 shots PACK 0.25G BIO ]

G-07-126 (white)

25 [ 3571 shots PACK 0.28G BIO ]

G-07-127 (white)

23 [ 2000 shots PACK 0.33G BIO]

G-07-203 (gray)

[ 2000 shots PACK 0.20G BIO ]

G-07-174 (white)

25 [ 1000 shots PACK 0.20G Tracer BB]

G-07-189 (green)

### MLLT. UNIT









It is designed as a silencer so the M.I.T. Unit can be fitted to any airsoft replica that comes equipped with a threaded barrel.

The most interesting feature is inspired by the concept of the MILES (Multiple Integrated Laser Engagement System), which is used by the US military for training. The MILES is basically a laser tag system, where the laser is activated by blanks being fired from the rifle. The M.I.T Unit functions very similarly. A sensor within the unit detects when a BB is fired and activates a short laser pulse, which would then activate sensors worn by other players when hit.

The target sensor could then signal the hit with sound and/or light. In other words, M.I.T Unit will not transform an airsoft gun into a laser gun because if a player runs out of BBs, the M.I.T Unit would not be activated. Therefore, players are required to manage the consumption of their ammunitions making it more realistic.

In sum, the basic idea of M.I.T Unit combines the advantages of both laser tag and airsoft. At close

distances the game would be the same as usual but beyond the maximal effective range of the BB pellets of roughly 50 m, encounters would still

be possible up to around 150m.

G-12-027 (Black)

**Laser Pointer** 

G-12-027-1 (Desert Tan)

G&G Battery Box w/



On top of the sensor helmet is a quick-release laser receiver. The receiver has sensors on four sides that allow the player to shoot from the top, front, left and right. The grid pattern on the front and back of the sensor vest can detected coded laser pulses to determine a hit. The signal is then transmitted to the helmet receiver to trigger flashing lights and noise. The hit player is then declared "dead", eliminating any disputes.



18

#### 5X5/3X3/3X2 TARGET SYSTEM




### 68GARMAMENT

#### 5X5/3X3/3X2 TARGET SYSTEM

Built with heavy duty aluminium frame and designed in compact size. The sensitive and durable M.E.T. is able to respond from low to high energy without problems. Easy to install and enjoy with its plug-and-play system.





■ 3X3 TARGET SYSTEM

G-11-105 (TIMER EXCLUDED)
G-11-105-1 (TIMER INCLUDED)

Heavy duty aluminium frame/ H127cm/W75cm/(Feet)61cm/ Power110V-240V/ Audio output for speakers





#### 3X2 TARGET SYSTEM

G-11-106 (TIMER EXCLUDED)
G-11-106-1 (TIMER INCLUDED)


Heavy duty aluminium frame/ H101cm/W75cm/(Feet)61cm/ Power110V-240V/ Audio output for speakers

#### 5X5 TARGET SYSTEM

G-11-087 (TIMER EXCLUDED)
G-11-087-1 (TIMER INCLUDED)
Heavy duty aluminium frame/
H127cm/W75cm/ (Feet)61cm/
Power110V-240V/
Audio output for speakers

#### PRECISION CROWN

G-11-102 (4cm Crown for M.E.T.)
G-11-103-1 (8cm Crown for M.E.T.)
G-11-108 (2cm Crown for M.E.T.)



# TOP FUTURE INNOVATION FINEST QUALITY FAST SERVICE FREE ITEMS FAIR PRICE




### SEARCH & DESTROY





# 60 MET. 204 M<sup>2</sup>. THREE-DIMENSIONAL STORY AND LAYOUT

Contestants will play roles in a Special Operation to infiltrate a highly protected enemy fortress and retrieve classified intelligence from the enemy.



#### **1ST STAGE:**

**ENEMY'S ARSENAL** 

#### 2ND STAGE:

RETRIEVE MISSION OBJECT

#### **3RD STAGE:**

TUNNEL & INTELLIGENCE ROOM


#### **4TH STAGE:**

HELICOPTER LANDING ZONE

### **5TH STAGE:** THE FINAL MILE















TAIWAN

Sales Dept. sales@guay2.com , b2b@guay2.com Customer Support Dept. support@guay2.com

PR Dept. pr@guay2.com

U.S.A.

Sales Dept. 101sales2@guay2.com

Customer Support Dept. 101support@guay2.com

PR Dept. charlie@guay2.com

ChangHua (Headquarters)

Tel: +886-4-798-9000 Fax: +886-4-798-9900

No.999, Zhonghua Rd. Shengang Township, Changhua

County 50952, Taiwan (R.O.C.)

California

Tel: +1-909-628-2269 (Branch office)

Fax: +1-909-628-2207 13860 Mountain Ave. Chino, CA 91710 (U.S.A.)



All G&G products complies with CE and ROHS 2.0. G&G Armament is also an ISO 9001 certified manufacturer.