



Table of Contents

TRINITY Armament	06
TRINITY Alpha Gearbox	10
TRINITY Armament HPA PULSAR SERIES	13
TITAN II Bluetooth®	20
TITAN II Bluetooth® Functions	24
ASTER II Bluetooth®	25
PULSAR	29
PULSAR S HPA Engine – Set with TITAN II Bluetooth®	30
PULSAR D HPA Engine – Set with TITAN II Bluetooth®	34
EON Complete V2 Gearbox with TITAN II Bluetooth ®	38
GATE Control Station	41
STATUS	45
EON V2 Gearbox	48
EON Hop-Up Chamber	52
EON POWER HYBRID Piston Head + Weight Pad Set	56
EON HIGH SPEED Piston Head	58
EON PROTECTOR Cylinder Head	60
EON Tappet Plate	62
Nova Trigger	64
Quantum Trigger	66
GATE Enterprise	67
Contact	69









GATE ENTERPRISE and ARCTURUS TACTICAL are both community driven and dedicated to innovative product development.

Under the same vision, we have teamed up to create a product that enhances the airsoft experience integrating unparalleled cutting-edge technology from GATE ENTERPRISE and reliable quality & durability from ARCTURUS Our partnership aims to push the benchmark of AEG performance and customizability

Henceforth, the monumental creation of TRINITY ARMAMENT •



GA-TA01 / GA-TA01D






GA-TA03 / GA-TA03D



TRINITY Alpha Gearbox

TRINITY Alpha Gearbox







HIGH SPEED PISTON HEAD

PROTECTOR

CYLINDER HEAD




NOVA
TRIGGER
DESIGN-BASED

TRINITY APLHA GEARBOX REPLICAS

SEALEDNOZZLE

- GA-TA01
- GA-TA02
- GA-TA03



TRINITY Armament HPA PULSAR SERIES



The TRINITY replica series including three models has a separate HPA line. This is the world's first HPA replica series straight from the factory with a pre-installed PULSAR D HPA engine TRINITY HPA replicas are aimed at speedsoft enthusiasts and anyone with their primary focus on response time and cycle speed •

PULSAR D SERIES



Bolt-Catch and Magazine Sensors











TITAN II Bluetooth®


TITANII


Bluetooth®

The brand new TITAN II Bluetooth® for V2 GB is the GATE flagship Electronic Trigger Unit (ETU). The built-in Bluetooth® 5�2 technology gives you direct access to TITAN settings, AEG telemetry, and the possibility to use a smartwatch, STATUS, and other future devices of the GATE Ecosystem�

FEATURES

- 27 configurable functions
- Trigger sensitivity adjustment even 250 levels
- Hair trigger adjustment even 50 levels
- Statistics & Telemetry
- Multifunctional programmable port
- DTC codes for easy troubleshooting
- Built-in self-test
- Free firmware updates
- 9 optical sensors
- Brushless motor ready
- Ultra-precise cycle detection
- MOSFET
- Adaptive active brake
- Automatic pre-cocking 5 levels
- Smart fuse
- Ultra-precise telemetry measurements thanks to the new current sensor
- Conformal coating Military Specification MIL-V-173C





TITANII

Bluetooth®

WHAT MAKES TITAN II SO SPECIAL?

- User-friendly configuration via the GCS app for iOS, Android, macOS, Windows, watchOS, Wear OS
- Firmware updates via the internet
- Innovative optical sensors instead of mechanical switches that are prone to faults
- Ultra-precise telemetry measurements thanks to the new current sensor
- Replicating trigger response like in a real gun
- Replacing the cut-off lever
- Lowest in the market current consumption deep sleep mode with only 0 • 1 mA current consumption prevents battery discharge

YOU CAN TRUST TITAN II BECAUSE

- Every time you pull the trigger, the gearbox completes a correct cycle The gears stop exactly where they should. The gearbox works efficiently
- It is protected against short circuits, overheating and overloading
- It protects the battery against over-discharge
- It significantly improves battery life, Rate of Fire, spring life, and gearbox reliability (when precocking is off)
- It has a built-in voltage boost converter what allows for trouble-free operation in low temperatures

TITAN II Blueto® Functions

Direct connection to the GCS via the built-in Bluetooth® module (Blu-Link not required), which translates into:

- In-flight configuration (no need to switch between firing and configuration modes, no need to restart your ETU)
- Live telemetry (currents, voltages, sensor states during a shot) – not just after switching to configuration mode
- Intuitive, easy, and quick pairing with your phone,
 STATUS, smartwatch, and Virtual STATUS
- Ability to have up to 4 active Bluetooth® connections with your ETU

- Detection of the sector-gear position based on 2 sensors, resulting in the ability to switch between single or dual-sensor mode
- The world's first Fire Control Unit that detects the cycle of a dual-solenoid HPA engine nozzle – PULSAR D through an optical sensor
- The brand-new patented gear sensor detects each tooth and the direction of gear movement allowing for the world's most precise cycle control ❖
- Multifunctional port for connecting additional accessories: bolt-catch & magazine sensors etc

ASTER II Bluetooth®


ASTER II Bluetooth®

GB is the younger brother of the well-known TITATAN II

BIUE18811 © BEILT-III BENETION II BIUE1001 BENETION II BIUE1001 BENETION II BIUE1001 BENETION BENETION BENETION BENETION BENETION BENETION II BIUE1001 BENETION SETTINGS.

AEG telemetry, and the ability to use our smartwatch app, the tactical computer STATUS, and other future devices of the GATE Ecosystem Today you can use ASTER II Blue1001 Benetic This makes A

and Blueteeth® 5:2 enbeardu voet cuettinogheidgeedge technologies at a reasonable price Now, out of the box, you can set sensitivity from ludicrous touch **hair** to full movement Automatic cocking, trigger sensitivity adjustment, ActActive Rrake settings with top-class adaptive m888 and the Binary Trigger are all available via Bluetooth®with the GCS app Extended compatibility with brushless **ASTERII** Bluetooth®is compatiblewith popular brushless motors even with a supply voltage **8 HH:** VASTER'R's smartarfuses exprote teles to your uAPG'G's battery, motor, and the controller This feature, along with the optical sensors, makes ASTER II Bluetooth® one of the most durable ETUs on the market ASTER II Bluetooth® is not just a regular ETU/EFCS mosfet. It is a complex system that turns your AEG into AHHE proof advanced training equipment with built-in Bluetooth® ASTER II Bluetooth® has a coating in the MIL-V-173C military specification, making it resistant to weather conditions.



WHAT DISTINGUISHES ASTER II BLUETOOTH® FROM THE COMPETITION?

Extraordinamuqlitjito teripeicatiotio

- ASTER II Bluetooth® gives you total flexibility thanks to Elemetration 5.2 randompatibility that but thit AEGG and HPA. You can update your firmware and get new options, connect additional accessories, check telemetry. Now right off the shelf. At the extra charge.
- GCS app for iOS, Android, macOS or Windows
- GCS app for your smartwatch (Wear OS or watchOS)
 real-time data like BB counters & temperating ear!
- Compatibility both with AMEGanddsinglesslenoidd

 HPAenginess
- Hair-trigger up to 3 frigger efficitivities for the first millimeter (0.04 in) of movement & up to 680 in the full range
- Configurable trigger reset (hysteresis)
- Top-notch Altomatic presenting

- Freeinternettfirmwarecupslates
- ASTER II Bluetooth® is a part of the GATE Ecosystem
- Lowest in the market current consumption—deep sleep mode with only 1404 A A conventions sumption prevents battery discharge
- Built-in walker liminate announcement of the switching efficiency
- *3.75*Vread ASIERR BIBeteoth® operateseat were ry low voltage (even 1.2.2/Vduring) the shot)), which is important in high-tuned AEGs, where the voltage under load drops significantly
- · Sensor supporting Infinite Torqueup, DSG, SSG, 19-tooth, and standard gears
- The possibility of using a meer hand a length of the possibility of using a meer hand a length of the possibility of using a meer hand a length of the possibility of using a meer hand a length of the possibility of using a meer hand a length of the possibility of using a meer hand a length of the possibility of using a meer hand a length of the possibility of using a meer hand a length of the length of the
- Extended compatibility with brushless motors works perfect with all popular brushless motors even with 11.1 V batteries
- Multifunctional programmable I/Opert allows sto connect bolt-catch sensor, magazine sensor, and more

WHAT MAKES AS THEIR eddo Bth Stooth \$43.888 letter modes Alapossible combination of osable, SO SPECIAL?

- Everything you need out-of-the-box
- Addiustable Quantum Trigger Zidedlindtherkihe kit set trigger travel with screw and trigger sensitivity in the app
- Hailttim Hitettoth 85522
- Noise-resistant trigger detection atithm
- · HairtriggeroudfelherboxxxEver35 trigger SERSITIVITIES of the differ in the state of (A. 4 11) movement & up to 680 in the full range
- Additional protection against interferences thanks to multi-layer PCB with EEEC shirld
- Automatic Pre-Cocking 020%040%060%080%0% 100%
- Trigger sensitivity adding the not out many any limitation – what's more, you can now adjust Trigger Reset (hysteresis)
- · Improvedicycièckètection
- Active brake adjustment aptimptive 100 %00%

- SEMI, BURST, BINARY, BURST/AUTO, AUTO & SEMI **RAMPING**
- The GCS app enables ###Ware updates via the internet which means instant application roof improvements
- Both ASTER and ASTER II Bluetooth® action compatible with **QUANTUM TREESERS**:
- Quantum Trigger 1 (QT: 1A1, 1B1, 1C1, 1E1)
- Quantum Trigger 2 (QT-2A1) **% Yerr 1 13 Yer 1 113 Yerrent** adjustable with screw


WHAT IS SELF-LEARNING AUTOMA PRE-COCKING?

- Thanks to pre-cocking, you gain trigger reaction similar to real life
- Automatically sets piston position
- Easy-to-use just set one of the 5 modes: 0%, 20%, 40%, 60%, 80%, 100%
- Automatically adapts to the battery voltage and rate of fire



PULSAR

PULSAR·S



PULSAR S HPA Engine - Set with TITAN II Bruetooth

PULSAR & HPA Eligible TITAN II Bluetooth Be- the world's cheapest & most advanced single solenoid HPA engine. The first HPA engine controlled by ETU with optical sensors • Thanks to the newest flagship TITAN II Bluetooth® in tandem with HPA technology you get a ludicrous trigger response. unknown before in the airsoft world. With the userfriendly GCS App for smartphones you can manage your AEG settings live, even straight from the field! Set fire selector modes, trigger sensitivity, ROF or connect your smartwatch in order to know how many BBs are still left in your magazine. All the electronics are inside the gearbox (free space in the butt stock or grip). For the first time ever.

users of HPA replicas can experience a multitude of airsoft replica settings and configurations as well as optical trigger sensors, which until now have only been available to AEG users • With the newest sensor, you can set trigger sensitivity unattainable before – even 50 sensitivity points in the first millimeter of movement • Finally, GATE technology breaks into the world of HPA replicas • Take Your replica into the future!

PARAMETERS

- Adjustable ROF up to 50 RPS
- Velocity: 200-550 FPS
- Operation mode OPEN-BOLT

FEATURES

- The best price-performance ratio sophisticated technologies at a reasonable price
- TITAN II Bluetooth® the first Bluetooth optical ETU in an HPA replica
 - mind-blowing optical trigger sensor allows you for hair trigger setting with ludicrous precision: even 58 sensitivity levels for the first millimeter of trigger movement
 - Bluetooth®@5\$\$2—connectionwithhothleeidevidess from the GATE Ecosystem, eg� STATUS, smartwatch
 - for the first time in HPA replicas, configurable fire modes such as binary trigger, burst, etc

- user-friendly GCS app for iOS, Android, macOS, Windows, watchOS & Wear OS
- constant online access to firmware updates
- Adjustable ROF (1 to 50 RPS)
- Additionally stabilized nozzle ensures FPS consistency and eliminates mid-cap syndrome
- Multifunctional port ready to connect accessories such as the Bolt-Catch button, magazine sensor, Hop-Up chamber tracer, electric magazine power supply or a flashlight
- Simple maintenance thanks to a well thought through build





PULSARD



PULSAR D HPA Engine - Set with TITAN II Buetooth

PULSARD HPA Engine (dual solenoid, closedbolt/open-bolt) whith ITIAN HIBBUSTON BEFFERT - thanks to optical sensors combined with HPA technology, war gettalbundittiigger neepparate/enever before seen in airsoft. Get insane muzzle velocities ranging from 250-650 FPS & ROF from 1-40 RPS possible due to size constraints Choose one of the for EGB: assault: and shiper replicated-bolt and the innovative feed system guarantee you a straight and repeatable BB trajectory even in full AUTO - every time & Tagigien cadabilation in the verver been easier - PULSAR D with TITAN II Bluetooth® is introducing innovative cycle synchronization automation • The most advanced and user-friendly GCS app lets you access a multitude of settings

and configurations like binary trigger, trigger sensitivity. ROF – live via Bluetooth®♦ You can even use a remote trigger on your smartwatch • Install the world's smallest and most advanced dual solenoid valve HPA engine in replicas where previously not five nozzles included or use a regular AEG one. Take your HPA replica into the future!

PARAMETERS

- Adjustable ROF from 1-40 RPS
- Velocity: 250-650 FPS
- Operation mode CLOSED-BOLT / OPEN-BOLT

FEATURES

- SIMPLE Easysynainatenhannæeçeh almakskts ta vælleth olungdholdeb ut design
- VALUE FOR MONEY at the Sofathee duth technology calothe at the best price
- **EBMPAET**Smallestectual sollen bid oxid velocles tects both bil PAPA engine with innovative cycle synchronization
- Bluetooth® ETU/FCU CONTROLLED_ TITAN II

 Bluetooth® V2 gearbox drop-in ETU FCU mosfet AEG

 HPA the first Bluetooth®®optiteal unit thream HTTA/reptitea
 - Very high resolution trigger sensor up to 50 points of sensitivity in the first millimeter
 - Bluetooth® 5♦2 connectivity to other elements of the GATE Ecosystem, e♦g♦ STATUS, smartwatch
 - For the first time in HPA replicas configurable fire modes such as BINARY TRIGGER, BURST, etc◆
 - Convenient GCS app for iOS, Android, macOS, Windows, watchOS, Wear OS
 - Constant access to software updates

- * AEE EBMPATIBILITY mpatible pwith AEC nozzles 5 nozzle lengths included for MP5, M4/M16:
 - 20 **\$**50 mm
 - 20 **9** 80 mm
 - 21 **1**5 mm
 - 21 **2**5 mm
 - 21 **4**0 mm
- NO MID-CAP SYNDROME Eliminated mid-cap syndrome thanks to high dimensional tolerance
- **ACCURACY** Fighting to careacy active the tine of the divative to BB BB feed system for HPA engines
- **STABILITY**FPSRSability/lint/fullfAUAOTroodeode
- ACCESSORIES Use the multifunctional port to connect accessories such as the bolt-catch button, magazine sensor, tracer in the hop-up chamber, electric magazine power supply





EON Complete V2 Gearbox with TITAN II Bruetooth

EON Complete V2 Cearbox TITAN II Bluetooth®

includes top-notch internal components At GATE, we have analyzed and gathered the most advanced technologies available for AEGs and constructed the top-class gearbox, with no compromises on parts Instead of thinking about tuning, now you can obtain at a fair price a ready-to-use, complete gearbox with warranty. Over a million shots fired to build the best and most reliable hi-end gearbox

- The build of best performance ensures insane trigger reaction and reliability
- The preinstalled newest TIMANNI IB Blatestoth (Figives) ives you an extremely innovative advantage
- Hi-end tuning parts, such as the GATE EON CNC Gearbox and EON Pneumatics set
- First in the market Bluetooth® communication straight out-of-the-box
 - Free access to the GCS app lets you customize your replica settings live
- · Full support for brushless motors
- Thoroughly tested with hundreds of thousands shots
- Lifetime warranty for the gearbox shell ROF not limited
- 2-year limited warranty for the Complete Gearbox with the 25 RPS limit ON
- 2-year limited warranty for TITAN II Bluetooth® ROF not limited
- Plug & play straight out-of-the-box simple installation





GATE EON V2 Gearbox (Titanium)

• TITAN II Bluetooth® for V2 gearbox

Nova Trigger

High speed gear set 13:1 (for 450 FPS)
 or SSG gear set 13:1 (for 350 FPS)

Reinforced CNC Piston with full steel tooth rack

EON Protector Cylinder Head

EON High Speed Piston Head

CNC POM sealed nozzle – 21 ♦ 25 mm

Polished stainless steel cylinder

EON Tappet Plate

· Reinforced anti-reversal latch

Reinforced and low-friction 8 mm bearings



GATE Control Station




VIRTUAL STATUS FREE APP



Available on wearOS and watchOS





GATE Control Station gives you total control of your replica

WITH GCS, YOU CAN

- control your replica from iOS, Android, Windows and macOS devices
- adjust ETU settings in a simple way
- update your firmware
- view Statistics and Telemetry
- perform diagnostics and send reports



STATUS



Tactical Gun-Mounted Computer

Check the status of your AEG in real-time to reinforce your tactical decisions. Get the confidence and advantage necessary to win • This sophisticated device, composed of CNC aircraft grade aluminium body and OLED display, is designed to operate even in the most challenging conditions •

- Remaining BB Counter
- Estimated Number of Shots Left on the Battery
- AEG Battery Charge Level
- Replica Angle Indicator
- Temperature Reading
- Magazine Counter
- Distance Pedometer & Calories Burnt Indicator
- Adaptive Display Brightness
- Fire Mode Notification
- Four Customizable Dashboards





EON V2 Gearbox

ene: machined eacholomade in the Caute Machine from aircraft grade Aluminium 7075 T6 with military tensile strength of 570 MPa allows for extreme tuning and embraces the following improvements:

- Dedicated to GATE ETUs TITAN and ASTER as well as the EON series
- Lifetime Waffanty GAGE THU dersers
- Extreme durability thanks to the highest on the market cross-section dimensions in critical places
- Inspection window for precise manual pre-cocking adjustment and piston inspection
- Quick spring change with simple tools such as a home-key or flat-blade screwdriver
- Precise bevel to pinion gear adjustment thanks to the special window

- Easy shimming with special inspection windows for each gear
- Minimized stresses during the cycles thanks to enlarged radiuses in the cylinder window
- No risk of wire damage under the pinion gear
- Handy AOE visual inspection
- Easy anti-reversal latch release
- Ready for 8 mm bearings
- Compatible with the Specna Arms ESA-2 quick spring change system
- Compatible with most standard V2 internal parts
- Compatible with most bodies on the market
- Compatible with VFC dual selectors



The kit includes

- **EON Gearbox shells**
- Set of screws
- QSC spring guide
- Scratch card with a code entitling you to a free EXPERT firmware upgrade of TITAN or ASTER



with the GATE Ecosystem •





EON Hop-Up Chamber

hop-up chamber stuns with FPS precision & consistency, ensures a perfect sealing and BB feed Revolutionary TDC system of hop-up adjustment always gives you an ideal and horizontal placement of the hop-up nub, which makes the BB flight trajectory perfectly straight ?

Tight tolerances of crucial dimensions allow for constant FPS level and stable working of the hop-up system The redesigned c-clip, CNC-made from POM material, yields anti-rotation of the barrel, which enables simple and error-free assembly

- Precise and stable hop-up adjustment thanks to the first-class TDC (Top Down Centered) system
- Always horizontal and straight BB flight trajectory
- No tightening effect on the hop-up bucking collar
- No effect of rolling up the bucking collar
- Perfect seal with hop-up buckings (no Teflon fix needed)
- Full range of regulation of hop-up force, no matter what kind of hop-up nub you use
- Strong and tight CNC c-clip which ensures stabilization of the barrel
- Perfect axial alignment of the barrel in the chamber
- Extremely precise hop-up force adjustment thanks to the ergonomic rotary dial
- Perfectly fits the GGATPPUSAR SIHRAE Egigin GATE
 EON Complete V2 Gearbox

- 1 x CNC Aluminum Hop-Up Chamber
- 1 x CNC POM Hop-Up Arm
- 1 x CNC POM 4 5 mm length Precision R-Hop Nub
- 1 x CNC POM 6 mm length Precision R-Hop Nub
- 1 x Mounting screw
- 1 x CNC POM anti-rotation C-Clip
- 1 x CNC POM barrel spacer
- 1 x CNC POM nozzle sleeve
- 10x O-ring space

HOUSING ROTARY DIAL

- Titanium
- Orange

Red

Red

• Cyan

- Cyan
- Violet





KIT CONTENTS

- POWER HYBRID Piston Head
 - Aluminum 7075
- 6 steel weight pads
- 5 synthetic lightweight pads
- AOE spacer
- 1 bearing
- 2 installation screws
- 2 O-rings
- QR Code containing QuickStart Guide



EON POWER HYBRID Piston Head + Weight Pad Set

The EON POWER HYBRID Piston Head has been designed especially for standard and high-performance builds, helping achieve best results and overcome limits Thanks to the use of 10 vents, airflow significantly increases improving sealing. High quality aircraft-grade aluminum CNC-machining ensures repeatability of shots, perfect head-to-cylinder seal, and high power Together with adjustable AOE, it is essential for every build The special weight pads included in the kit for heavier BBs in DMR builds

COMPATIBILITY:

- All standard AEG cylinders
- All standard AEG cylinder heads
- All standard AEG pistons
- O-rings 19x2 4 mm

- Designed especially for standard and highperformance builds
- 10 vents enhancing airflow and sealing
- Ultra-high quality of aircraft-grade aluminum
 CNC-machining
- Perfect head-to-cylinder seal
 - AOE spacer included
- Special weight pads for heavier BBs in DMR builds
- No limits in spring power
- No AEG modification required
- Dedicated especially to pros and skilled users
- Piston Head weight 4.7 g (without bearing or pads)

KIT CONTENTS

- HIGH SPEED Piston Head POM
- AOE spacer
- 1 bearing
- 2 installation screws
- 2 O-rings
- QR Code containing QuickStart guide



EON HIGH SPEED Piston Head

The piston head designed for the most demanding DSG and speed builds, helping achieve the best results and overcome limits Thanks to the use of 10 vents, airflow significantly increases improving sealing The ultra-lightweight POM material together with CNC-machining ensures repeatability of shots, perfect head-to-cylinder seal, high RPS ratio, and eliminates FPS drops The adjustable AOE makes it essential for every speed build

COMPATIBILITY


- Ideal for max M140 spring power
- All standard AEG cylinders
- All standard AEG cylinder heads
- All standard AEG pistons
- O-rings 19x2 4 mm

- Designed especially for most demanding DSG and speed builds
- 10 vents enhancing airflow and sealing
- Ultra-lightweight POM material
- CNC-machining
- Perfect head-to-cylinder seal
- AOE spacer included
- No AEG modification required
- Dedicated especially to pros and skilled users
- Piston head weight 2.7 g (without bearing)

KIT CONTENTS

- PROTECTOR Cylinder Head Aluminum
- 2 shock absorbing bumpers of varied hardness
- 2 O-rings
- QR Code containing QuickStart Guide

Please note that due to different screen settings and light conditions, the color of the products in the pictures may be slightly different than the actual item. Color differences may also occur between different batches of the product.



EON PROTECTOR Cylinder Head

The cylinder head designed to prolong gearbox shell life and provide the perfect seal to achieve best results • The shock-absorbing bumper noticeably increases gearbox life and limits the wear of the piston head. Thanks to high-quality aircraft-grade aluminum CNC-machining, the Protector Cylinder Head guarantees a precise fit and high tolerances between the nozzle and its guide, eliminating the mid-cap syndrome •

COMPATIBILITY

- All standard AEG cylinders
- All standard AEG piston heads
- All standard O-rings

- Designed especially for standard and high-performance builds
- Two shock absorbing bumpers of different hardness, prolonging gearbox shell life
- Ultra-high quality of aircraft-grade aluminum
 CNC-machining
- Precise fitting with the nozzle eliminating the midcap syndrome
- High tolerances between the nozzle and its guide
- No limits in spring power
- No AEG modification required
- · Dedicated especially to pros and skilled users



61

TAPPET PLATE

EON Tappet Plate

The EON Tappet Plate is one of the most important parts of the gearbox responsible for the timing and correct BB feed Such a crucial element needs to combine two qualities – flexibility and endurance.

The shape of the fin has been designed to ensure the best nozzle opening times and minimize friction against the sector gear While testing, we did not notice any signs of wear, even after 30,000 cycles Especially for the most demanding users, we've marked where you need to shorten the fin in order for it to work properly with DSG gears We've also looked at the tolerances between the tappet plate and the nozzle For additional nozzle stabilization we've designed tighter tolerances Increase the performance of your replica with the EON Tappet Plate

FEATURES

builds

- Fin shape especially designed for perfect cycle timing
- Stable shape and dimensions thanks to CNC-machining
- Made from flexible and durable POM material
- Engraved spot indicating where to cut the fin for DSG



Nova Trigger

An adjustable speed trigger designed especially for pros using TITAN V2 for the greatest accuracy and overcoming the limits Enjoy simple and precise hair-trigger adjustment on any sensor you want Shoot faster thanks to over-travel control Make the most of the compatibility with any gearbox wherever standard V2 trigger fits, including HPA. Select from multiple shapes and colors to suit the style and type of your games All of this with ultra-high quality of 7075 aircraft grade aluminum CNC-machining

COMPATIBILITY

- All standard V2 gearboxes
- TITAN V2
- Standard trigger contacts
- HPA engines
- ASTER V2*

- Designed especially for TITAN V2
- Pre-travel screw hair-trigger adjustment
- Over-travel screw limit trigger movement from outside the rifle body and shoot faster
- Long-Lok system against loose screws
- Full compatibility with TITAN V2 allowing the use of all 5 sensors
- Full compatibility with HPA engines and standard V2 trigger contacts
- Multiple shapes and colors to suit the style and type of your games
- Ultra-high quality of aircraft-grade aluminum CNC-machining
- · No modification of AEG required
- Compatibility with ASTER V2 as a standard trigger*
- Dedicated especially to pros and skilled users

^{*}The Nova Trigger installed in ASTER V2 ETU acts as a standard adjustable trigger and doesn't increase trigger sensitivity range such as the Quantum Trigger ❖



Quantum Trigger

When your hair trigger starts to get boring, you are ready for the next level With Quantum Trigger and ASTER V2, you can set sensitivity from ludicrous touch through hair to full movement

Using the Quantum Trigger, you benefit from a totally new way of trigger detection Instead of covering, the trigger precisely reflects the light. Shape and surface of the QT is unique and dedicated to work with ASTER V2 sensor All these features give that extreme resolution

This CNC Quantum Trigger is like a diamond among coal rocks ♦ Dare to try it ♦

Compatible only with ASTER V2.

- Ultra-high resolution even 6001 tigger sensitivities
 for the first mm (0.04 in) of movement
- Even 470 possible sensitivity levels that who levels movement
- Designed to work with ASTER V2 optical sensors
- Dedicated especially to pros and skilled users
- CNC-machined from aluminium



GATE Enterprise

"To give every airsoft player a more exciting

Our mission statement is well taken to heart

experience and to provide them with access to the the staff. We have our own airsoft team

of employees so we test prototypes and new

most up-to-date technology for their airsoft games."

features at the same time having a lot of fun ?





GATE R&D before a skirmish



GATE Owners: CTO, CEO, COO

plemented a lean manufacturing production system including a ull system and traceability. Our current top products are: the TITAN & ASTER ETU series, PULSAR HPA Engine, STATUS, EON hop-up chamber and the GCS app & GATE places strong emphasis on quality control, from carefully selected suppliers and verified deliveries, through each stage of manufacturing. Before packing, each unit is thoroughly tested – we have developed our own semi-automatic testers to maximize reliability •

Our uso dotions sare rebased comprovered 51 Syears represented acquired knowledge Combining it with high quality standards and comprehensive tests lets us create products you can fully trust The most outstanding example is TITAN II Bluetooth



Contact

ADDRESS DETAILS

GATE Enterprise sp. z o.o. sp. k.

Torowa 3H

PL-30435 Kraków


POLAND

VAT-EU: PL6793095316

CONTACT

GATE Sales Team

Email: sales@gatee eu



Stay tuned with GATE

f /Gatee

/GateEnterprise

✓ /GateMovies

/discord ♦ gatee ♦ eu

www. gatee eu

GATE Office

Tel: (+48) 12 210 0523

Please note that due to different screen settings and light conditions, the color of the products in the pictures may be slightly different than the actual item. Color differences may also occur between different batches of the product.





©GATE