

UNIVERSAL AIRSOFT

2018
CATALOGUE



ICS AIRSOFT AIRSOFT ELECTRIC GUN

中英文國際版 · INTERNATIONAL EDITION



About ICS

The First Manufacture to Produce AEG In Taiwan

Everyone wants to be the winner in battlefields wherever it is in real life or just a game, and the gun in each fighter's hands plays an important role which determines who is on the winning side. The exterior of a gun is obvious: receivers, sights, and barrels. However, the inside of an ICS AEG is a symphony composed by more than 400 parts that go through around 20 types of precision machinery processes by our uncompromised team works. The inner beauty of the ICS AEG is our passion, efforts, and spirit.

When ICS founder and CEO Mr. Chu entered the airsoft replica market in 1995, ICS was the first AEG company specializing in designing and manufacturing in Taiwan. As a professional AEG brand, "highly innovative, highly efficient, and high quality" is the principle of our enterprise, and we insist upon eliminating defective part from the factories, making no mistake on the production line, and releasing no defective product to the market. In 2014, ICS received certificate of quality ISO 9001.

Thus, ICS is not only successfully earning the acknowledgment from our customers around the world, but also leading the AEG industry of Taiwan to enter the global market.

To outstand from the competitors, ICS has a strong R&D team which consists of professionals from 16 different industries. We constantly devote efforts into product design while obtaining patents for our designs and authorizations from firearm companies to provide excellent user's experiences, and to ensure the satisfaction from our customers. This is the mission of ICS: "Innovation, Competition, and Satisfaction."

ICS, The Best Thing We Create.

ICS Precision Workmanship

ICS invests in high precision CNC machines in order to produce high quality metal components such as receivers, RAS/RIS handguard, tactical rails and gearbox. All CNC machining components provide extremely realistic appearances as the real firearms. Even military standard 7075 aluminum can be processed for OEM customers.



ICS Exclusive Realistic Design

1. QD Receiver & Split Gearbox

快拆槍身及分離式齒輪箱

The ICS quick disassembling receivers and the split gearbox simulate real firearms, which enable an easier access to upgrade, battlefield maintain, and trouble shooting.



2. Ergonomic Design

人體工學設計


Human engineering designed parts, such as NM4 pistol grip and MTR stock, are easy to use, providing more comfort for long patrol mission, and more grip control for intensive combat situation.



3. Advanced Upgrade Parts

高階零件升級

The upgrade parts, including MIM high torque gears, reinforced POM piston, oversized aluminum piston head, and full capacity cylinder, provide the outstanding performance for advanced players.



CONTENTS


SARSILMAZ SAR9	03
Korth PRS	05
BLE XFG Series	07
BLE XAE Series	09
XPD / XCP / PM2 (COMING SOON)	11
CXP Series	13
CS4 Series	51
MA Accessories	59
MAR Series	77
MK Accessories	81
WWII Series	85
ME Accessories	87
MY Accessories	90
L85/L86 Series	91
ML Accessories	95
AAR Series	97
MH Accessories	99
CES Series	101
MP Accessories	103
MGL Series	111
MM Accessories	115
TOD Series	117
MG Accessories	121
Compatible Parts	123
Original Accessories	130
Product Info	134

SARSILMAZ®



Sarsilmaz is a leading privately owned company in Turkey that possesses the capabilities required for producing guns that meet Turkish military, law enforcement, and civil use standards. Moreover, Sarsilmaz take great pride from being the sole official pistol supplier for the Turkish National Police and the Turkish Armed Forces.

SAR9



Fully licensed by Sarsilmaz Silah San. A.S., the SAR9 is a high quality pistol built by ICS in accordance to the philosophy of "Producing the Best of the Pistols". It is a lightweight, new-generation polymer construction pistol.

SARSILMAZ® The logo of SARSILMAZ® is registered trademarks of Sarsilmaz Silah San. A.S., Turkey -www.sarsilmaz.com - and is used for airsoft replicas under worldwide exclusive license.



"IT HAS ALWAYS BEEN SOMETHING VERY SPECIAL TO OWN A KORTH."

Because every Korth is unique.

It used to be and still is today.

Half a century after Willi Korth presented his very first revolver the public, the manufactory Korth runs at full speed again.

The name Korth stands for unique gunsmithing. The revolvers, which we manufacture don't just shoot extreme precisely. Their appearance makes these weapons small art works that redound the glory of any man. The exquisite and individual products are valued as gifts to express highest recognition and find their way into the exclusive collections of passionate weapon collectors. The spirit of Willi Korth to continuously improve even the very good things, you can feel in each weapon made by PTW KORTH Technologies GmbH. The best of steels, hand chosen timber and perfect mechanics are the ingredients, which are formed through experience, countless hours of hand working. Anyone, who has ever held a Korth in his Hand and felt its perfect balance, smooth operation and excellent timing, understands the phenomenon Korth. The shooting results speak for themselves and are the confirmation of this spirit and passion. A Korth is a piece of exclusivity. Exclusivity that arises solely from the personal drive of their master Willi Korth ...

... to build the best revolver in the world!



PTW KORTH Technologies GmbH, Germany, and the KORTH logo are registered trademarks of PTW KORTH Technologies GmbH, Germany - <http://www.kortharms.com> - and are used for airsoft replicas under worldwide exclusive license from Begadi GmbH - www.begadi.com.



BLE-XFG



Black Leopard Eye

BLE-XFG All-purpose Pistol

Newly Developed GBB Pistol by ICS.

As its predecessor, it's designed to be ambidextrous, with a new design of engraving and texture, and luminous aiming sights, It'll provide you a brand new shooting experience.

Patent Acquired: D183252 / 003492040-0001



BLE-XFG



NEW
BLE-005-ST

BLE XFG Tan / 沙色版



NEW
BLE-005-SB

BLE XFG Black / 黑色版



NEW
BLE-005-SH

BLE XFG Hairline / 金屬髮絲紋版



NEW
BLE-005-SD1

BLE XFG Two-Tone BKTN / 雙色版



NEW
BLE-005-SD2

BLE XFG Two-Tone TNBK / 雙色版



BLE-005

Length	184mm
Barrel length	93mm
Weight	642g
Velocity	90m/s(295FPS)
Caliber	6mm
Magazine capacity	19+1 rounds
Frame material	Nylon-Reinforced Polymer
Slide material	Aluminum
Shooting mode	Semi-Automatic / Safety

NOTE:

- The product specification is for reference only and may be subject to change.
- Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

BLE-XAE


Xtreme Ambi Enhanced Pistol

*The Incredible BLE-XAE.
The innovative and advanced XAE follows
the standards set by ICS rifles to bring you a high
quality, high performance pistol.
The XAE features ambidextrous slide catch and ambidextrous magazine catch,
thus being ideal for both right and left-handed shooters.*




TAIWAN
EXCELLENCE
2018

Patent Acquired: 003765049-0001



BLE-XAE



BLE-006-SD4

BLE XAE Two-Tone TNBK / 雙色版



BLE-006-SD3

BLE XAE Two-Tone BKTN / 雙色版



BLE-006-SB

BLE XAE Black / 黑色版



TAIWAN
EXCELLENCE
2018

BLE-006

Length	184mm
Barrel length	85mm
Weight	670g
Velocity	90m/s(295FPS)
Caliber	6mm
Magazine capacity	24 rounds
Frame material	Nylon-Reinforced Polymer
Slide material	Aluminum
Shooting mode	Semi-Automatic / Safety

※ NOTE:

1. The product specification is for reference only and may be subject to change.

2. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:


Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK

Below 100 m/s (328 FPS): Italy


Below 95 m/s (312 FPS): Japan

Below 45 m/s (148 FPS): Korea

COMING SOON



XPD



XCP

Patent Acquired: 003352756-0001 / D182159



PM2 MAKAROV

HIGH POWER AIRSOFT PISTOL



Black Leopard Eye

COMING SOON

BE A GAME CHANGER
ICS AIRSOFT¹²

M-LOK

In 2007, Magpul introduced the first negative space attachment system for firearms with what became the MOE slot system.

No longer was it necessary to use a Picatinny rail as an intermediate, and accessories could be direct-mounted to hand guards and other surfaces.

Fast forward a few years. Other direct attachment systems came to market where access to the backside of the mounting surface was no longer needed...an improvement in usability.

After shaker table testing, thousands upon thousands of rounds of live fire testing, drop testing, pullout testing, and manufacturing time and material studies, Magpul developed and moved forward with the M-LOK slot system as a better solution in every metric studied.

M-LOK is stronger, easier and faster to machine, has no sharp corners, has full four way recoil lug support, is adjustable in small increments for position, is repeatable, and is generally considered visually appealing.

Now ICS has been officially authorized by Magpul to use M-LOK standard, allowing us to provide more reliable products for the future of the airsoft industry.



CXP-MMR



IMT-401-1 CXP-MMR Carbine TAN | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版



ICS-400 CXP-MMR DMR | Proline
UKSR Stock / UKSR 狙擊托 金屬版



M-LOK

CXP-MMR



NEW

ICS-400 CXP-MMR DMR | Proline
UKSR Stock / UKSR 狙擊托 金屬版



NEW

ICS-401 CXP-MMR Carbine | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版



NEW

ICS-402 CXP-MMR SBR | Proline
MTR Stock / MTR 戰術伸縮托 金屬版



CXP-MMR



NEW

IMT-400-1 CXP-MMR DMR TAN | Proline
UKSR Stock / UKSR 狙擊托 金屬版



NEW

IMT-401-1 CXP-MMR Carbine TAN | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版



NEW

IMT-402-1 CXP-MMR SBR TAN | Proline
MTR Stock / MTR 戰術伸縮托 金屬版



ICS-400
IMT-400-1

ICS-401
IMT-401-1

ICS-402
IMT-402-1

Length/Retractable	975/1003 (mm)	835/930 (mm)	725/800 (mm)
Barrel length (mm)	458	375	263
Muzzle velocity	120 m/s (395fps) *	120 m/s (395fps) *	120 m/s (395fps) *
Weight (g)	3393	2886	2678
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector
Mag. capacity	300	300	300
Spring	M120	M120	M120
Material	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long

*NOTE:

- The product specification is for reference only and may be subject to change.
- Battery type is recommended, not included.
- For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
- Muzzle velocity is measured with 0.20g BBs, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

CXP-YAK

IMT-412-1 CXP-YAK R SR Tan | Proline
UKSR Stock / UKSR 狙擊托 金屬版

ICS-412 CXP-YAK R SR | Proline
UKSR Stock / UKSR 狙擊托 金屬版

	ICS-410	ICS-411	ICS-412	ICS-413
Model	IMT-410-1	IMT-411-1	IMT-412-1	IMT-413-1
Length/Retractable	825/733 (mm)	930/835(mm)	947/975(mm)	838/743 (mm)
Barrel length (mm)	263	375	420	263
Muzzle velocity	120 m/s (395fps) ≈			
Weight (g)	3067	3145	3617	3145
Battery type	9.6V Ni-Mh or 11.1V Li-Po			
Connector size	Small connector	Small connector	Small connector	Small connector
Mag. capacity	300	300	300	300
Spring	M120	M120	M120	M120
Material	Full metal	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long	Long

※NOTE:
1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

CXP-YAK

IMT-410-1 CXP-YAK C S1 Tan | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版

ICS-410 CXP-YAK C S1 | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版

IMT-411-1 CXP-YAK S1 Tan | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版

ICS-411 CXP-YAK S1 | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版

IMT-413-1 CXP-YAK CQB Tan | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版


ICS-413 CXP-YAK CQB | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版

SSS

SELF-DIAGNOSTIC SHOOTING SYSTEM

sss 電子扳機系統

Patent Acquired: M549335







更好的相容性 齒輪箱升級不受限
Gearbox Highly Compatible to Aftermarket Upgrade Parts

ICS 架構只要有此凸輪的市售齒輪皆可相容
DUAL Mosfet System - Power & Monitor



ICS 架構雙 FET 監控，一短路立刻斷電避免燒毀
It protects the system and prevents automatic firing caused by short circuits.



更精簡的設計 電池空間不浪費

More Efficient MOSFET Design Without Wasting Battery Space

ICS 電子扳機系統採雙片式晶片設計，安裝位置與一般市面上將晶片安裝在托桿內的方式不同。
獨家安裝於 BOX 內不另佔用電池空間，更能有效保護電池與電線免受擠壓破損，提升使用壽命。

ICS SSS Electronic Trigger System combines the FET power board and the controller board into one assembly and then replaces the switch assembly. Therefore, it can still keep the original battery room without occupying any space in the stock tube or stock.



CXP M.A.R.S

ONE SYSTEM ALL SITUATION

An entirely new rifle platform and complete weapon system, engineered to be customizable, adaptable, and reliable.

Patents acquired: US 7,077,117 B1 / US D706,879 S / US D706,880 S / R.O.C. M244431 / R.O.C. M320468 / R.O.C. D160112 / R.O.C. D159178 / R.O.C. M480664 / EM002246579-0001 / R.O.C.D168410 / R.O.C.D1531145 / USD744048S / EM002541334-0001 / R.O.C. D180133 / EM003297555-0001 / EM003297530-0001/EM003568161-0001/EM003568161-0002/R.O.C. D182341



Photography by O2O magazine



CXP-MARS SERIES KOMODO



* 2 VERSIONS AVAILABLE *

Electronic Trigger

Self-diagnostic

Shooting

System



Integrated MOSFET

HyperEfficient

Durable

Safe



ICS Split Gearbox




EBB System




MTR-S1 Stock



UNIVERSO SNIPER AIRSOFT



Lightweight Keymod Handguard



Spring Release Function



Ambidextrous Charging Handle

CXP-MARS SERIES KOMODO



NEW

ICS-300 CXP-MARS Komodo | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版



NEW

IMT-300-1 CXP-MARS Komodo | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版



NEW

IMD-300-1 CXP-MARS Komodo | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版



CXP-MARS SERIES SBR



NEW

ICS-301 CXP-MARS SBR | Proline
MTR Stock / MTR 戰術伸縮托 金屬版



NEW

IMT-301-1 CXP-MARS SBR | Proline
MTR Stock / MTR 戰術伸縮托 金屬版



NEW

IMD-301-1 CXP-MARS SBR | Proline
MTR Stock / MTR 戰術伸縮托 金屬版

※NOTE:
1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



TAIWAN EXCELLENCE 2018

- ICS-300
- IMT-300-1
- IMD-300-1
- ICS-300S3
- IMT-300S3-1
- IMD-300S3-1

Length/Retractable	935/840 (mm)	935/840 (mm)
Barrel length (mm)	375	375
Muzzle velocity	128-134 m/s (421-441 FPS) ≈	128-134 m/s (421-441 FPS) ≈
Weight (g)	3160	3160
Battery type	7.4V Ni-Mh or 11.1V Li-Po	7.4V or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

ICS-301S3

- ICS-301
- IMT-301-1
- IMD-301-1
- ICS-301S3
- IMT-301S3-1
- IMD-301S3-1

Length/Retractable	800/705 (mm)	800/705 (mm)
Barrel length (mm)	263	263
Muzzle velocity	125-129 m/s (411-424 FPS) ≈	125-129 m/s (411-424 FPS) ≈
Weight (g)	2940	2940
Battery type	7.4V Ni-Mh or 11.1V Li-Po	7.4V or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※NOTE:
1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

CXP-MARS SERIES CARBINE



NEW ICS-302 CXP-MARS SBR | Proline
MTR Stock / MTR 戰術伸縮托 金屬版



NEW IMT-302-1 CXP-MARS SBR | Proline
MTR Stock / MTR 戰術伸縮托 金屬版



NEW IMD-302-1 CXP-MARS SBR | Proline
MTR Stock / MTR 戰術伸縮托 金屬版



CXP-MARS SERIES DMR



NEW ICS-303 CXP-MARS DMR | Proline
UKSR Stock / UKSR 狙擊托 金屬版



NEW IMT-303-1 CXP-MARS DMR | Proline
UKSR Stock / UKSR 狙擊托 金屬版



NEW IMD-303-1 CXP-MARS DMR | Proline
UKSR Stock / UKSR 狙擊托 金屬版

- | | |
|-------------|---------------|
| ■ ICS-302 | ■ ICS-302S3 |
| ■ IMT-302-1 | ■ IMT-302S3-1 |
| ■ IMD-302-1 | ■ IMD-302S3-1 |

Length/Retractable	905/810 (mm)	905/810 (mm)
Barrel length (mm)	375	375
Muzzle velocity	128-134 m/s (421-441 FPS) *	128-134 m/s (421-441 FPS) *
Weight (g)	3040	3040
Battery type	7.4V Ni-Mh or 11.1V Li-Po	7.4V or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

* NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

CXP-MARS SERIES DMR



- | | |
|-------------|---------------|
| ■ ICS-303 | ■ ICS-303S3 |
| ■ IMT-303-1 | ■ IMT-303S3-1 |
| ■ IMD-303-1 | ■ IMD-303S3-1 |

Length/Retractable	980/1010 (mm)	980/1010 (mm)
Barrel length (mm)	458	458
Muzzle velocity	129-135 m/s (424-444 FPS) *	129-135 m/s (424-444 FPS) *
Weight (g)	3610	3610
Battery type	7.4V Ni-Mh or 11.1V Li-Po	7.4V or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

* NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

CXP-APE

SERIES



CXP-APE

IMD-230-1 CXP-APE Two-Tone | Proline

SF1 Stock / SF1 戰術伸縮托 金屬版



Split Gearbox

EBB System

Situation Flexible 1 Stock



3-Way Magazine Release



Quick-Detach Barrel System



Install the Battery in SF1 Stock



UNIVERSO SNIPER AIRSOFT

CXP-APE



ICS-231 CXP-APE R | Proline
SF1 Stock / SF1 戰術伸縮托 金屬版



IMD-231-1 CXP-APE R Two-Tone | Proline
SF1 Stock / SF1 戰術伸縮托 金屬版



IMT-231-1 CXP-APE R Tan | Proline
SF1 Stock / SF1 戰術伸縮托 金屬版



	ICS-231	IMT-231-1	IMD-231-1
Length/Retractable	895/827 (mm)	895/827 (mm)	895/827 (mm)
Barrel length (mm)	375	375	375
Muzzle velocity	114-133 m/s (374-436fps) *	114-133 m/s (374-436fps) *	114-133 m/s (374-436fps) *
Weight (g)	3000	3000	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector
Mag. capacity	300	300	300
Spring	M120	M120	M120
Material	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long

※NOTE:

- The product specification is for reference only and may be subject to change.
- Battery type is recommended, not included.
- For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
- Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

CXP-APE



ICS-230 CXP-APE | Proline
SF1 Stock / SF1 戰術伸縮托 金屬版



IMT-230-1 CXP-APE Tan | Proline
SF1 Stock / SF1 戰術伸縮托 金屬版



	ICS-230	IMT-230-1	IMD-230-1
Length/Retractable	784/716 (mm)	784/716 (mm)	784/716 (mm)
Barrel length (mm)	263	263	263
Muzzle velocity	115-130 m/s (377-427fps) *	115-130 m/s (377-427fps) *	115-130 m/s (377-427fps) *
Weight (g)	2900	2900	2900
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector
Mag. capacity	300	300	300
Spring	M120	M120	M120
Material	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long

※NOTE:

- The product specification is for reference only and may be subject to change.
- Battery type is recommended, not included.
- For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
- Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



Photography by Team GOTAC from Chile

CXP-HOG TUBULAR

ICS-275 CXP-HOG Tubular L SR | Proline
UKSR Stock / UKSR 狙擊托 金屬版



EBB System



UKSR Sniper Stock

ICS-274	ICS-275
Length/Retractable	910/880 (mm)
Barrel length (mm)	375
Muzzle velocity	123-134 m/s (404-440 FPS) ※
Weight (g)	3300
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	300
Spring	M120
Material	Full metal
Motor axle	Long



※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

ICS-274 CXP-HOG Tubular SR | Proline
UKSR Stock / UKSR 狙擊托 金屬版





CXP-HOG TUBULAR



後出線版本
REAR WIRED

ICS-380 CXP-HOG Tubular SD MTR | Proline
MTR Stock / MTR S1 Stock / MTR S1 戰術伸縮托



後出線版本
REAR WIRED

ICS-383 CXP-HOG Tubular SSD MTR | Proline
MTR Stock / CXP-HOG 圓管護木 短版 SD MTR 托



	ICS-380	ICS-383
Length/Retractable	880/800(mm)	800/720 (mm)
Barrel length (mm)	375	303
Muzzle velocity	120-138 m/s (394-453 FPS) ≈	113-130 m/s (371-427 FPS) ≈
Weight (g)	2860	2690
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



CXP-HOG TUBULAR

後出線版本
REAR WIRED

ICS-381 CXP-HOG Tubular SD S1 | Proline
MTR S1 Stock / MTR S1 戰術伸縮托



後出線版本
REAR WIRED

ICS-382 CXP-HOG Tubular SD SR | Proline
UKSR Stock / UKSR 狙擊托 金屬版



	ICS-381	ICS-382
Length/Retractable	900/810 (mm)	910/880 (mm)
Barrel length (mm)	375	375
Muzzle velocity	120-138 m/s (394-453 FPS) ≈	120-138 m/s (394-453 FPS) ≈
Weight (g)	2920	3300
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



CXP-HOG QRS



前出線版本
FRONT WIRED
ICS-272 CXP-HOG QRS | Proline
QRS Stock / QRS 戰術伸縮托 金屬版



前出線版本
FRONT WIRED
IMT-272-1 CXP-HOG QRS Tan | Proline
QRS Stock / QRS 戰術伸縮托 金屬版



CXP-HOG MTR



前出線版本
FRONT WIRED
ICS-270 CXP-HOG | Proline
MTR Stock / MTR 戰術伸縮托 金屬版

後出線版本
REAR WIRED ICS-271 CXP-HOG | MTR Stock



前出線版本
FRONT WIRED
IMT-270-1 CXP-HOG Tan | Proline
MTR Stock / MTR 戰術伸縮托 金屬版

後出線版本
REAR WIRED IMT-271-1 CXP-HOG Tan | MTR Stock

■ ICS-272
■ IMT-272-1

Length/Retractable	775/675 (mm)
Barrel length (mm)	263
Muzzle velocity	115-130 m/s (377-427 FPS) ※
Weight (g)	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	300
Spring	M120
Material	Full metal
Motor axle	Long

※NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

■ ICS-270
■ IMT-270-1

Length/Retractable	795/700 (mm)	795/700 (mm)
Barrel length (mm)	263	263
Muzzle velocity	115-130 m/s (377-427 FPS) ※	115-130 m/s (377-427 FPS) ※
Weight (g)	3000	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long



CXP-UK1



MTR S1 Stock



後出線版本
REAR WIRED
ICS-267 CXP-UK1R SR | Proline
UKSR Stock / 狙擊托 金屬版



Length/Retractable	925/895 (mm)	820/725 (mm)
Barrel length (mm)	375	263
Muzzle velocity	121-142 m/s (397-466 FPS) *	117-135 m/s (384-443 FPS) *
Weight (g)	3380	2800
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long



New EBB reinforced split gearbox



Reinforced MIM bevel and pinion gear



UKSR Sniper Stock

後出線版本
REAR WIRED
ICS-268 CXP-UK1 S1 | Proline
MTR S1 Stock / MTR S1 戰術伸縮托 金屬版






**TAIWAN
EXCELLENCE
2017**



	ICS-265	ICS-264C
Length/Retractable	906/811 (mm)	795/700 (mm)
Barrel length (mm)	372	263
Muzzle velocity	121-142 m/s (397-466 FPS) *	123-133 m/s (404-436 FPS) *
Weight (g)	2920	2587
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※ NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea





CXP-UK1 CAPTAIN

New Full Metal Compact UK1

The UK1 Captain becomes one of the smallest UK1 variants, and inherits the UK1 series' brilliant pedigree. The free floating Keymod rail handguard is the excellent platform for mounting accessories. The overall small size is just perfect for extremely CQB situations.

Patents acquired: D 169081 / USD 721407S




Photography by Turgay Dansik



CXP-UK1 CAPTAIN

MTR STOCK



後出線版本

REAR WIRED

ICS-262 CXP-UK1 Captain MTR | Proline

MTR Stock /MTR 戰術伸縮托 金屬版



後出線版本

REAR WIRED

IMT-262-1 CXP-UK1 Captain MTR Tan | Proline

MTR Stock /MTR 戰術伸縮托 金屬版

New Full Metal
Compact UK1


CXP-UK1 CAPTAIN



■ ICS-263



■ IMT-263-1



■ ICS-262



■ IMT-262-1



	Length/Retractable	512 (mm)	512 (mm)	693/617 (mm)	693/617 (mm)
	Barrel length (mm)	186	186	186	186
	Muzzle velocity	111-121 m/s (364-397 FPS) ≈			
	Weight (g)	2630	2630	2840	2840
	Battery type	11.1V Li-Po	11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
	Connector size	Small connector	Small connector	Small connector	Small connector
	Mag. capacity	300	300	300	300
	Spring	M120	M120	M120	M120
	Material	Full metal	Full metal	Full metal	Full metal
	Motor axle	Long	Long	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

Photography by Daniel Gordillo Vieira

CXP-15

KEYMOD SYSTEM HANDGUARD



ICS-175 CXP-15 K Proline

Crane Stock / 海豹托 金屬版



	ICS-174	ICS-175
Length/Retractable	743/648 (mm)	743/648 (mm)
Barrel length (mm)	200	200
Muzzle velocity	88-103 m/s (289-338 FPS) ≈	112-124 m/s (367-407 FPS) ≈
Weight (g)	1900	2200
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M100	M120
Material	Engineering plastic	Full metal
Motor axle	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

ICS-171 CXP-15 K Proline
Keymod System / 金屬版



運動版系列
SPORTLINE

ICS-170 CXP-15 K Keymod System



ICS-173 CXP-15 Proline
Pistol / 手槍金屬版



運動版系列
SPORTLINE

ICS-172 CXP-15 Pistol / 手槍版

	ICS-170	ICS-171	ICS-172	ICS-173
Length/Retractable	732/642 (mm)	732/642 (mm)	472 (mm)	472 (mm)
Barrel length (mm)	200	200	200	200
Muzzle velocity	88-103 m/s (289-338 FPS) ≈	112-124 m/s (367-407 FPS) ≈	88-103 m/s (289-338 FPS) ≈	112-124 m/s (367-407 FPS) ≈
Weight (g)	1800	2100	1600	1900
Battery type	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector	Small connector
Mag. capacity	300	300	300	300
Spring	M100	M120	M100	M120
Material	Engineering plastic	Full metal	Engineering plastic	Full metal
Motor axle	Long	Long	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



CXP-16

ICS-238 CXP-16 L | Proline
Crane Stock / 海豹托 金屬長版



IMT-238-1 CXP-16 L Tan | Proline
Crane Stock / 海豹托 金屬長版



■ ICS-238

■ IMT-238-1

Length/Retractable	980/885 (mm)	980/885 (mm)
Barrel length (mm)	303	303
Muzzle velocity	116-136 m/s (381-446 FPS) *	116-136 m/s (381-446 FPS) *
Weight (g)	3300	3300
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



Photography by INS4NEsmilies

CXP-08



SPORTLINE
ICS-160 CXP-08 QRS Stock / 伸縮托



SPORTLINE
IPT-160-1 CXP-08 Tan QRS Stock / 伸縮托



■ ICS-160
■ IPT-160-1

■ ICS-324

Length/Retractable	695/595 (mm)	695/595 (mm)
Barrel length (mm)	200	200
Muzzle velocity	90-104 m/s (295-341 FPS) *	112-128 m/s (367-420 FPS) *
Weight (g)	2150	2900
Battery type	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M100	M120
Material	Engineering plastic	Full metal
Motor axle	Long	Long



EBB SYSTEM
ICS-324 CXP-08 EBB QRS Stock / 伸縮托



EBB SYSTEM
ICS-325 CXP-08 EBB Crane Stock / 海豹托



■ ICS-144

■ ICS-325

Length/Retractable	745/650 (mm)	745/650 (mm)
Barrel length (mm)	200	200
Muzzle velocity	90-104 m/s (295-341 FPS) *	112-128 m/s (367-420 FPS) *
Weight (g)	2300	2700
Battery type	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M100	M120
Material	Engineering plastic	Full metal
Motor axle	Long	Long

※ NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



CS4

SERIES

ICS CS4/CS16 series carries a built-in split gearbox, technology proprietary to ICS, which gives our CS4/CS16 series a more realistic disassembly experience and contributes to ease maintenance.

Photography by 野豬先鋒 from Taiwan

TUBULAR



Patents acquired: US7,077,117 B1 / US 7,971,583 B2 / US D706,880 S / US D706,879 S / ZL 200820137077.3 / 002246579-0001 / D 159178 / D 160112 / M 244431 / M 320468 / M 351340 / M 480664



Considerate Design of Adjustable Rail



Spring imported from the US



High Density Aluminium Extrusion and CNC Milling



Split Gearbox



ICS-220 CS4A1 Tubular R.A.S. L Proline

Retractable Stock / 戰術伸縮托 圓管護木金屬長版



ICS-220



ICS-322

Length/Retractable	873/778 (mm)	873/778 (mm)
Barrel length (mm)	375	375
Muzzle velocity	115-140 m/s (377-459 FPS) *	120-138 m/s (394-453 FPS) *
Weight (g)	2900	3000
Battery type	11.1V Li-Po	11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

* NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



EBB SYSTEM



ICS-322 CS4A1



Tubular R.A.S. L EBB

MTR Stock / MTR 戰術伸縮托



TUBULAR



ICS-221 CS4A1 Tubular R.A.S. S Proline
Retractable Stock / 戰術伸縮托 圓管護木金屬短版



ICS-221

	ICS-221	ICS-323
Length/Retractable	873/778 (mm)	873/778 (mm)
Barrel length (mm)	375	375
Muzzle velocity	115-140 m/s (377-459 FPS) ※	120-138 m/s (394-453 FPS) ※
Weight (g)	2850	2950
Battery type	11.1V Li-Po	11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※ NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

EBB SYSTEM
ICS-323 CS4A1 Tubular R.A.S. S EBB MTR Stock / MTR 戰術伸縮托



CS4A1



ICS-20 CS4A1 Proline
Retractable Stock / 戰術伸縮托 金屬版



EBB SYSTEM
ICS-320 CS4A1 EBB Retractable Stock / 戰術伸縮托 金屬版

ICS-20	ICS-320
Length/Retractable	873/778 (mm)
Barrel length (mm)	375
Muzzle velocity	115-140 m/s (377-459 FPS) ※
Weight (g)	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	450
Spring	M120
Material	Full metal
Motor axle	Long

※ NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

CS16A3



ICS-24 CS16A3 Proline
Fixed Stock / 固定托 金屬版



ICS-30 CS16A3 R.A.S. Proline
Fixed Stock / R.A.S. 固定托 金屬版



	ICS-24	ICS-30
Length/Retractable	1025 (mm)	1025 (mm)
Barrel length (mm)	515	515
Muzzle velocity	117-142 m/s (384-466 FPS) *	117-142 m/s (384-466 FPS) *
Weight (g)	3370	3750
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

CS4 TACTICAL

戰術系列 · 突擊步槍



ICS-127 CS4 R.I.S. Proline
Crane Stock / 海豹托 金屬版

	ICS-127	ICS-321
Length/Retractable	815/730 (mm)	815/730 (mm)
Barrel length (mm)	263	263
Muzzle velocity	113-130 m/s (371-427 FPS) *	116-132 m/s (382-433 FPS) *
Weight (g)	3000	3250
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long



EBB SYSTEM
ICS-321 CS4 R.I.S. EBB Crane Stock / 海豹托 金屬版

*NOTE:
1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BBs, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (146 FPS): Korea

- 運動版 -
-PLASTIC
VERSION-

CS4A1



- ※NOTE:
1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BBs, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

SPORTLINE

*The same design as metal CS4.
*ICS is able to fulfill your request for the transparent/translucent plastic version of AEGs.

R.I.S.

ICS-47 CS4 R.I.S. /
Crane Stock / 海豹托



	ICS-41	ICS-42	ICS-47	IPT-047-1
Length/Retractable	873/778 (mm)	875 (mm)	815/730 (mm)	815/730 (mm)
Barrel length (mm)	375	375	263	263
Muzzle velocity	95-113 m/s (312-371 FPS) ※	95-113 m/s (312-371 FPS) ※	94-109 m/s (308-358 FPS) ※	94-109 m/s (308-358 FPS) ※
Weight (g)	2500	2700	2500	2500
Battery type	9.6V Ni-Mh or 7.4V Li-Po			
Connector size	Small connector	Small connector	Small connector	Small connector
Mag. capacity	300	300	300	300
Spring	M100	M100	M100	M100
Material	Engineering plastic	Engineering plastic	Engineering plastic	Engineering plastic
Motor axle	Long	Long	Long	Long



CS4 / CXP Compatible Parts

Handguard 護木

UK1 Captain Handguard Set L152

UK1 Captain 護木組 L152

MA-354 BK 黑色

MA-355 TAN 沙色



護木

CXP-16 Handguard L220
CXP-16 護木 L220 (短版)
MA-343 BK 黑色
MA-346 TAN 沙色



UK1R Handguard L320
UK1R 護木 L320
MA-224



UK1R Handguard L320-Tan
UK1R 護木 L320-沙色
MA-281



UK1 Handguard L230
UK1 護木 L230
MA-222



UK1 Handguard L230-Tan
UK1 護木 L230-沙色
MA-280



CXP-16 Handguard L318
CXP-16 護木組 L318(長版)
MA-319 BK 黑色
MA-345 TAN 沙色



CS4A1 Handguard
CS4A1 護木
MA-06



CS16A3 Handguard
CS16A3 護木
MA-65



CXP-08 Upper Handguard
CXP-08 上護木
MA-98



HOG Handguard Set
HOG 護木組
MA-311 BK 黑色
MA-316 TAN 沙色



CS4 CQB R.A.S. Handguard
CS4 CQB R.A.S. 護木
MA-81



CS4 R.A.S. Handguard
CS4 R.A.S. 戰術護木
MA-73



CS16A3 R.A.S. Handguard
CS16A3 R.A.S. 護木
MA-85



CS4 Tubular Handguard
CS4 圓管護木 - 短
MA-183



CS4 Tubular Handguard
CS4 圓管護木 - 長
MA-184



CXP-15 Keymod Handguard
CXP-15 護木組
MA-236



APE Handguard
APE 護木組
MA-301



NEW MMR / MARS / YAK Compatible Parts

Handguard

護木

MARS Handguard 10"
MARS 護木 10吋
NEW MA-402 BK 黑色



MARS Handguard 10" TAN
MARS 護木 10吋
NEW MA-405 TAN 沙色



MARS Handguard 13"
MARS 護木 13吋
NEW MA-403 BK 黑色



MARS Handguard 13" TAN
MARS 護木 13吋
NEW MA-406 TAN 沙色



MARS Handguard 16"
MARS 護木組 16吋
NEW MA-404 BK 黑色



MARS Handguard 16" TAN
MARS 護木組 16吋
NEW MA-407 TAN 沙色



YAK Keymod Handguard 10"
YAK Keymod 護木 10吋
NEW MA-375 BK 黑色



YAK Keymod Handguard 12.5"
YAK Keymod 護木 12.5吋
NEW MA-376 BK 黑色



YAK Keymod Handguard 10" TAN
YAK Keymod 護木 10吋
NEW MA-378 TAN 沙色



YAK Keymod Handguard 12.5" TAN
YAK Keymod 護木 12.5吋
NEW MA-379 TAN 沙色



MMR Handguard 10"
MMR 護木 10吋
NEW MA-421 BK 黑色



MMR Handguard 10" TAN
MMR 護木 10吋
NEW MA-424 TAN 沙色



MMR Handguard 13"
MMR 護木 13吋
NEW MA-425 TAN 沙色



MMR Handguard 13" TAN
MMR 護木 13吋
NEW MA-426 TAN 沙色



Handguard Accessories | 護木配件

CS4A1 Delta Ring
CS4A1 護木固定環
MA-33



Delta Ring Wrench Tool
星狀環扳手組
MA-242



CS16A3 Front Handguard Ring
CS16A3 護木固定環
MA-69



APE Handguard Pin
APE 護木插銷
MA-302



CS4A1 Handguard Ring
CS4A1 護木固定環
MA-72



APE Barrel Ring
APE 槍管環
MA-303



CXP-08 Delta Ring
CXP-08 護木固定環
MA-100



HOG Handguard Retainer
HOG 護木固定環
MA-312



CS4A1 Tubular Handguard Delta Ring
星狀環(圓管護木用)
MA-195




Wave Spring
波形彈簧
MA-196



CXP-16 Handguard Retainer
CXP-16 護木定位座
MA-321



CXP-16 Handguard Rear Retainer
CXP-16 護木後定位座
MA-323



(Long Ver.)

**CXP Keymod Rail Set
CXP Keymod 戰術軌道 - 中
MA-362**



(Medium Ver.)

**CXP Keymod Rail Set
CXP Keymod 戰術軌道 - 短
MA-363**



(Short Ver.)

Rail | 軌道組

Tactical Rail Handguard Panel Set-BK
R.I.S. 戰術護片 - 黑色
MA-52



Tactical Rail Handguard Panel Set-TAN
R.I.S. 戰術護片 - 沙色
MA-177



Keymod Panel (2pcs/set)
Keymod 護片 (2 入)
MA-283



Carrying Handle 提把組

Detachable Carrying Handle
金屬提把組
MA-07



(Metal)

Detachable Carrying Handle
塑膠提把組
MA-135



(Plastic)

Wire Guard Assembly 線槽組

CS4 Wire Guard Assembly
CS4 線槽組
MA-23



MA-23

UK1/HOG EBB Wire Guard Assembly
UK1/HOG 線槽組
MA-209



MA-209

YAK Wire Guard Assembly
YAK 線槽組
MA-265



MA-265

UK1 Wire Guard Assembly
UK1 線槽組
MA-337



MA-337

H-up Set H-up 組

CS4 H-up Set
CS4 H-up 組
MA-09



(For EBB & CS4)
(EBB & CS4 用)

CS4 Metal H-up Set
CS4 金屬 H-up 組
MA-215



(For EBB & CS4)
(EBB & CS4 用)

APE H-up Set
APE H-up 組
MA-215



(For EBB & CS4)
(EBB & CS4 用)

UK1 H-up Spring
UK1 H-up 定位壓簧
MA-216



APE H-up Spring
APE H-up 定位壓簧
MA-360



Upper Receiver | 上槍身

CS4 Metal Upper Receiver
CS4 金屬上槍身
MA-31 BK 黑色
MA-174 TAN 沙色



CS4 Metal Upper Receiver Assembly
CS4 金屬上槍身組
MA-249



YAK Upper Receiver Assembly
YAK 上槍身組
MA-255 BK 黑色
MA-274 TAN 沙色



APE Upper Receiver Set
APE 上槍身
MA-297 BK 黑色
MA-308 TAN 沙色



CS4 Metal Lower Receiver
CS4 金屬下槍身
MA-28B BK 黑色
MA-173 TAN 沙色




CXP Metal Lower Receiver
CXP 金屬下槍身
MA-28F BK 黑色
MA-247 TAN 沙色



UK1/HOG EBB Metal Lower Receiver
UK1/HOG EBB 金屬下槍身組
MA-207 BK 黑色
MA-253 TAN 沙色



YAK Lower Receiver Assembly
YAK 下槍身組
MA-264 BK 黑色
MA-275 TAN 沙色




APE Lower Receiver Assembly
APE 下槍身組
MA-286 BK 黑色
MA-305 TAN 沙色



UK1 Lower Receiver Set
UK1 下槍身組
MA-334



CXP Plastic Lower Receiver Assembly
CXP 塑膠下槍身組
MA-350 BK 黑色
MA-351 TAN 沙色



Receiver Set | 槍身組

UK1 Upper Receiver Set
UK1 上槍身組
MA-330



UK1 Upper Receiver Assembly
UK1 上槍身組
MA-210 BK 黑色
MA-252 TAN 沙色



UK1 Upper Receiver Assembly (Incl. Charging Handle)
UK1 上槍身組 (含拉柄)
MA-250 BK 黑色
MA-251 TAN 沙色



CS4 Upper & Lower Receiver Set (Sportline)
CS4 塑膠上下槍身
MA-140 BK 黑色
MA-227 TAN 沙色



CXP Upper & Lower Receiver Set (Sportline)
CXP 塑膠上下槍身
MA-145 BK 黑色
MA-206 TAN 沙色



UK1 Receiver Set for ICS-264C
UK1 一體式槍身
MA-191




UK1 Upper & Lower Receiver Assembly-TAN
UK1 金屬上下槍身組 - 沙色
MA-254



QD Suppressor 滅音管



Front / Rear Sight 準星 / 照門



Grip 握把

CS4 Pistol Grip
CS4 握把
MA-37



(For AEG)
(AEG 用)

CS4 MTS Tactical Grip
CS4 MTS 戰術握把
MA-137 BK 黑色



(For AEG)
(AEG 用)

UK1 Tactical Grip
UK1 戰術握把
MA-190 BK 黑色




(For EBB)
(EBB 用)

APE Pistol Grip
APE 握把
MA-288 BK 黑色



(For EBB)
(EBB 用)

Bipod Foregrip
腳架握把
MA-79 BK 黑色



(For EBB)
(EBB 用)

CS4 Anti-Reversal Lever
CS4 止逆轉釋放連桿
MA-14



(For AEG)
(AEG 用)

CS4/CS16/CXP Switch Plate
電閘組開關片
MA-45



(For AEG)
(AEG 用)

Metal Switch Plate
金屬電閘組開關片
MA-338



(For EBB)
(EBB 用)

CS4 Gearbox Screw Set
CS4 齒輪箱螺絲組
MA-139

CS4 Gearbox Screw Set (New Version)
CS4 齒輪箱螺絲組 (新版)
MA-185



UK1 MTS Tactical Grip
UK1 MTS 戰術握把
MA-333



(For EBB)
(EBB 用)

CS4 MTS Tactical Grip
CS4 MTS 戰術握把
MA-167 TAN 沙色



(For AEG)
(AEG 用)

UK1 Tactical Grip
UK1 戰術握把
MA-271 TAN 沙色



(For EBB)
(EBB 用)

APE Pistol Grip
APE 握把
MA-306 TAN 沙色



(For EBB)
(EBB 用)

Bipod Foregrip
腳架握把
MA-176 TAN 沙色



(For EBB)
(EBB 用)

CS4 Grip Butt Cap
CS4 握把底蓋
MA-36



UK1 Tactical Grip Butt Cap
UK1 戰術握把底蓋
MA-270



BK

CS4 MTS Tactical Grip Butt Cap
CS4 MTS 戰術握把底蓋
MA-365 BK 黑色



TAN

CS4 MTS Tactical Grip Butt Cap
CS4 MTS 戰術握把底蓋
MA-366 TAN 沙色



TAN

UK1/HOG Decorated Bolt Cover Set
UK1/HOG 退彈口飾片組
MA-213



BK

UK1/HOG Bolt Cover Spring
UK1/HOG 飾片彈簧
MA-214



BK

APE Decorated Bolt Cover Set
APE 退彈口飾片組
MA-294



BK

APE Stock Button
APE 槍托壓鈕
MA-292

Ver.2 Metal Spring Guide
二代尾頂桿
MC-43



CS4/CES Cut-Off Lever
CS4/CES 單連發控制桿
MC-20



UNIVERSO SNIPER




MAR

高環境適性步槍
SERIES

With the perfect metal body, excellent performance and characteristics found in all ICS products, the ICS MAR displays the beauty of the legend.

The ICS MAR series features full metal construction including the receivers, outer barrel, front and rear sights, sling mounts, mag release, front barrel assembly, flash hider, and charging handle,...etc.

The MAR series is durable and realistic. It comes with unique serial number and steel bushing in a compact design.



■ ICS-36 ■ ICS-37

Length/Retractable	960 (mm)	960/715 (mm)
Barrel length (mm)	458	458
Muzzle velocity	115-137 m/s (377-449 FPS) *	122-137 m/s (400-449 FPS) *
Weight (g)	3314	3100
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	550	550
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Short	Short

※NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

MAR S

俄羅斯聯邦制式步槍
 7  6 



Front Sight Set



Realistic Handguard
Disassembly Design



Stamping Made Receiver



Adjustable H-up



Real Gun Design, Dewaxing
Processes MAR SU / MAR M

MAR SU / MAR M

俄羅斯聯邦制式步槍




ICS-32 MAR R.A.S. | Proline
Fixed Stock / 固定托金屬版



ICS-35 MAR M | Proline
Folding Stock / 折疊托金屬版

UNIVERSO AIRSOFT



Real Steel Welding Look & Easy to
Change to MAR M Stock

	ICS-32	ICS-34	ICS-35
Length/Retractable	965 (mm)	745/510 (mm)	964/714 (mm)
Barrel length (mm)	458	263	458
Muzzle velocity	115-137 m/s (377-449 FPS) *	115-134 m/s (377-440 FPS) *	115-137 m/s (377-449 FPS) *
Weight (g)	3200	2700	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector
Mag. capacity	550	550	550
Spring	M120	M120	M120
Material	Full metal	Full metal	Full metal
Motor axle	Short	Short	Short

*

- 1. The product specification is for reference only and may be subject to change.
- 2. Battery type is recommended, not included.
- 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
- 4. Muzzle velocity is measured with 0.20g BBs, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



MAR SERIES

Compatible Parts

Gearbox

齒輪箱

MAR Gearbox Assembly

MAR 齒輪箱 (後出線完成品)

MK-44



Receiver 槍身									
MAR Gearbox Shell (Empty) MAR 齒輪箱 (空) MK-26	M3/MAR Gearbox Spacer Plate M3/MAR 齒輪箱固定片 MK-27	MAR Plastic Spring Guid MAR 塑膠尾頂桿 MK-28	MAR Upper Receiver Cover MAR 有助機匣蓋 MK-19	MAR Flat Upper Receiver Cover MAR 無助機匣蓋 MK-45	MAR SU Upper Receiver Cover MAR SU 視孔機匣組 MK-66	MAR Charging Handle Set MAR 槍機拉柄組 MK-18	MAR M/MAR SU Charging Handle MAR M/MAR SU 槍機拉柄組 MK-69		
Ver.3 Tappet Plate 撥彈連桿 MK-29	MAR Switch Plate MAR 電閘開關片 MK-30	MAR Switch Copper Plate MAR 電閘開關銅片 MK-31	MAR Upper Receiver Button MAR 機匣蓋開關 MK-35	MAR M/MAR SU Battery Base Set MAR M/MAR SU 電池座 MK-59	MAR Side Mount MAR 鏡軌座 (2件) MK-48	MAR Side Mount MAR 鏡軌座組 (3件) MK-49	MAR Scope Mount Base MAR 鏡座 MK-50		
MAR Switch Assembly MAR 電閘組線材 MK-32	MAR Power Cord Set for Fixed Stock MAR 固定托線材組 MK-36	Sector Gear Cover 3號齒輪外蓋 MK-37	MAR Receiver Mount MAR 槍身基座 MK-25	MAR Lower Receiver Set MAR 槍身組 MK-17	MAR M/MAR SU Receiver Set MAR M/MAR SU 槍身組 MK-56	MAR M/MAR SU Stock Hook MAR M/MAR SU 固定勾 MK-70	(Incl. Mount Connector) (Incl. Mount Connector And Base)		
MAR Motor Case MAR 馬達座組 MK-39	MAR Gearbox Screw Set MAR 齒輪箱螺絲組 MK-40	MAR Gearbox Spring Set MAR 齒輪箱彈簧組 MK-41	MAR Dummy Cleaning Rod MAR 通槍條 MK-09	MAR Gas Tube Retainer Set MAR 瓦斯管座 MK-06	MAR Reinforced Outer Barrel MAR 槍管 MK-10	MAR SU Reinforced Outer Barrel MAR SU 槍管 MK-65			
CES/MAR Anti-Reversal Latch CES/MAR 止逆轉組 MC-60	MAR Cut-off Lever MAR 單連發控制桿 MK-33	MAR Trigger Plate MAR 射擊連動片 MK-43	MAR Selector Plate MAR 選擇片 MK-53						
Barrel 槍管組									

Handguard 護木

MAR Upper Handguard (Wooden)
MAR 上護木組 (實木)
MK-73



Stock 後托

MAR Fixed Stock (Wooden)
MAR 固定托 (實木)
MK-72



MAR Wooden Stock Kit
MAR 護木固定托組 (實木)
MK-75



MAR Butt Plate
MAR 固定托底板
MK-24



MAR Fixed Stock
MAR 固定托
MK-23



MAR M Folding Stock
MAR M 折疊托
MK-57



MAR SU Triangle Folding Stock
MAR SU 三角折疊托
MK-58



MAR/MAR M Flash Hider
MAR/MAR M 防火帽
MK-08



MAR SU Flash Hider
MAR SU 防火帽
MK-63



Other 其他

MAR Front Sight
MAR 前準星組
MK-07



MAR Rear Sight Ruler
MAR 視孔表尺組
MK-13



MAR Rear Sight Set
MAR 視孔座組
MK-16



MAR SU Front Sight Set
MAR SU 準星組
MK-60



MAR Grip
MAR 握把
MK-22





M1 GRAND

As a part of the history and almost 70 years past, people still remember the image that en clips lay down in foxhole, the noise of "Ping" sound, and the smell of 30-06 rounds.

All these combined with courage, honor and discipline had created stories to share. All of these stories build up a role model to follow.

From WWII, Korea to Vietnam, The war has changed, but the spirits are never fade away.

A Legend that ICS shouldn't miss, The M1 Garand.

M3 二戰槍系列 - M3 黃油槍 SUBMACHINE GUN

ICS launched the M3 submachine gun (ICS-200) in 2011 which is designed with innovative concept and creative features that give the M3 submachine gun the newest construction and immersive performance.

The player who adores scenes and objects from World War II would enjoy the fun and realistic war effect that offered by the ICS M3 capability.

Photography by Morten Kirsted

Wooden Gun Case

Trophy Mount

Bolt Carrier

Spatial Battery Room

ICS-201L M1 GARAND LIMITED | Proline
Fixed Stock / 固定托 8mm 限量特仕紀念版

8	25
---	----

ICS-202 M1 GARAND | Proline
Fixed Stock / 固定托 6mm 木紋全金屬版

6	42
---	----

Realistic Sights & Engraved Serial Number

Classic Real Leather Sling

	ICS-201L	ICS-202
Length/Retractable	1100 (mm)	1100 (mm)
Barrel length (mm)	610	610
Muzzle velocity	80-87 m/s (262-285 FPS) *	118-135 m/s (387-443 FPS) *
Weight (g)	3600	3600
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	25	42
Spring	M120	M120
Material	Metal/Wood	Metal/Wood
Motor axle	Short	Short

***NOTE:**


1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/ requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

M1 SERIES

Compatible Parts

Handguard 護木

M1 Stock Set
M1 槍托護木組
ME-27



M3 SUBMACHINE GUN

二戰槍系列 - M3 黃油槍



Complex Metalline Materials Application



ICS-200 M3 Submachine Gun | Proline
Retractable Stock / 伸縮托 金屬版



Integrated H-up, Realistic Cocking Handle
& Realistic Automatic Firing



High Capacity Metal Magazine
(430 rounds)



New Developing M3 Gearbox (8mm Metal Bushings)



Length/Retractable	762.5/587 (mm)
Barrel length (mm)	230
Muzzle velocity	115-128 m/s (377-420 FPS) ✽
Weight (g)	2045
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	430
Spring	M120
Material	Full metal
Motor axle	Short

* NOTE:
1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/
requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

M3 SERIES

Compatible Parts

零件

M3 Outer Barrel
M3 槍管
MY-01

M3 H-up Assembly
(Incl. Inner Barrel)
M3 H-up組
MY-02

M3 H-up Set
M3 H-up組
MY-03

M3 Safety Linking Plate
M3 保險連動片
MY-07

M3 Motor Spring
M3 馬達調整彈簧
MY-08

M3 Switch Set
M3 電匣組
MY-09

M3 Motor Case
M3 馬達座組
MY-10

M3 Stock Catch Set
M3 槍托配件
MY-13

M3 Metal Receiver (Aluminum)
M3 金屬槍身 (鋁)
MY-14

M3 Magazine Catch Button
M3 退彈卡榫
MY-15

M3 Rear Sight
M3 虎孔座
MY-16

M3 Butt Cap
M3 槍身後蓋
MY-17

M3 Stock
M3 槍托
MY-18

M3 Hi-cap Metal Magazine (430 Rounds)
M3 高容量彈匣 (430 發)
MY-19 1 裝/1pc



M3 Low-cap Magazine (140 Rounds)
M3 靜音彈匣 (140 發)
MY-20 1 裝/1pc





Instant Upper and Lower Receiver Assembly / Disassembly

Two Stages Emulated Trigger

Easier to adjust with screwdriver

There are three holes in three different sequences (metal spring guide ML-17)

ICS-86 L86A2 | Proline
Fixed Stock / 固定托 金屬版

Detachable and Retractable Sturdy Bipod

The charging handle can be fixed at the rear by pulling it back and raising the charging handle catch

Length/R retractable 912.8 (mm)
Barrel length (mm) 610
Muzzle velocity 115-133 m/s (377-436 FPS) ※
Weight (g) 4411
Battery type 9.6V Ni-Mh or 11.1V Li-Po
Connector size Small connector
Mag. capacity 450
Spring M120
Material Full metal
Motor axle Short

AEG **7** **H-UP** **6** **450**

※ NOTE:
 1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

L85A2

英國皇家突擊步槍


The unique features and innovations make ICS L85 A2 series the excellent AEGs For play and collection.

ICS-85 L85A2 | Proline
Fixed Stock / 固定托 金屬版



Comes with instant releasable, stamped steel upper and lower receivers, patented newly designed delayed-action trigger mechanism, the ICS L85 power is off when detaching the upper and lower receivers.

Brand new gearbox set with adjustable spring strength.



ICS-87 L85A2 Carbine | Proline
Fixed Stock / 固定托 金屬版



ICS-85 | M
ICS-87 | M

Length/R retractable	786.5 (mm)	740 (mm)
Barrel length (mm)	480	420
Muzzle velocity	116-139 m/s (382-456 FPS) ≈	118-136 m/s (387-446 FPS) ≈
Weight (g)	3652	3090
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Short	Long

*NOTE:
1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BBs, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



L85A2 CARBINE

英國皇家突擊步槍

L85/L86 SERIES Compatible Parts

L85/L86 共用零件系列

L85/L86 Upper Receiver Set L85/L86 上槍身組

ML-13



L85 Lower Receiver Set
L85 下槍身組
ML-09

L86 Lower Receiver Set
L86 下槍身組
ML-45



L85 Flash Hider
L85 防火帽
ML-03



L86 Flash Hider
L86 防火帽
ML-19

L85/L86 Detachable Carrying Handle Assembly
L85/L86 提把組
ML-12



L86 Bipod Set
L86 腳架組
ML-24



L85/L86 M1913 21mm Tactical Rail
L85/L86 M1913 21mm 鏡軌座
ML-28



L85/L86 Cheek Rest
L85/L86 貼腮板
ML-39



L85 Magazine Catch Button
L85 彈匣釋放鉗
ML-40



L85 Cut-off Lever
L85 單發歸位連桿
ML-41



L85/L86 Gearbox Shell (Inc. screws)
L85/L86 齒輪箱外殼 (含螺絲)
ML-43



Barrel 槍管組

L85 Handguard Assembly
L85 護木組
ML-01



L86 Handguard Set
L86 護木組
ML-25



L85A2 Carbine Handguard Set
L85/L86 卡賓護木組
ML-36



L85/L86 Gas Tube Set
L85/L86 瓦斯管組
ML-11



L85/L86 Charging Handle Set
L85/L86 槍機拉柄組
ML-15



L85 Outer Barrel Set
L85 槍管組
ML-04



L86 Outer Barrel Set
L86 槍管組
ML-20



L85A2 Carbine Outer Barrel Set
L85A2 卡賓槍管組
ML-34





Photography by courtesy of David McCunnie
resident photographer at Section8
Model: Steven Allan Mcallister



ICS-233 AAR Black | Proline
SFS Stock / SFS 狙擊折疊托
(non available in US and Canada)



ICS-234 AAR Tan | Proline
SFS Stock / SFS 狙擊折疊托
(non available in US and Canada)



ICS-235 AAR Two-Tone | Proline
SFS Stock / SFS 狙擊折疊托
(non available in US and Canada)

Length/R retractable	515/746/795 (mm)
Barrel length (mm)	263
Muzzle velocity	115-134 m/s (377-440 FPS) ※
Weight (g)	2550
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	300
Spring	M120
Material	Engineering plastic
Motor axle	Short

※NOTE:
1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/ requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

AAR SERIES Compatible Parts

AAR 共用零件系列

**AAR Bolt Release Set
(Non-functional)**
AAR 槍機釋放鉗 (裝飾用)
MH-05

AAR Fire Select Set
AAR 射選連動齒組
MH-06

AAR Gearbox Pin
AAR 齒輪箱固定銷
MH-07

AAR Magazine Catch Button Set
AAR 退彈匣按鈕組
MH-09

AAR Magazine Catch Lever Set
AAR 退彈匣旋鈕組
MH-10

AAR Receiver Pin
AAR 槍身插銷組
MH-11

AAR Gearbox Assembly
AAR 齒輪箱組
MH-12

**AAR Stock Mount
(Incl. Sling Swivel)**
AAR 槍托固定座組
MH-15

AAR Front Sight
AAR 準星組
MH-17

AAR Rear Sight Set
AAR 観孔組
MH-18

AAR H-up Set
AAR H-up 組
MH-19

AAR Outer Barrel Set
AAR 槍管座組
MH-20

AAR Nozzle
AAR 推彈套筒
MH-31

AAR Switch Assembly
AAR 電閘組線材
MH-32

AAR Fire Select Plate
AAR 射選連動片
MH-33

AAR Stock Release Button
AAR 可調式折疊托固定鈕
MH-34

AAR Flash Hider
AAR 防火帽
MH-21

AAR Plastic Red Flash Hider
AAR 塑膠紅頭防火帽
MH-38

AAR Grip Plate
AAR 握把底蓋組
MH-02

AAR Fire Selector
AAR 射擊選擇鈕組
MH-04

AAR Lower Receiver-BK
AAR 下槍身 - 黑色
MH-01

AAR Magazine Housing Assembly-BK
AAR 槍身下蓋 - 黑色
MH-08

AAR Upper Receiver-BK
AAR 上槍身組 - 黑色
MH-13

AAR Charging Handle Set-BK
AAR 槍機拉柄組 - 黑色
MH-14

AAR Detachable Carrying Handle-BK
AAR 提把組 - 黑色
MH-16

AAR Handguard-BK
AAR 戰術護木組 - 黑色
MH-22

AAR SFS Stock-BK
AAR 狙擊折疊托組 - 黑色
MH-23

AARF Lightweight Folding Stock
AARF 輕量化折疊托 - 黑色
MH-35

AARF Lightweight Folding Stock-TAN
AARF 輕量化折疊托 - 沙色
MH-30

Tan & Two-Tone Series **沙色 & 雙色版**

AAR Lower Receiver-TAN
AAR 下槍身 - 沙色
MH-27

AAR Magazine Housing Assembly-TAN
AAR 槍身下蓋 - 沙色
MH-26

AAR Upper Receiver-TAN
AAR 上槍身組 - 沙色
MH-29

AAR Charging Handle Set-TAN
AAR 槍機拉柄組 - 沙色
MH-30

AAR Detachable Carrying Handle-TAN
AAR 提把組 - 沙色
MH-28

AAR Handguard-TAN
AAR 戰術護木組 - 沙色
MH-24

AAR SFS Stock-TAN
AAR 狙擊折疊托組 - 沙色
MH-25

AARF Lightweight Folding Stock-TAN
AARF 輕量化折疊托 - 沙色
MH-36

AARF Lightweight Folding Stock-Two-Tone
AARF 輕量化折疊托 - 雙色
MH-37





CES SERIES

With the latest kits of flash hider, tactical handguard and folding stock etc. combined into the classic CES, ICS creates a brand new modern combat system - CES-MRS. The modular rail system allows multi-kits equipment with invincible performance at battlefield.

Patents acquired: D 137321 / D 168400 / M 351340 / M 320468 / ZL 200820137077.3 / ZL 201030002113.8 / 002527580-0001



CES A / SD SERIES 警用 / 衝鋒槍 -A 系列 /SD 系列「現代版」

ICS-01 SD5 | Proline
Fixed Stock / 現代固定托

ICS-02 SD6 | Retractable Stock / 現代伸縮托

ICS-03 A4 | Fixed Stock / 現代固定托

ICS-04 A5 | Retractable Stock / 現代伸縮托

M AEG 7 H-UP 6 230 M 20 L

	ICS-01	ICS-02	ICS-03	ICS-04
Length/Retractable	780 (mm)	740.5/600 (mm)	680 (mm)	640/500 (mm)
Barrel length (mm)	230	230	230	230
Muzzle velocity	112-122 m/s (367-400 FPS) *			
Weight (g)	2240	2300	2300	2000
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	8.4V Ni-Mh or 11.1V Li-Po	8.4V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector	Small connector

※NOTE:
1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

CES / CES-P Compatible Parts

Suppressor 滅音管

CES SD Suppressor
CES SD 滅音管
MP-07



Receiver Set / Housing

槍身組 / 握把




CES Metal Receiver (Aluminum)
CES 金屬槍身 (鋁製)

MP-41



CES Modern Lower Housing
CES 現代型握把

MP-42



CES Plastic Receiver Set (Sportline)
CES 塑膠槍身 (運動版)

MP-79



CES Modern Metal Receiver Set
CES 現代型金屬槍身組

MP-28



MS1 Lower Housing-Modern Ver.
MS1 現代型握把

MP-125



CES Metal Receiver Cap
CES 槍身上蓋音管

MP-76



Tactical Handguard

戰術護木

CES Tactical Flash Light Handguard With Flash Light-BK
CES 槍燈護木 - 黑色

MP-147

CES Tactical Flash Light Handguard With Flash Light-TAN
CES 槍燈護木 - 沙色

MP-148

CES Tactical Flash Light Handguard-BK (W/O Flash Light)
CES 槍燈護木 - 黑色 (不含槍燈)

MP-149

CES Tactical Flash Light Handguard-TAN (W/O Flash Light)
CES 槍燈護木 - 沙色 (不含槍燈)

MP-150

CES Tactical Flash Light CES 槍燈

MP-146



Tactical Foregrip
戰術握把

MP-53



CES A Tactical Handguard Set
CES A 系列戰術護木組

MP-52



CES SD Tactical Handguard Set
CES SD 戰術護木組

MP-64

CES/CES-P A Series Handguard
CES/CES-P A 系列三角護木

MP-15



Tactical Foregrip
戰術握把

MP-134



CES SD Handguard Holder
CES SD 護木固定架

MP-09



CES Handguard Holder O-Ring
CES 護木固定銷墊片

MP-11



CES Handguard Locking Pin
CES 護木固定銷

MP-12



Receiver Set / Housing

槍身組 / 握把

CES Metal Magazine (230 Rounds)
CES 金屬彈匣 (230 發)

MP-30 1 入裝 / 1pcs/box
MP-126 6 入裝 / 6pcs/box



CES Magazine Clamp
CES 彈匣連結器

MP-05



CES Magazine Spring
CES 彈匣彈簧片

MP-29



CES Magazine Catch Button Set
CES 彈匣卡榫組

MP-03



CES Magazine Catch Sleeve
CES 彈匣卡榫套筒

MP-34



拉柄組 Handle Set

CES A Series Metal Cocking Handle Set
CES A 系列金屬拉柄組

MP-27



CES A Series Plastic Cocking Handle Set (Sportline)
CES A 系列塑膠拉柄組 (運動版)

MP-80



CES SD Metal Cocking Handle Assembly
CES SD 金屬拉柄組 (運動版)

MP-08



MS1 Charging Handle
MS1 拉柄頭

MP-92



CES/CES-P Cocking Lever
CES/CES-P 拉柄頭

MP-57



覘孔 / 準星 Sight Set

CES SD Front Sight Assembly
CES SD 前覘孔座

MP-20



CES A Series Front Sight
CES A 系列前覘孔座

MP-51



MS1 Rear Sight Set
MS1 覓孔組

MP-104



MS1 Front Sight Set
MS1 準星座組

MP-112



MS1 Front Sight Post
MS1 準星

MP-113



Stock

後托

Sopmod Stock With CES Adapter-BK
CES 海豹托 - 黑色

MP-127



Sopmod Stock With CES Adapter-TAN
CES 海豹托 - 沙色

MP-128



Retractable Stock With CS4 Adapter-BK
CES 戰術伸縮托 - 黑色

MP-129



CES Stock Adapter
CES 伸縮托套件組

MP-131



馬達組 Motor

CES Retractable Stock Block Set
CES 伸縮托擋片

MP-21



CES Receiver End Cap
CES 槍身後蓋

MP-81



CES Heat Radiation Motor Butt Plate
CES 馬達散熱底板

MP-43



CES Motor Spacer
CES 馬達墊片

MP-35



CES-P Proprietary Parts

此頁為 CES-P 專用零件，和一般 CES 槍型不相容

CES-P Lower Gearbox
CES-P 下齒輪箱

MP-120



CES-P Fire Select Slice
CES-P 單連發選擇片

MP-98



CES-P Ejection Port Cover Set
CES-P 槍機護蓋組

MP-91



MRS CES-P Tactical Handguard
MRS CES-P 戰術護木

MP-116



CES/CES-P Rear Sight Set
CES/CES-P 覙孔組

MP-31



CES-P Magazine Catch Set
CES-P 彈匣卡榫組

MP-108



CES-P Lower Housing-Modern Ver.
CES-P 現代型握把

MP-101



CES-P Reinforced Outer Barrel
CES-P 槍管

MP-107



CES-P Heat Radiation Motor Butt Plate
CES-P 馬達散熱底蓋

MP-103



MP-94 CES-P Upper Gearbox Block
CES-P 上齒輪箱擋塊



MP-95 CES-P Upper Gearbox
CES-P 上齒輪箱



MP-96 CES-P H-UP Set
CES-P H-UP 組



MP-97 CES-P H-UP Spring
CES-P H-UP 彈簧



MP-99 CES-P Fire Selector
CES-P 現代型射擊選擇鈕



MP-100 MS1 Fire Selector
MS1 現代型射擊選擇鈕



MP-109 CES-P Power Cord Set
CES-P 電線組



MP-117 CES-P Fire Select Panel
CES-P 單連發選擇板



MP-118 CES-P Electric Controller
CES-P 電子控制器



MP-119 CES-P Fire Rounds Controller
CES-P 時間調整控制器



MP-121 CES-P Lower Electric Socket
CES-P 下接電組



MP-122 CES-P Spring Tension Release Lever
CES-P 釋放撥桿



MP-132 CES/CS4 Gearbox Clip (Incl. Spring)
CES/CS4 齒輪箱固定扣 (含彈簧)





MGL

Multiple Grenade Launcher SERIES



Patents acquired:

US 8,707,939 B2 / M 420677 / M 422666 / EP 2573503A1 / EP2573499A1



The ICS-190 is made 1:1 in scale and detailing to a real MGL replica. The ICS MGL faithfully presents the feature of the MGL's doughty looking: realistic revolver, the tube, the handguard rail and the revolver latch. Besides, the ICS MGL operates exactly like the real firearm.



Milkor, (PTY) Ltd., South Africa, and the milkor logo are registered trademarks of Milkor (PTY) Ltd., South Africa - www.milkor.co.za - and are used for airsoft replicas under license from ActionSportGames A/S, Denmark - www.actionsportgames.com.


Milkor is Milkor (PTY) Ltd., South Africa 的註冊商標。在電動槍產品類別，是由 ActionSportGames A/S, Denmark 授權使用。

MGL

多管榴彈發射器 - 銅金護木版

METAL RAIL HANDGUARD

Upgrade version of MGL! Compatible with TAG Grenade and other rubber projectile body. Quality material and advanced design promote MGL to a new level and breakthrough airsoft tradition.



MGL Metal Lower Handguard
(Short Version MM-42)



The peration is same
as in real steel



Adjust 6 Lengths
and 3 Angles Stock



UNIVERSO SNIPER
AIRSOFT



GBB
GAS

Length/Retractable	725/630
Barrel length	200
Weight (g)	2400
Caliber	40 mm
Grenade capacity	6 rounds
Material	Engineering plastic
Handguard type	Metal

* Velocity varies according to different gas pressure and grenade

MGL


METAL RAIL HANDGUARD

- Upgrade version of MGL! Compatible with TAG Grenade and other rubber projectile body.
- Quality material and advanced design promote MGL to a new level and breakthrough airsoft tradition.

ICS-192 MGL L | Proline
Retractable Stock / 伸縮托 銀金護木長版



Install Pressure Switches



Reproduce the Revolver Latch



Load Six Grenades
(MA-138 / MA-158)

	ICS-192	GBB GAS
Length/Retractable	825/725	
Barrel length	295	
Weight (g)	2700	
Caliber	40 mm	
Grenade capacity	6 rounds	
Material	Engineering plastic	
Handguard type	Metal	

* Velocity varies according to different gas pressure and grenade

ICS-190 MGL Black
Retractable Stock / 伸縮托



ICS-191 MGL Tan
Crane Stock / 海豹托



	ICS-190	ICS-191
Length/Retractable	725/630 (mm)	780/675 (mm)
Barrel length	200	200
Weight (g)	2200	2200
Caliber	40 mm	40 mm
Grenade capacity	6 rounds	6 rounds
Material	Engineering plastic	Engineering plastic
Handguard type	Engineering plastic	Engineering plastic

* Velocity varies according to different gas pressure and grenade

MGL Accessories

原廠零配件

MGL Upper Handguard-BK
MGL 上護木組 - 黑色

MM-20



MGL Lower Handguard-BK
MGL 下護木組 - 黑色

MM-22



MGL Metal Upper Handguard
MGL 金屬上護木組

MM-39



MGL Metal Lower Handguard
MGL 長管金屬下護木組

MM-40



MGL Metal Lower Handguard
MGL 短管金屬下護木組

MM-42



ICS Tactical Foregrip-BK
ICS 快拆戰術握把 - 黑色

MM-23



MGL Receiver Set (Rear Part)-BK
MGL 槍身後段組 - 黑色

MM-10



MGL Revolver-BK
MGL 彈輪組 - 黑色

MM-11



MGL Body Hook-BK
MGL 槍身定位扣組 - 黑色

MM-15



MGL Body Latch-BK
MGL 槍身釋放柄組 - 黑色

MM-16




MGL Upper Cover-BK
MGL 槍身上蓋組 - 黑色

MM-17



MGL Trigger Set
MGL 扳機組

MM-04



MGL Upper Handguard-TAN
MGL 上護木組 - 沙色

MM-37



MGL Lower Handguard-TAN
MGL 下護木組 - 沙色

MM-38



MGL Tube
MGL 槍管組

MM-21



MGL Tube (Long Version)
MGL 長槍管組

MM-41



MGL Stock Tube
MGL 槍托管組

MM-02



ICS Tactical Foregrip-TAN
ICS 快拆戰術握把 - 沙色

MM-24




MGL Receiver Set (Rear Part)-TAN
MGL 槍身後段組 - 沙色

MM-31



MGL Revolver-TAN
MGL 彈輪組 - 沙色

MM-32



MGL Body Hook-TAN
MGL 槍身定位扣組 - 沙色

MM-33




MGL Body Latch-TAN
MGL 槍身釋放柄組 - 沙色

MM-34



MGL Upper Cover-TAN
MGL 槍身上蓋組

MM-35



MGL Fire Selector-BK
MGL 射擊選擇鈕組 - 黑色

MM-03



MGL Hammer Assembly-BK
MGL 擊發底板組 - 黑色

MM-05



MGL Trigger Guard-BK
MGL 護弓組 - 黑色

MM-06



MGL Revolver Plate-BK
MGL 護弓組 - 黑色

MM-07



MGL Revolver Cover Set-BK
MGL 槍身底板組 - 黑色

MM-19



MGL Receiver Connector Set-BK
MGL 槍身連接管組 - 黑色

MM-08



MGL Spring Housing
MGL 板簧組

MM-12



MGL Spring Housing Set
MGL 牽輪驅動元件組

MM-13



MGL Revolver Latch
MGL 彈輪釋放柄組

MM-18



MGL Revolver Hook
MGL 槍身固定扣

MM-43



40mm Lightweight Grenade
40mm 輕量化榴彈 (2入)

MA-138



40mm Lightweight Grenade (6pcs/Box)
40mm 輕量化榴彈 (6入)

MA-158



Lightweight Grenade Cap (6pcs/Set)
輕量化榴彈頭 (6入)

MA-166



TOD

沙漠之虎
SERIES



ARM 輕機槍

ICS-91 TOD ARM Proline Folding Stock / 折疊托 金屬版

The ICS TOD series rifles are the worthy collection of classic and practical rifles that reproduce the real gun design. Its fire select lever on right side and grip selector manual act simultaneously. Players can adjust fire mode to safety, semi-auto and full auto without changing their firing posture.

ICS-91

Length/Retractable	980/750 (mm)
Barrel length (mm)	515
Muzzle velocity	117-138 m/s (385-453 FPS) *
Weight (g)	3500
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	400
Spring	M120
Material	Full metal
Motor axle	Short

UNIVERSO SNIPER AIRSOFT

ICS-91 TOD ARM Proline
Folding Stock / 折疊托 金屬版



TOD MRS 戰術版

以色列軍事工業局 IMI 設計的經典槍款 - 加利步槍 - 戰術版



MRS tactical module rail system




ICS-96	
Length/Retractable	980/750 (mm)
Barrel length (mm)	515
Muzzle velocity	117-138 m/s (385-453 FPS) *
Weight (g)	3860
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	400
Spring	M120
Material	Full metal
Motor axle	Short



Tactical handguard



Ergonomic design
newly developed for tactical grip



Adjustable cheek rest



UNIVERSO SNIPER AIRSOFT



Folding stock

TOD AR 步槍



ICS-92 TOD AR Proline
Folding Stock / 折疊托 金屬版



ICS-92	
Length/Retractable	980/750 (mm)
Barrel length (mm)	515
Muzzle velocity	117-138 m/s (385-453 FPS) *
Weight (g)	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	400
Spring	M120
Material	Full metal
Motor axle	Short

*

NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

TOD SERIES Compatible Parts

TOD 共用零件

TOD Hi-Cap Metal Magazine (400 Rounds)
TOD 高容量金屬彈匣 (400 發)

MG-23 1 入裝 / 1pc
MG-39 6 入裝 / 6pcs/box



TOD Pistol Grip
TOD 握把
MG-26



TOD Tactical Pistol Grip
TOD 戰術握把
MG-38



TOD ARM Bipod Set
TOD ARM 腳架組
MG-15



TOD/MAR Nozzle
TOD/MAR 推彈套筒
MG-17



TOD Reinforced Outer Barrel Set
TOD 槍管組
MG-22



TOD ARM Handguard Set
TOD ARM 護木組
MG-13



TOD AR Handguard Set
TOD AR 護木組
MG-18



TOD Tactical Handguard
TOD 戰術護木
MG-36



TOD ARM Handguard Rear Frame With Handle
TOD ARM 後護木框組
MG-14



TOD AR Handguard Rear Frame
TOD AR 後護木框組
MG-19



Handguard 護木

Fire Selector Lever 射擊選擇組

TOD Grip Fire Selector Lever
TOD 左射擊選擇組
MG-30



TOD Fire Selector Lever
TOD 射擊選擇組
MG-29



TOD Handguard Front Frame
TOD 前護木框組
MG-21



TOD Front Sight Assembly
TOD 準星組
MG-12



TOD Upper Housing Assembly
TOD 上機匣組
MG-27



Flash Hider 防火帽

TOD ARM Flash Hider
TOD ARM 防火帽
MG-11



TOD AR Flash Hider
TOD AR 防火帽
MG-16



Gas Tube Set 瓦斯鋼管組

TOD Gas Tube Set
TOD 瓦斯鋼管組
MG-20



TOD Gas Tube Set (Enlarged)
TOD 瓦斯鋼管組 (加大)
MG-33



TOD Tactical Rail Gas Tube Set
TOD 戰術軌道型瓦斯鋼管
MG-34



Compatible Parts

Piston 活塞

Original Piston 塑膠活塞 MC-01	Aluminum Piston (Full Teeth) 鋁活塞 (全齒) MC-05	Aluminum Piston (Half Teeth) 鋁活塞 (半齒) MC-06	Original Piston Set 塑膠活塞組 MC-95	H-up Bucking 含彈橡皮 MC-16	H-up Spacer H-up 緩衝膠圈 MC-17	Ver.2 Tappet Plate 撥彈連桿 MC-02	CES Selector Plate CES 射擊選擇片 MC-04	CS4/CES Cut-off Lever CS4/CES 單連發控制桿 MC-20	CES Trigger CES 扳機 MC-64
Reinforced Upgrade POM Piston Set 升級強化活塞組 MC-169	Reinforced Upgrade POM Piston 升級強化活塞 MC-170	Reinforced Upgrade POM Piston 升級強化活塞 MC-172	High Torque Piston Set 半齒活塞組 MC-213	High Torque Piston 半齒活塞 MC-214	High Torque Piston 半齒活塞 MC-215	CES Switch Assembly CES 電閘線材 MC-15	Connector (Large Male To Small Female) 轉接頭 (大母轉小母) MC-47	30A Fuse 30A 保險絲 MC-83	Mini Blade Fuse-30A (5pcs) 微型保險絲 -30A (5入) MC-211
EBB Reinforced POM Piston EBB 塑鋼活塞 MC-221	EBB Reinforced POM Piston Set EBB 塑鋼活塞組 MC-222	EBB Reinforced POM Piston EBB 塑鋼活塞 MC-223	8 Holes Silent Pistion Set 八孔吸排氣頭活塞組 MC-122	Reinforced Upgrade Piston Slice 升級強化活塞鋼片 MC-171	High Torque Piston Slice 半齒活塞鋼片 MC-216	CS4/CES Switch Unit CS4/CES 電閘 MC-237	Ver.2 Metal Spring Guide 二代尾頂桿 MC-43	Plastic Spring Guide 塑膠尾頂桿 MC-66	Mini Blade Fuse-20A (5pcs) 微型保險絲 -20A (5入) MC-230
EBB Reinforced POM Piston EBB 塑鋼活塞 MC-221	EBB Reinforced POM Piston Set EBB 塑鋼活塞組 MC-222	EBB Reinforced POM Piston EBB 塑鋼活塞 MC-223	(W/O Slice) (不含鋼片)	(W/ Slice) (含鋼片)	(W/O Slice) (不含鋼片)	(W/O Cable) (不含線材)	Ver.3 Metal Spring Guide 三代尾頂桿 MC-44	CES/MAR Anti-Reversal Latch CES/MAR 止逆轉組 MC-60	Spring Set 彈簧組 MC-65
Cylinder 氣缸	Oversized Cylinder (4 Holes) 氣缸 (開四孔 : 加大) MC-58	Full Capacity Oversized Cylinder 全氣量加大氣缸 MC-71	Full Capacity Cylinder 全氣量氣缸 MC-72	Piston Slice 活塞鋼片 MC-10	Tappet Plate Gear Cam 上彈偏心軸 MC-102	BB Loader BB 彈填彈器 MP-23	CES/CS4 Nozzle CES/CS4 推彈套筒 MP-185	CES Motor Spacer CES 馬達墊片 MP-35	Cleaning Rod 通槍條 MP-39
Piston Head (Plastic) 氣缸頭 (塑膠) MC-19	APE/AAR Cylinder Head APE/AAR 氣缸頭 MC-236	Aluminum Cylinder & Piston Head Set (Oversized) 鋁活塞頭組 (加大) MC-56	Aluminum Cylinder Head (Oversized) 氣缸頭 (加大) MC-91	Piston Head (Oversized) 活塞頭 (加大) MC-93	8 Holes Silent Piston Head 八孔吸排氣頭 MC-121		CES Motor Spacer CES 馬達墊片 MP-35	Tactical Foregrip 戰術握把 MP-53	Tactical Foregrip 戰術握把 MP-134

Magazine Series

彈匣系列

Patents acquired: 002246579-0001 / USD706880S / D159178

CS4, CXP, AAR, L85/L86 Series



T Tactical Magazine

Black
黑色

T Tactical Hi-cap Magazine (300 Rounds)
T 戰術高容量彈匣 (300 發)
MA-186 1 入裝 / 1pc
MA-243 6 入裝 / 6pcs/box

Tan
沙色

T Tactical Hi-cap Magazine (300 Rounds)
T 戰術高容量彈匣 (300 發)
MA-240 1 入裝 / 1pc
MA-245 6 入裝 / 6pcs/box



Metal Magazine

Black
黑色

Metal Hi-cap Magazine (450 Rounds)
金屬高容量彈匣 (450 發)
MA-04 1 入裝 / 1pc
MA-153 6 入裝 / 6pc

Tan
沙色

Metal Hi-cap Magazine (450 Rounds)
金屬高容量彈匣 (450 發)
MA-170 1 入裝 / 1pc



Canada C7 Magazine

Black
黑色

Canada C7 Hi-cap Magazine (300 Rounds)
加拿大 C7 高容量彈匣 (300 發)
MA-92 1 入裝 / 1pc
MA-156 6 入裝 / 6pcs/box

Tan
沙色

Canada C7 Hi-cap Magazine (300 Rounds)
加拿大 C7 高容量彈匣 (300 發)
MA-171 1 入裝 / 1pc

- Medium capacity and silenced design satisfy players needs for quiet motion in the battlefield.
- Screwless design allows fast assembly / disassembly.
- Compatible with CS4, CXP, AAR and L85/86 series. Available for both single package and 6 pieces per box.



CS4, CXP, AAR Series

T4 Tactical Magazine

Black
黑色

T4 Tactical Hi-cap Magazine (300 Rounds)
T4 戰術高容量彈匣 (300 發)
MA-148 1 入裝 / 1pc
MA-150 6 入裝 / 6pcs/box

Tan
沙色

T4 Tactical Low-cap Magazine (45 Rounds)
T4 戰術靜音彈匣 (45 發)
MA-151 6 入裝 / 6pcs/box
MA-328 6 入裝 / 6pcs/box

T4 战術彈匣

T4 战術彈匣

*Not Compatible with L85/L86 series. * 不適用 L85/L86 系列

UNIVERSO SNIPER AIRSOFT

WWII Series

M3 Hi-cap Magazine (430 Rounds)
M3 高容量彈匣 (430 發)
MY-19 1 入裝 / 1pc

M3 Low-cap Magazine (140 Rounds)
M3 靜音彈匣 (140 發)
MY-20 1 入裝 / 1pc



MAR Series

MAR Hi-cap Magazine (550 Rounds)
MAR 高容量彈匣 (550 發)
MK-01 1 入裝 / 1pc
MK-90 6 入裝 / 6pcs/box



TOD Series

TOD Hi-Cap Metal Magazine (400 Rounds)
TOD 高容量金屬彈匣 (400 發)
MG-23 1 入裝 / 1pc
MG-39 6 入裝 / 6pcs/box



CES Series

CES Metal Magazine (230 Rounds)
CES 金屬彈匣 (230 發)
MP-30 1 入裝 / 1pcs/box
MP-126 6 入裝 / 6pcs/box



Electric Drum Magazine

彈鼓系列

Magazine Adaptor

彈匣接座



Spring | 彈簧



Inner Barrel | 內管



Original Accessories

ICS Glasses - International
ICS 運動眼鏡國際版

MS-178
YELLOW 鏡片黃

NEW



MS-179
YELLOW 鏡片透明

NEW



MS-171
YELLOW 灰鏡片

NEW



Event Canopy
ICS 活動帳篷

MS-68



Reusable Shopping Bag
ICS 環保袋

MS-69



ID Lanyard
ICS 識別證帶

MS-101



ICS 8 in1 tool
ICS 8 合 1 工具組

MS-150



Tattoo Paper
紋身貼紙

MS-140



ICS Logo Sticker (50x9cm)
品牌貼紙 (50x9cm)

MS-163 Black 黑色

MS-164 White 白色



Bandan A
戰術頭巾 A

MS-138



T-Shirt ICS-WH
T-Shirt ICS- 白色

MS-141



T-Shirt ICS-BK
T-Shirt ICS- 黑色

MS-142



T-Shirt ICS-RD
T-Shirt ICS- 紅色

MS-143



原廠周邊商品 /


Bandan / 戰術頭巾 /

T-Shirt /

服裝 /

ICS Paper Fan
ICS 戰術扇

MS-177



T-Shirt CXP-BK
T-Shirt CXP- 黑色

MS-144



T-Shirt USA-GY
T-Shirt 美國國旗 - 灰色

MS-145



T-Shirt UK-BK
T-Shirt 英國國旗 - 黑色

MS-146



ICS Patch

品牌臂章 /

ICS Vest Patch
品牌胸口臂章

MS-137



ICS PVC Patch-BK
品牌 PVC 臂章 - 黑色

MS-167



ICS PVC Patch-TAN
品牌 PVC 臂章 - 沙色

MS-168



ICS Horizontal Patch
ICS 品牌橫式臂章色

MS-175



BLE Patch-BK
品牌臂章 -BLE- 黑色

MS-157



USA Patch
美國臂章

MS-176



ICS Japan Patch
ICS 日本臂章

MS-170



ICS CXP Patch-Green
品牌臂章 -CXP- 綠色

MS-56-2



ICS CXP Patch-TAN
品牌臂章 -CXP- 沙色

MS-53-2



ICS CXP Patch-BK
品牌臂章 -CXP- 黑色

MS-50-2



Baseball Cap

休閒帽 /

Cap-TAN
球帽 - 沙色

MS-149

Cap-GN
球帽 - 綠色

MS-148

MS-149



