



### CONTENTS

ABOUT ICS	05
ICS TECHNOLOGY	07
HI-CAPA	09
SAR 9	+ +
KORTH PRS	15
BLE SERIES	19
HERA ARMS COR	29
LIGHTWAY SERIES	35
CXP SERIES	43
CXP-ARK	45
CXP-MARS PDW9	49
CES-P	10
CES SERIES	105
CS4 SERIES	
AAR SERIES	115
MAR SERIES	12
TOD SERIES	125
WORLD WAR II	129
L85 L86 SERIES	137
MGL SERIES	141
SPECIFICATIONS	145
ICON GUIDE	149













### ABOUT ICS

### The First Manufacturer to Produce AEG In Taiwan

Everyone wants to be the winner in battlefields whatever it is real or virtual. The weapon for each warrior will be the key factor which determines who is the winner. You can only see the sights and the barrel from an AEG, however, the internal parts of AEG were combined with more than 400 parts which were be made by die-casting, injection, stamping press, forging, and CNC Turning and Milling...etc. over 20 complicated procedures and sophisticated technique process, to produce the high quality AEG for you. The story behind every AEG is the years enthusiasm and the hard work from the design and development team, also the spirit of high quality control demand from the production team.

The ICS founder Mr. Chu entered the airsoft replicas market in 1995 with enthusiasm and become the first AEG company in Taiwan and also the 3rd AEG company in the world which was specialized in designing and manufacturing for airsoft replicas.


As the professional airsoft replica market manufacturer, "Innovation, Efficiency, and High Quality" is the main concept of ICS. "No receive, produce, and sell the defective products" is also the principle that we insisted. By our insistent, we hold a small portion of the airsoft replica market and also leading other airsoft company in Taiwan to enter the global market. ICS also passed the ISO9001 Quality management systems.

To be the pioneer of Airsoft replica market, ICS has a strong R&D team which comprises with 16 experts from different industries. To combine the new technology with Airsofters' experience is our main design concept, therefore it made ICS possesses of the product differentiation benefits. In the future, we will devote ourselves to develop the new techniques continuously and get more patent certification, in order to provide our customers more modern and satisfied products. This is the persistent mission of ICS since always: "Innovation, Competition, Satisfaction"

ICS, The Best Thing We Create.








### ICS PRECISION WORKMANSHIP

ICS invests in high precision CNC machines in order to produce high quality metal components such as receivers, RAS/RIS handguard, tactical rails and gearbox. All CNC machining components provide extremely realistic appearances as the real firearms. Even military standard 7075 aluminum can be processed for OEM customers.

### WHAT'S GOOD WITH THE NEW ICS SSS E-TRIGGER?

#### Pre-Cocking Function

With the new pre-cocking function, it could greatly increase firing speed and accuracy.



#### **Elect. Active Brake**

It is also featured with motor characteristic selflearning feature, adjust its operating power efficiency automatically to provide precise gear positioning while

Compatibility! Universal spec 3rd gear

gear has the universal fire selecting control cam.

All functions on the 3S E-Trigger System can be

completely used without problem as long as the 3rd.




ICS EXCLUSIVE REALISTIC DESIGN

#### Split Gearbox & QD Spring & Spring Release

EBB System & Battery Stock Tube & Float H-UP

The QD Receivers, Split Gearbox and QD spring designs of ICS are designed to simulate disassembly of real firearms. This design makes upgrading, maintenance, and troubleshooting more easily, moreover, the spring release function could extend the service life of the spring to avoid elastic fatigue and decrease of muzzle velocity.



Red LED blinking: Gears, motor related abnormality.



Orange LED blinking: Trigger switch abnormality. **Orange LED glowing:** 

Fire selector assembly abnormality.

### First "Self-Diagnostic Shooting System" n whole Airsoft market!

roubleshooting is no longer difficult. With the ICS SSS electronic trigger system, it will be easy enough if you could identify the color of the glowing LED!

Green color glowing: Everything is OK.



### SMART TRIGGER

No one ever thought about making a trigger smart, but ICS did. The smart sensing unit senses every user's unique trigger pull, and smartly identify the pull to see if the user is short busting the gun or full autoing it. On top of the smart sensing unit the entire system comes with pre-cocking and short stroked trigger, making ICS's smart trigger unit much faster than the regular AEG trigger system. The new generation of smart trigger is coming, faster is now the choice for



### We want to make perfect improvement to the EBB system.

Therefore, we detected and analyzed the cons of the traditional EBB system, thought outside of the box, and overturned the traditional design specifications. After two years of continuous research and testing, by using the simplest structural design to dispersed the impact that will cause damage to the structure, and after 100,000 tests, we finally achieved the perfect evolution that we expected.

ICS is committed to add the concept of ergonomics into the product. The design concept of the Ambidextrous fire selectors, charging handles, and magazine release button and even the design of the tactical grip and stock, is to make the products more comfortable for the players. The design of the battery stock tube can allow the battery wires to be hided in the tube, which not only can extend the battery capacity, but also the battery life.



With the new pre-cocking function, it could greatly




### Switchable Burst mode (Semi/Auto/3 round Burst)

Firing mode can be selected intuitively and with


Pull and hold the trigger for 5 second under semimode can switch between Auto mode and 3 round burst mode.

Firing mode will return to default setting (Semi+Auto) if you re-connect the battery.




### Low Resistances Switch Assembly & Mini Fuse & Mosfet

ELECTRIC POWER is the power source of the AEGs. Constructing a low power impedance working environment is also an important issue. Therefore, ICS adopts a new conductive material and is widely used in electric switch blades and electric brake wire sets to provide a perfect low power impedance output environment. moreover, we also adopted a new type of electric brake wire set that featured with the latest wire with diameter of 16AWG, and full-silver-plated metal contacts, upgrade all fuse box to micro fuse box, which has lower power impedance, much more stable power system, generates less heat while operating, and a MOSFET is installed to eliminate the heat and power loss caused by the impedance, to maximize the power output to its best performance.




When the battery is low, the motor will vibrate 3 times to remind that the battery will be depleted.



### Low voltage detection and Self-protection

increase firing speed and accuracy.

The SSS E-trigger will remind when the battery is running low, in order to protect the battery and your AEG.



The stock components for the ICS EBB models have been upgraded, which includes MIM processed Torque Gear, Full steel teeth with FRP pistion, 8 Holes Ventilation Piston Head, Full Capacity Oversized cylinder, and Metal H-UP Set, which not only improves product service life, but also provides players a high-performance out of the box products, and the specs of the components are 100% fit the general specifications of current market.













# SARSILMAZ®

The SAR 9 is a Sarsilmaz Licensed handgun and it's design was based on all the successful handgun features & handgun Ergonomics. This makes the SAR9 the new innovation to the small firearm market. ICS has spent the past 2 years redesigning the airsoft SAR9, integrating our most advanced Gas Blow Back technology, including the Revo Valves, Fixed Barrel, and CNC machined Slide assembly. We are proud to present this beautifully innovated handgun to the airsoft market, and would like to share the amazing performance with all the users.


















### BLE-009-5B

- · Length/Retractable: 195 mm · Inner Barrel: 104 mm
- · Capacity: 22 Rds · Weight: 750 g · Caliber: 6 mm







### KORTH PRS 4" GBB-BK

PRS, the very 1st KORTH licensed model of ICS GBB pistol series, which combined with realistic internal structure and authorized external profile. ICS perfectly replicated the iconic fixed barrel feature on the real firearm, and along with the special designed hex-anti-slip texture on the grip plate, which leads to a higher accuracy potential and a better grip while holding.

Also, we adapted the adjustable trigger, which can be adjusted according to user's habits to make it an excellent shooting weapon.



# KORTH PRS H EFFICIENT GAS RELEASE













- · Length/Retractable: 195 mm · Inner Barrel: 85 mm
- · Capacity: 15 Rds · Weight: 770 g · Caliber: 6 mm







### Black Leopard Eye

### ABOUT BLE

Pistol is a "must have" in all milsims or skirmishes. You will need leopard-like characteristics and perform them during games. You will not only acquire strong and sturdy figure, high maneuverability, and intelligent, but also could maintain extremely high speed while running. Thus, ICS has chosen the image of the leopard not only to represent the capability of the ICS pistols, but also could symbolize ICS's ability to maintain leopard-like vitality, viability and competitiveness on those brutal battlefields and this fast-changing airsoft market.



















6.03 PRECISION








- Length/Retractable: 216 mm
  Inner Barrel: 110 mm
  Capacity: 20 Rds
  Weight: 1000 g
  Caliber: 6 mm





- · Length/Retractable: 216 mm · Inner Barrel: 110 mm

- · Capacity: 20 Rds · Weight: 1000 g · Caliber: 6 mm











A 14mm CCW muzzle end and a Shadow Extension Tube are included out of the box to assemble with ease.



- · Length/Retractable: 265 mm · Inner Barrel: 88.5 mm

- · Capacity: 13 Rds · Weight: 830 g
- · Caliber: 6 mm



NT 1298 (1975

H-UP ADJUSTMENT

NT 1298

CO2 PRESSURE RELEASE DESIGN

STEEL HAMMER

SAFETY LEVER
























### BLE-005-SH

- · Length/Retractable: 184 mm · Inner Barrel: 93 mm
- · Capacity: 17 Rds · Weight: 642 g · Caliber: 6 mm

### BLE-005-SB

- · Length/Retractable: 184 mm · Inner Barrel: 93 mm · Capacity: 17 Rds · Weight: 642 g · Caliber: 6 mm



### **BLE-005-ST**

- · Length/Retractable: 184 mm · Inner Barrel: 93 mm
- · Capacity: 17 Rds · Weight: 642 g · Caliber: 6 mm



### **BLE-005-SDI**

- · Length/Retractable: 184 mm · Inner Barrel: 93 mm
- · Capacity: 17 Rds · Weight: 642 g · Caliber: 6 mm



### BLE-005-SD2

- · Length/Retractable: 184 mm · Inner Barrel: 93 mm
- · Capacity: 17 Rds · Weight: 642 g · Caliber: 6 mm

















### HERA ARMS COR

CQR (Close Quarter Rifle) is a model featured with both performance and reliability, authorized by HERA ARMS, Germany under the joint partnership project by ActionSportGames and ICS Airsoft, and perfectly manufactured by ICS based on the CXP EBB series and applied with Original HERA Arms featured parts.

This outstanding model is also equipped with ICS's latest 2nd Generation SSS E-trigger system, which applied the pre-cocking function that could reduce the piston travel distance, and improve both accuracy and trigger responding time. The iconic ICS split gearbox and QD spring guide designs provide the capability for players to adjust and meet the limitation per different field and games.

# HERA ARMS COR FEATURE INTRODUCTION



321



# HERA ARMS COR
























### ICS-39053

- · Length/Retractable: 706 mm · Inner Barrel: 215 mm · Capacity: 300 Rds



### IMD-390-I

### IMD-39053-I

- Length/Retractable: 706 mm
   Inner Barrel: 215 mm
   Capacity: 300 Rds
   Weight: 3190 g
   Caliber: 6 mm







### ABOUT LIGHTWAY

The lightway series is a belief that ICS could deliver the best performing AEG platform with the most cost effective pricing to both beginners and veterans. The specially designed AEG frame adopted all the great design DNAs originated from ICS;which is most ideal for players who are looking for a light weight package, that performs like a charm.

# PELEADOR 2.0 FEATURE INTRODUCTION



38 l**≤** 



# PELEADOR 2.0





















· Caliber: 6 mm














- · Length/Retractable: 817-894 mm
- · Capacity: 300 Rds
- · Weight: 2369 g





# PELEADOR





ICS+440



TOPOGOGOGO

















- · Length/Retractable: 817-894 mm · Inner Barrel: 375 mm









### **ABOUT CXP**

The CXP series is a brand new AEG combat platform developed and designed based on the existing SALW(Small Arms and Lightway Weapons) in the world today, which not only combined erogonomic and designs, but also applied with years of experiences gained by operating AEGs.

# CXP-ARK FEATURE INTRODUCTION



**45** 



























### **ICS-131**

### **ICS-13153**

- Length/Retractable: 638-884 mm



### IMD-I3I

### IMD-13153-1

- · Length/Retractable: 638-884 mm · Inner Barrel: 375 mm
- · Capacity: 540 Rds · Weight: 3365 g · Caliber: 6 mm



# CXP-MARS PDW9 FEATURE INTRODUCTION





### CXP-MARS PDW9























### ICS-420

### ICS-42053

- · Length/Retractable: 619-690 mm · Inner Barrel: 160 mm · Capacity: 330 Rds · Weight: 2692 g · Caliber: 6 mm



### IMG-420-

### IMG-42053-I

- · Length/Retractable: 619-690 mm · Inner Barrel: 160 mm
- · Capacity: 330 Rds · Weight: 2692 g



# CXP-MMR FEATURE INTRODUCTION



54 No. 153



# CXP-MMR CARBINE









































### **ICS-401**

- · Length/Retractable: 835-930 mm · Inner Barrel: 375 mm · Capacity: 300 Rds · Weight: 2886 g · Caliber: 6 mm



### IMT-40I-I

- · Length/Retractable: 835-930 mm · Inner Barrel: 375 mm
- · Capacity: 300 Rds · Weight: 2886 g · Caliber: 6 mm



### IMT-402-I

- · Length/Retractable: 728-800 mm · Inner Barrel: 263 mm
- · Capacity: 300 Rds · Weight: 2678 g · Caliber: 6 mm



# CXP-YAK FEATURE INTRODUCTION





# CXP-YAK SBR


























# CXP-YAK CARBINE





















### **ICS-411**

- · Length/Retractable: 835-930 mm · Inner Barrel: 375 mm

- · Capacity: 300 Rds · Weight: 3145 g · Caliber: 6 mm



### **IMT-411-1**

- · Length/Retractable: 835-930 mm · Inner Barrel: 375 mm · Capacity: 300 Rds · Weight: 3145 g · Caliber: 6 mm



# CXP-YAK DMR





















THE CONTRACT OF THE CONTRACT O





- · Length/Retractable: 947-977 mm · Inner Barrel: 420 mm
- Capacity: 300 Rds
  Weight: 3617 g
  Caliber: 6 mm

### CXP-YAK COB





































### IMT-413-I

- · Length/Retractable: 743-838 mm · Inner Barrel: 263 mm

- · Capacity: 300 Rds · Weight: 3145 g · Caliber: 6 mm







# CXP-MARS FEATURE INTRODUCTION



165



### CXP-MARS SBR



















· Capacity: 300 Rds · Weight: 2940 g

· Caliber: 6 mm







· Capacity: 300 Rds · Weight: 3040 g

· Caliber: 6 mm



















· Capacity: 300 Rds · Weight: 3040 g

· Caliber: 6 mm







· Capacity: 300 Rds · Weight: 2940 g

· Caliber: 6 mm

## CXP-MARS DMR





























#### ICS-30353

- · Length/Retractable: 980-1010 mm · Inner Barrel: 458 mm · Capacity: 300 Rds · Weight: 3610 g · Caliber: 6 mm





- Length/Retractable: 980-1010 mm
  Inner Barrel: 458 mm
  Capacity: 300 Rds
  Weight: 3610 g
  Caliber: 6 mm

- Length/Retractable: 980-1010 mm
  Inner Barrel: 458 mm
  Capacity: 300 Rds
  Weight: 3610 g
  Caliber: 6 mm





## CXP-APE FEATURE INTRODUCTION



7414



## CXP-APE

PROLINE EBB M 70 60 6 F F MEYMOD























### IMD-230-1



























- Length/Retractable: 827-895 mm
  Inner Barrel: 375 mm
  Capacity: 300 Rds
  Weight: 3000 g
  Caliber: 6 mm



### IMD-231-I

- Length/Retractable: 827-895 mm
  Inner Barrel: 375 mm
  Capacity: 300 Rds
  Weight: 3000 g
  Caliber: 6 mm





## CXP-UKI FEATURE INTRODUCTION





## CXP-UKI CAPTAIN



















### ICS-262

- · Length/Retractable: 617-693 mm · Inner Barrel: 186 mm · Capacity: 300 Rds · Weight: 2840 g · Caliber: 6 mm



### IMT-262-I



## CXP-UKI CARBINE

























- · Length/Retractable: 700-795 mm · Inner Barrel: 263 mm · Capacity: 300 Rds · Weight: 2700 g · Caliber: 6 mm

## CXP-UKI RIFLE

































- · Length/Retractable: 811-906 mm · Inner Barrel: 375 mm

- · Capacity: 300 Rds · Weight: 2920 g · Caliber: 6 mm





## CXP-HOG FEATURE INTRODUCTION





### CXP-HOG TUBULAR SD

























## CXP-HOG TUBULARL


















- · Length/Retractable: 895-925 mm · Inner Barrel: 375 mm
- · Capacity: 300 Rds · Weight: 3300 g
- · Caliber: 6 mm



# CXP-16 FEATURE INTRODUCTION







ICS-238





















# CXP-I5 FEATURE INTRODUCTION



193












































CRANE

## CXP-08 FEATURE INTRODUCTION






























## CES-P FEATURE INTRODUCTION

























#### ICS-21253

- · Length/Retractable: 490-760 mm · Inner Barrel: 230 mm




#### **ICS-21153**

- · Length/Retractable: 500-650 mm · Inner Barrel: 230 mm
- · Capacity: 230 Rds · Weight: 2600 g · Caliber: 6 mm



# CES SERIES FEATURE INTRODUCTION



### CES SERIES 505 AEG S 60 GU TO AMBI FIXED PROLINE



- · Length/Retractable: 780 mm · Inner Barrel: 230 mm · Capacity: 230 Rds · Weight: 2240 g · Caliber: 6 mm



## CES SERIES SDE

















- · Length/Retractable: 600-741 mm · Inner Barrel: 230 mm · Capacity: 230 Rds · Weight: 2300 g · Caliber: 6 mm



## CES SERIES A4





















- Length/Retractable: 680 mm
  Inner Barrel: 230 mm
  Capacity: 230 Rds
  Weight: 2300 g
  Caliber: 6 mm



## CES SERIES A5






























- Length/Retractable: 500-640 mm
  Inner Barrel: 230 mm
  Capacity: 230 Rds
  Weight: 2000 g
  Caliber: 6 mm



## CS4 SERIES FEATURE INTRODUCTION





## CS4 SERIES

















Length/Retractable: 730-815 mm
Inner Barrel: 263 mm
Capacity: 450 Rds
Weight: 3250 g
Caliber: 6 mm



## AAR SERIES FEATURE INTRODUCTION





## AAR SERIES



SFS PROLINE AEG NO 50 60 60 FM















- · Length/Retractable: 515-795 mm · Inner Barrel: 263 mm · Capacity: 300 Rds · Weight: 2550 g · Caliber: 6 mm



### ICS-235

- Length/Retractable: 515-795 mm
  Inner Barrel: 263 mm
  Capacity: 300 Rds
  Weight: 2550 g
  Caliber: 6 mm



## AAR SERIES F

























- Length/Retractable: 515-740 mm
  Inner Barrel: 263 mm
  Capacity: 300 Rds
  Weight: 2400 g
  Caliber: 6 mm





- · Length/Retractable: 515-740 mm · Inner Barrel: 263 mm · Capacity: 300 Rds · Weight: 2400 g · Caliber: 6 mm







## MAR SERIES FEATURE INTRODUCTION



**1**221**⊌** 



## MAR SERIES

PROLINE AEG M 70 60 6 7

74



ICS-36











### **RAS**


### ICS-32

- Constitution of the Cons






- Length/Retractable: 510-745 mm
  Inner Barrel: 263 mm
  Capacity: 550 Rds
  Weight: 2700 g
  Caliber: 6 mm



# TOD SERIES FEATURE INTRODUCTION





## TOD SERIES



















### ARM

### ICS-91

- Length/Retractable: 750-980 mm
  Inner Barrel: 515 mm
  Capacity: 400 Rds
  Weight: 3500 g
  Caliber: 6 mm




### MR5

### ICS-92

- Length/Retractable: 750-980 mm
  Inner Barrel: 515 mm
  Capacity: 400 Rds
  Weight: 3000 g
  Caliber: 6 mm



## MI GARAND FEATURE INTRODUCTION



**129** 



## MI GARAND













### 8MM LIMITED

### ICS-20IL

- Length/Retractable: 1100 mm
  Inner Barrel: 610 mm
  Capacity: 25 Rds
  Weight: 3600 g
  Caliber: 8 mm



### [6MM]

### ICS-202

- Length/Retractable: 1100 mm
  Inner Barrel: 610 mm
  Capacity: 42 Rds
  Weight: 3600 g
  Caliber: 6 mm





## M3 GREASER FEATURE INTRODUCTION





## M3 GREASER















## L85 L86 SERIES FEATURE INTRODUCTION



**137** 



## L85 L86 SERIES

PROLINE

















### L85 A2 CARBINE

### ICS-87

- Length/Retractable: 740 mm
  Inner Barrel: 420 mm
  Capacity: 450 Rds
  Weight: 3090 g
  Caliber: 6 mm



### L85 A2


### ICS-85

- Length/Retractable: 787 mm
   Inner Barrel: 480 mm
   Capacity: 450 Rds
   Weight: 3652 g
   Caliber: 6 mm



## MGL SERIES FEATURE INTRODUCTION





## MGL SERIES









### **SPECIFICATIONS**

Series	Item	Model	Туре	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Stock Type	Magazine Capacity (rounds)
LIEDA ADAGO COD	ICS-390	HERA Arms CQR (BK)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 7mm Bushing	Fixed Stock	300
HERA ARMS CQR	IMD-390-1	HERA Arms CQR (TwoTone)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 7mm Bushing	Fixed Stock	300
HERA ARMS CQR	ICS-390S3	HERA Arms CQR S3 (BK)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 7mm Bushing	Fixed Stock	300
SSS	IMD-390S3-1	HERA Arms CQR S3 (TwoTone)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 7mm Bushing	Fixed Stock	300
	ICS-442S3	Lightway-Peleador S3 (BK)	AEG	Nylon Fiber	817-894	2369	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
LIGHTWAY	IPT-442S3-1	Lightway-Peleador S3 (TAN)	AEG	Nylon Fiber	817-894	2369	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
PELEADOR 2.0	ICS-443S3	Lightway-Peleador S3 (BK)	AEG	Nylon Fiber	717-794	2333	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
	IPT-443S3-1	Lightway-Peleador S3 (TAN)	AEG	Nylon Fiber	717-794	2333	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
	ICS-440	Lightway-Peleador (BK)	AEG	Nylon Fiber	817-894	2369	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
LIGHTWAY	IPT-440-1	Lightway-Peleador (TAN)	AEG	Nylon Fiber	817-894	2369	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
PELEADOR	ICS-441	Lightway-Peleador (BK)	AEG	Nylon Fiber	717-794	2333	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
	IPT-441-1	Lightway-Peleador (TAN)	AEG	Nylon Fiber	717-794	2333	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
CXP-ARK	ICS-131	CXP-ARK (BK)	AEG	Metal	638-884	3365	375	6.04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
UAF-ANK	IMD-131-1	CXP-ARK (Two Tone)	AEG	Metal	638-884	3365	375	6. 04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
CXP-ARK	ICS-131S3	CXP-ARK S3	AEG	Metal	638-884	3365	375	6.04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
SSS	IMD-131S3-1	CXP-ARK S3 (Two Tone)	AEG	Metal	638-884	3365	375	6.04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
CXP-MARS PDW9	ICS-420	CXP-MARS PDW9 (BK)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	330
CAP-IMARS PDW9	IMG-420-1	CXP-MARS PDW9 (Urban Grey)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	330
CXP-MARS PDW9	ICS-420S3	CXP-MARS PDW9 S3 (BK)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	330
SSS	IMG-420S3-1	CXP-MARS PDW9 S3 (Urban Grey)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	330
	ICS-400	CXP-MMR DMR (BK)	EBB	Metal	975-1,005	3,393	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	IMT-400-1	CXP-MMR DMR (TAN)	EBB	Metal	975-1,005	3,393	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
CXP-MMR	ICS-401	CXP-MMR Carbine (BK)	EBB	Metal	835-930	2,886	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
GAT -IVIIVIII	IMT-401-1	CXP-MMR Carbine (TAN)	EBB	Metal	835-930	2,886	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	ICS-402	CXP-MMR SBR (BK)	EBB	Metal	725-800	2,678	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMT-402-1	CXP-MMR SBR (TAN)	EBB	Metal	725-800	2,678	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	ICS-410	CXP-YAK SBR (BK)	EBB	Metal	733-825	3,067	263	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMT-410-1	CXP-YAK SBR (TAN)	EBB	Metal	733-825	3,067	263	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	ICS-411	CXP-YAK Carbine (BK)	EBB	Metal	835-930	3,145	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
CXP-YAK	IMT-411-1	CXP-YAK Carbine (TAN)	EBB	Metal	835-930	3,145	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
OAI - IAIN	ICS-412	CXP-YAK DMR (BK)	EBB	Metal	947-977	3,617	420	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	IMT-412-1	CXP-YAK DMR (TAN)	EBB	Metal	947-977	3,617	420	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	ICS-413	CXP-YAK CQB (BK)	EBB	Metal	743-838	3,145	263	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMT-413-1	CXP-YAK CQB (TAN)	EBB	Metal	743-838	3,145	263	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	ICS-300	CXP-MARS Komodo (BK)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMT-300-1	CXP-MARS Komodo (TAN)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
CXP-MARS	IMD-300-1	CXP-MARS Komodo (TwoTone)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	ICS-301	CXP-MARS SBR (BK)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMT-301-1	CXP-MARS SBR (TAN)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300

### **SPECIFICATIONS**

	Series	Item	Model	Туре	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Stock Type	Magazine Capacity (rounds)
		IMD-301-1	CXP-MARS SBR (TwoTone)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
		ICS-302	CXP-MARS Carbine (BK)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
		IMT-302-1	CXP-MARS Carbine (TAN)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	CXP-MARS	IMD-302-1	CXP-MARS Carbine (TwoTone)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
		ICS-303	CXP-MARS DMR (BK)	EBB	Metal	980-1,010	3,610	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
		IMT-303-1	CXP-MARS DMR (TAN)	EBB	Metal	980-1,010	3,610	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
		IMD-303-1	CXP-MARS DMR (TwoTone)	EBB	Metal	980-1,010	3,610	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
		ICS-300S3	CXP-MARS Komodo S3 (BK)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
20		IMT-300S3-1	CXP-MARS Komodo S3 (TAN)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
1		IMD-300S3-1	CXP-MARS Komodo S3 (TwoTone)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
		ICS-301S3	CXP-MARS SBR S3 (BK)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	Series .	IMT-301S3-1	CXP-MARS SBR S3 (TAN)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	CXP-MARS	IMD-301S3-1	CXP-MARS SBR S3 (TwoTone)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	SSS	ICS-302S3	CXP-MARS Carbine S3 (BK)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
		IMT-302S3-1	CXP-MARS Carbine S3 (TAN)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
		IMD-302S3-1	CXP-MARS Carbine S3 (TwoTone)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	1/0	ICS-303S3	CXP-MARS DMR S3 (BK)	EBB	Metal	980-1,010	3,610	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
		IMT-303S3-1	CXP-MARS DMR S3 (TAN)	EBB	Metal	980-1,010	3,610	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	100	IMD-303S3-1	CXP-MARS DMR S3 (TwoTone)	EBB	Metal	980-1,010	3,610	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	117	_ICS-230	CXP-APE (BK)	EBB	Metal	716-784	2,900	263	6.04	ICS Split EBB Gearbox 7mm Bushing	SF1 Stock	300
/	CXP-APE	IMD-230-1	CXP-APE (TAN)	EBB	Metal	716-784	2,900	263	6.04	ICS Split EBB Gearbox 7mm Bushing	SF1 Stock	300
	GAF-AFE	ICS-231	CXP-APE Rifle (BK)	EBB	Metal	827-895	3,000	375	6.04	ICS Split EBB Gearbox 7mm Bushing	SF1 Stock	300
00		IMD-231-1	CXP-APE Rifle (TAN)	EBB	Metal	827-895	3,000	375	6.04	ICS Split EBB Gearbox 7mm Bushing	SF1 Stock	300
-	Sec	ICS-262	CXP-UK1 Captain (BK)	EBB	Metal	617-693	2,840	186	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
9		IMT-262-1	CXP-UK1 Captain (TAN)	EBB	Metal	617-693	2,840	186	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	CXP-UK1	ICS-264	CXP-UK1 (Rear Wired) (BK)	EBB	Metal	700-795	2,700	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	OXI -OKI	IMT-264-1	CXP-UK1 (Rear Wired) (TAN)	EBB	Metal	700-795	2,700	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
1		ICS-265	CXP-UK1 Rifle (Rear Wired) (BK)	EBB	Metal	811-906	2,920	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	1	IMT-265-1	CXP-UK1 Rifle (Rear Wired) (TAN)	EBB	Metal	811-906	2,920	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
		ICS-275	CXP-HOG Tubular L	EBB	Metal	895-925	3,300	375	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
		ICS-380	CXP-HOG Tubular SD	EBB	Metal	800-880	2,860	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	CXP-HOG	ICS-381	CXP-HOG Tubular SD	EBB	Metal	810-900	2,920	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
		ICS-382	CXP-HOG Tubular SD	EBB	Metal	880-910	3,300	375	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
		ICS-383	CXP-HOG Tubular SD	EBB	Metal	720-800	2,690	303	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
[	CXP-16	ICS-238	CXP-16 L Crane Stock	AEG	Metal	885-980	3,300	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	Crane Stock	300
		ICS-170	CXP-15 K	AEG	Nylon Fiber	642-732	1,800	200	6.04	ICS CS4 Split Gearbox 7mm Bushing	Retractable Stock	300
	CXP-15	ICS-172	CXP-15 K PSL	AEG	Nylon Fiber	472	1,600	200	6.04	ICS CS4 Split Gearbox 7mm Bushing	Retractable Stock	300
		ICS-174	CXP-15 K Crane Stock	AEG	Nylon Fiber	648-743	1,900	200	6.04	ICS CS4 Split Gearbox 7mm Bushing	N/A	300
	CXP-08	ICS-160	CXP-08 QRS Stock	AEG	Nylon Fiber	595-695	2,150	200	6.04	ICS CS4 Split Gearbox 7mm Bushing	QRS Stock	300

### **SPECIFICATIONS**

Series	ltem	Model	Туре	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Stock Type	Magazine Capacity (rounds)
CXP-08	ICS-324	CXP-08 QRS Stock EBB	EBB	Metal	595-695	2,900	200	6.04	ICS Split EBB Gearbox 7mm Bushing	QRS Stock	300
CES-P	ICS-211S3	CES-P A5 S3 Retractable Stock	AEG	Metal	500-650	2,600	230	6.04	ICS Ver. 2 Gearbox 8mm Bushing	Retractable Stock	230
GES-P	ICS-212S3	CES-P MS1 S3 SFS Stock	AEG	Metal	490-760	2,800	230	6.04	ICS Ver. 2 Gearbox 8mm Bushing	SFS Stock	230
	ICS-01	CES SD5	AEG	Metal	780	2,240	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Fixed Stock	230
CES	ICS-02	CES SD6	AEG	Metal	600-741	2,300	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Retractable Stock	230
CES	ICS-03	CES A4	AEG	Metal	680	2,300	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Fixed Stock	230
	ICS-04	CES A5	AEG	Metal	500-640	2,000	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Retractable Stock	230
	ICS-20	CS4A1	AEG	Metal	778-873	3,000	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	Retractable Stock	450
CS4	ICS-321	CS4 RIS EBB	EBB	Metal	730-815	3,250	263	6.04	ICS Split EBB Gearbox 7mm Bushing	Crane Stock	450
	ICS-323	CS4A1 Tubular RAS S EBB	EBB	Metal	778-873	2,950	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	450
	ICS-233	AAR (BK)	AEG	Nylon Fiber	515-795	2,550	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	SFS Stock	300
AAR	ICS-235	AAR (TwoTone)	AEG	Nylon Fiber	515-795	2,550	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	SFS Stock	300
AAN	ICS-333	AARF (BK)	AEG	Nylon Fiber	515-740	2,400	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	300
	IMD-333-1	AARF (TwoTone)	AEG	Nylon Fiber	515-740	2,400	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	300
	ICS-32	MAR RAS	AEG	Metal	965	3,200	458	6.04	ICS Ver.3 Gearbox 7mm Bushing	Fixed Stock	550
MAR	ICS-34	MAR SU	AEG	Metal	510-745	2,700	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	550
	ICS-36	MAR (Wooden)	AEG	Metal	960	3,314	458	6.04	ICS Ver.3 Gearbox 7mm Bushing	Fixed Stock	550
TOD	ICS-91	TOD ARM	AEG	Metal	750-980	3,500	515	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	400
100	ICS-92	TOD AR	AEG	Metal	750-980	3,000	515	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	400
	ICS-200	M3 Greaser	AEG	Metal	587-763	2,045	230	6.04	ICS M3 Gearbox 8mm Bushing	Retractable Stock	430
wwii	ICS-201L	M1 Garand 8mm Limited	AEG	Wood	1,100	3,600	610	8.04	ICS M1 Gearbox 8mm Bushing	Fixed Stock	25
	ICS-202	M1 Garand 6mm	AEG	Wood	1,100	3,600	610	6.04	ICS M1 Gearbox 8mm Bushing	Fixed Stock	42
	ICS-85	L85 A2 Assault Rifle	AEG	Metal	787	3,652	480	6.04	ICS L85 Gearbox 7mm Bushing	Fixed Stock	450
L85/86	ICS-86	L86 A2 LSW	AEG	Metal	913	4,411	610	6.04	ICS L85 Gearbox 7mm Bushing	Fixed Stock	450
	ICS-87	L85 A2 Carbine	AEG	Metal	740	3,090	420	6.04	ICS L85 Gearbox 7mm Bushing	Fixed Stock	450
MOL	ICS-190	MGL (BK)	Multiple Grenade	Nylon Fiber	630-725	2,200	N/A	40	N/A	Retractable Stock	Depending on O
MGL	ICS-191	MGL (TAN)	Launcher	Nylon Fiber	675-780	2,200	N/A	40	N/A	Crane Stock	Depending on Grenade

Series	Item	Model	Туре	Receiver Material	Slide Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Magazine Capacity (rounds)
SAR9	BLE-009 (SB)	SARSILMAZ SAR 9	GBB	Nylon Fiber	Aluminum	195	750	104	6	22
PRS	BLE-008-SB	Korth PRS 4" (BK)	GBB	Aluminum	Aluminum	195	770	85	6	15
BM9	BLE-050-SB	BM9 (BK)	GBB	Aluminum	Aluminum	216	1000	110	6	20
DIVIS	BLE-050-ST	BM9 (TAN)	GBB	Aluminum	Aluminum	216	1000	110	6	20
PM2	BLE-002-SB	PM2 (BK)	CO <sup>2</sup>	Zinc Alloy	N/A	265	830	88.5	6	13
	BLE-005-SH	XFG (Hairline)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17
XFG	BLE-005-SB	XFG (BK)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17
	BLE-005-ST	XFG (TAN)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17

### **SPECIFICATIONS**

Series	Item	Model	Туре	Receiver Material	Slide Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Magazine Capacity (rounds)
XFG	BLE-005-SD1	XFG (Two Tone BKTN)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17
Ard	BLE-005-SD2	XFG (Two Tone TNBK)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17
	BLE-006-SB	XAE (BK)	GBB	Nylon Fiber	Aluminum	184.5	670	85	6	24
XAE	BLE-006-ST	XAE (TAN)	GBB	Nylon Fiber	Aluminum	184.5	670	85	6	24
AAL .	BLE-006-SD3	XAE (Two Tone BKTN)	GBB	Nylon Fiber	Aluminum	184.5	670	85	6	24
	BLE-006-SD4	XAE (Two Tone TNBK)	GBB	Nylon Fiber	Aluminum	184.5	670	85	6	24

- 1. The product specification is for reference ONLY and may be subject to change.
- 2. Battery, charger and BB's are not included.
- 3. For AEG above 360 FPS, it is available to use 11.1V Li-Po or 9.6V Ni-Mh batteries; For AEG below 350 FPS, it is recommended to use only 7.4V Li-Po or 8.4V Ni-Mh batteries.
- 4. Muzzle velocity is measured by 0.20g BB's, and is adjusted to comply with market regulation /requirements
- for specific countries as shown below:
- Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
- Below 100 m/s (328 FPS): Italy Below 95 m/s (312 FPS): Japan
- Below 45 m/s (148 FPS): Korea





Global website: https://www.icsbb.com





























**147** 148

### ICON GUIDE



AEG 5

CO2 System

**AEG System** 



8 mm Bushing Box



40 mm Grenade

ICS Split Gearbox



**KEYMOD Handguard** 



Ambidextrous Fire



M-LOK Handguard



**Luminous Aiming Dot** 



**GBB System** 



**Quick Detach Spring** 

7 mm Bushing Box



ICS Ver.3 Gearbox



Nylon Fiber Receiver



Function

**Double Safety** 



**EBB System** 



L85 QD Spring Guide



ICS M3 Gearbox



Metal Receiver



Magazine Catch



**Smart Trigger** 

V3 BOX QD Spring



6 mm BB Pellet

8 mm BB Pellet



ICS M1 Gearbox

ICS L85 Gearbox







Ambidextrous Slide







**Tactical Rail** 





SSS.II System





SSS V2 System



SSS V3 System

H-UP Adjustable



SHORT STROKE

### **REVO SERIES**



RELEASE



**QUANTITATIVE GAS INJECTION** 

### PHOTO CREDIT & SPECIAL THANKS

cover	Alpha Photography / Fehim Prosic
index page	Natthaphum S Phokhin & NSP Hobby Thailand
P15	Natthaphum S Phokhin & NSP Hobby Thailand
P19	Brendon Terry
P25	Champion Clément
P27	Airsoft Obsessed / Dave Baks
P29	Natthaphum S Phokhin & NSP Hobby Thailand
P35	Brendon Terry
P41	WMASG.com
P43	WMASG.com
P55	Takami Nakamoto & pics_n_co / Corentin Henry
P61	Björn Klockar
P64	Björn Klockar
P67	Alpha Photography / Fehim Prosic
P72	Alpha Photography / Fehim Prosic
P75	Natthaphum S Phokhin & NSP Hobby Thailand
P78	Brendon Terry
P81	Travis Botha
P84	Turgay Dansik
P87	野豬先鋒
P91	INS4NEsmiles
P95	Elvio Lupi
P107	Brendon Terry
P110	Travis Botha & James Jambo Rugani
P117	David Mccunnie & Steven Allan Mcallister
P127	Natthaphum S Phokhin & NSP Hobby Thailand
P131	WMASG.com
P139	Farheng Ameen & Victor Karlund
P143	Farheng Ameen & Victor Karlund
P150	Farheng Ameen & Victor Karlund



