

# B



CHANOER



# CONTENTS

19\_CO<sup>2</sup> PISTOL

21\_HI-CAPA

25\_SAR9.II

29\_BLE SERIES

-ICP

-VULTURE

-XMK

-BM9

-PM2

-XFG

-XAE

59\_CXP-TOMAHAWK

63\_DD MK18

67\_HERA ARMS CQR

71\_LIGHTWAY SERIES

-PELEADOR.III -DAGGER

-PELEADOR

85\_CXP SERIES

-MARS.II

-ARK

-MARS PDW9

-MMR

-YAK

-UK1

-HOG

-08/16

-15

113\_CES-P

117\_CES SERIES 119\_CS4 SERIES

121\_AAR SERIES

123\_MAR SERIES

125\_TOD SERIES

127\_WORLD WAR II 131\_L85 L86 SERIES

133\_MGL SERIES

# NEW ICS PRODUCT | PREVIEW





# TOMAHAWK

## **UPGRADE KIT**









from different industries that drive innovation. With a clear direction of Integrating new technologies and Airsofters' experience, our design and product are able to hold huge difference than others. In the future, devote ourselves to develop new techs and acquire more patent or certification we will constantly in purpose to offer more modern and satisfying products to Airsofters.


As always, Innovation, Competition, and Satisfaction.

**ICS**, The Best Thing We Create.

**ICS AIRSOFT** 

**BE A GAME CHANGER** 







# ICS PRECISION OEM / ODM SERVICE

To produce high-quality metal components and run detailed prototype tests such as receiver, handguard, fire-control mechanism, and gearbox, ICS has invested plenty in such as high precision CNC and Advanced 3D print machines. All the components are precisely crafted which are able to meet the high-quality standard even of military standard 7075 aluminium.

This allows us to be capable of providing high-end OEM / OEM service.







#### BENEFITS COME ALONG WITH THE NEW ICS 555 E-TRIGGER




#### **Pre-cocking Function**

With the new "pre-cocking function", the firing speed and the precision of gear working hence increased.



#### **Active E-Brake**

It is featured with self-learning function by adjusting its power automatically to precisely position gears while operating.



**Red LED blinking:** Gears, motor related abnormality.

#### "First in Airsoft World!"


#### **Self-Diagnostic Shooting System**

Troubleshooting is no longer troublesome. With ICS SSS.III unit, all the problem will be told by the colour of a small LED. Well, green means all green, definitely.



#### **High Torque motor**

With quality, made in Taiwan, EVO motor is equipped with a design to reduce heat accumulation and improve endurance by using high heat resistance magnet



#### Low When itself 3

Trigger switch abnormality.

Orange LED glowing:

Fire selector assembly abnormality.

#### **Low Voltage Detection & Self-Protection**

When the battery is running low, the motor will vibrate itself 3 times to remind the player that power will soon be depleted.

After the last drip of the battery is ran out, the motor will vibrate once and stop working. Perfect moment to replace your battery with a fully-charged one.




#### **Integrated Burst Mode (SSS.II)**

This is it. Firing mode can be switched without pulling off your finger from the trigger.

Pull, and hold, the trigger for 5 seconds then the 3-round burst mode is activated.

And it is simple to reset to default, just by repeating the move above.

#### ICS EXCLUSIVE REALISTIC DESIGN



#### Flexibility - Split Gearbox & QD Spring & Spring Release

Simulating action like disassembly of real firearms is crucial part of realism. Without sacrificing any function, ICS designs "QD receivers", "split gearbox" with "QD spring guide" which allows maintenance, upgrading, and troubleshooting much more easily to achieve. In addition, the "spring-relaxing mechanism" can is also installed to avoid elasticity fatigue and velocity decrease simultaneously for the purpose of lengthening the lifetime of spring.



#### Integrity - EBB System, Battery Stock Tube & Floating H-UP

To get rid of many cons of traditional design, overturning the legacy by breaking the old frame, ICS have committed numerous improvements on the EBB system by analysing and reflecting the issues on the traditional one. After couple of years of continuing research, experiment, and hundred thousands more tests, we manage to create structure which disperse impact harmlessly when shooting by using the simplest design while preserving realistic feedback and being practical.



#### Capability - Low Resistances Switch Assembly & Mini Fuse & MOSFET

Electricity is just like blood to human, essential and vital. Keeping a powerful and steady output of current is a critical issue for a game-winning weapon. ICS has been focusing on this matter and constantly making improvements. Such as applying new conductive material, using new type of E-brake and T-din plug, replacing fuse box with the micro type, and installing a MOSFET. All these efforts create a low impedance working environment which occurs less heat and less loss on energy to achieve what we aim for.







#### **Durability - Refined and Advanced Parts**

Components like gears, piston, and all others that were built to move are doomed to break by time. Fear not, ICS has kept upgrading these parts by introducing new MIM process, practicing new design, and applying different material. AS the Life of parts prolonged, the performance of gears improved, these have become the last a player should worry about.

# MASTER MODS PERFECTED



MX-001 6061 Aluminum Reinforced Upgrade Cylinder Head



MX-002 6061 Aluminum Reinforced Upgrade Piston Head



Full Steel Teeth Reinforced Upgrade Piston Parts FOR ICS EBB

MX-006



**MX-008** Full Steel Teeth Reinforced **Upgrade Piston Parts** 




MX-010 Master R-Hop Chamber Rubber (FOR AEG)



MX-011 Master R-Hop Chamber Rubber (FOR GBB)





Master Hi-Capa TDC Hop Chamber for TM Spec



MX-034 Rubber (FOR AEG)



MX-036 Master Ver 2. R-Hop Chamber Master Ver 2. R-Hop Chamber Rubber (FOR GBB)



MX-035 (FOR AEG)



MX-037 Master Ver 2. Chamber Rubber Master Ver 2. Chamber Rubber (FOR GBB)



MX-004A M4 Metal Cross Air Nozzle



MX-005 Master Hop Tensioner Nub

# MASTER HI-CAPA TOC HOP CHAMBER FOR TM SPEC







#### TDC HOP UNIT TM COMPATIBLE



- Perfect TDC Top-Dead-Center force hop pressure.
- Compatible with Tokyo Marui spec Hi-Capa.
- R-HOP system and Electroless nickel-coated 6.04mm inner barrel increase your shooting accuracy and consistency with high durability and reliability.
- Redesigned structure to provide extra support to lower part of chamber.



#### **ABOUT MASTER MODS**

MASTER MODS was initiated by some professional designers and players from various sorts of industries with enthusiasm in Airsoft. They are here for only one vision and one purpose: "To build the perfect-upgrading parts for all of the airsoft players and gears in the world." With years of gaming experiences and unlimited creativity, the masters thus create the best parts. MASTER MODS and ICS have been collaborated for years to bring more surprising innovation and raise the standard of shooting to another level.

# MASTER MODS PERFECTED



MX-028
AL6061 Red Dot Mount for XAE



Installation Video

MX-029
AL6061 Red Dot Mount for XFG



Installation Video

MX-030 AL6061 Red Dot Mount for XMK



Installation Video

MX-032 AL6061 Red Dot Mount for SAR 9



**Installation Video** 



**Installation Video** 







# HI-CAPA CHALLENGER





















#### **FEATURES**

#### Metal Slide & Sport-style Slide

- The Metal Slide (SB) is made by Aluminum alloy offers a solid and powerful recoil while shooting.
- The Sport-style Slide (PB) is formed with reinforced plastic which provides a agile and punctual blow-back cycling while reducing the weight at the same time.

#### **RMR & DOC Sight Mount**

Access to all sorts of combination is the pleasure we all desire. But just an addition is not enough, we integrate.

The Challenger-tailed sight mount is not only a platform above, but also a shape-integrated structure with the sling and hammer around.

No need for a exaggerated outer frame, with a simple, humble but solid plate, you can install your sight and have less impact from hammer.

#### **3-Dot Luminous Sights**

Aim-assisting dots are evolved by using Luminous paint. While entering from a brighter place into a darker one with the glow, player will still be able to aim clearly.

# 14mm CCW Steel Adapter Capable of accepting most of suppressors and extension tubes of the day. Adjustable Trigger Stroke Mechanism Able to adjust the length of trigger stroke according to player's need with a single allen key.

#### **Magazine Well**

Every second counts in a rapid competition. Winner is always the one who shoots first.

The design of the well assists player to align and load the mag under his instinct move.

#### **Reinforced Magazine Base Plate**

The magazine base plate is thickened to provide protection from any impact.

By using nylon fiber, it offers enlarged holding place without gaining too much weight.

#### **MASTER MODS R-Hop System**

R-HOP system and Electroless nickel-coated 6.04mm inner barrel increase your shooting accuracy and consistency with high durability and reliability.



#### **TDC Hop-Up Chamber**

"TDC", "top-dead-center" is designed for spreading vertical bucking pressure evenly hence stabilises the trajectory and reduce uncertainty on your action.

The key part to the purpose is a pressure ring. It is formed with powder steel which is able to form more precisely and provide much better stability.



#### **REVO.II Gas Management System**

The brand new REVO.II system is designed with two major mechanisms:

one provides sufficient gas output from the magazine and the other offers effective gas injection hence increased capacity when charging.



#### **Upgraded-Connecting Structure**

Not like most of design in this part is just a plastic hole for screw, we fortify with a metal bushing creates a firmer and steadier connection which reduces vibration between frames.





#### **Quick-Disassembling Clip**

Recoil spring guide rod with reverse plug retention clip is equipped within allows player can dismantle more easily.



#### **Pre-Upgraded Steel Parts**

As we have pre-upgraded all the moving metal parts, part like fire control unit is now able to provide better-shooting experience and endure longer working time. The other like sear spring now contains more flexibility with more room for adjusting the touch of the trigger by using Japan SUS301 stainless steel.



#### **H-UP set with Barrel Fixing**

The H-UP set is added with a screw that fix the position of barrel provides a necessary stability when recoiling occurred.



## Lightweight Aluminum Alloy Mid-Frame

With more-precision CNC machining, ICS was managed to build this One-Piece Rail mid-Frame which brings a great smoothness and let slide travels like no resistance.




































# Black Leopard Eye

#### ABOUT BLE

Pistol is a "must have" in all milsims or skirmishes, and you want to react like a leopard during the game. You do not only acquire sturdy figure, high mobility, and intelligence, but also maintain extremely high speed while running. Thus, ICS choose the icon of the leopard to represent the capability of the ICS pistols, and symbolize ICS ability to maintain leopard-like vitality, viability and competitiveness on those brutal battlefields and the fastchanging airsoft market.
























#### **FEATURES**

#### **3-Dot Luminous Sights**

Aim-assisting dots are evolved by using Luminous paint. While entering from a brighter place into a darker one with the glow, player will still be able to aim clearly.

#### **Ambidextrous Thumb Rest**

Ambidextrous Thumb Rest, giving you stability when holding pistol, achieving an accurate shot.

#### Ambidextrous Slide with Quick Pulling Bump

New Double sided quick pull bumps will increase surface friction, providing the users a reliable slide charge.

#### **Rock Textured Anti-Slip Pattern**

Unique rock textured anti-slip pattern to increase stability when holding the gun.

#### **Fixed Outer & Inner Barrel Design**

Reducing the vibration while the slide travels, performing better shooting accuracy.

#### 14mm CCW Steel Adapter

Capable of accepting most of suppressors and extension tubes of the day.

#### **Trigger Safety Loaded Indicator**

A Red Triangle Indicator can be found on the trigger surface for easy identification and notification. Trigger will be held at the rear once the magazine and chamber are empty.

## Side-changeable Magazine Release Button

The Magazine Release button can be switched and installed on the handedness side in accordance with personal usage habits.

#### M1913-Compatible Tactical Rail

Capable of installing all M1913 under-barrel accessories.

#### **Extended Magazine**

The enlarged magazine design offers 30 rounds capacity and more gas capacity, thus increasing 20% gas efficiency.

#### **Ø6.03 Inner Barrel**

A universal spec 6.03mm precision barrel is easier for upgrading and maintenance.



#### **TDC Hop Up Chamber**

TDC Top-Dead-Center mount design for the best even spread out vertical bucking pressure, which stabilizes the trajectory and increase accuracy and range. The pressure ring was built by alloy steel which increase the form preciseness that would provide much better stabilities.



#### **Detachable Magwell**

The magwell is detachable and the magazine is compatible with G17/18. G19 magazine is also compatible if detaching the magwell.

Beveled design at the magwell allows you to load magazines more easily.







#### **Low Resistance Slide Design**

Integrates spring powered hammer contact design, reducing interference between cylinder housing and hammer guide wheel, making the whole system function smoother and more reliable.



#### **REVO.II Gas Management System**

The brand new REVO.II system is designed with two major mechanisms:

one provides sufficient gas output from the magazine and the other offers effective gas injection hence increased capacity when charging.



#### The enlarged magazine base

The enlarged magazine base is compatible with TM G17/18 magazine.





## **BLE-VULTURE**






















AV-09
Vulture Slide Stop Screw





#### **REVO.II Gas Management System**

The brand new REVO.II system is designed with two major mechanisms:

one provides sufficient gas output from the magazine and the other offers effective gas injection hence increased capacity when charging.



#### **Ø6.03 Inner Barrel**

A universal spec 6.03mm precision barrel is easier for upgrading and maintenance.



#### **Fixed Inner Barrel**

The fixed structure locked the position of barrel provides a necessary stability when recoiling occurred.



#### **Pre-Upgraded Steel Parts**

As we have pre-upgraded all the moving metal parts, part like fire control unit is now able to provide better-shooting experience and endure longer working time. The other like sear spring now contains more flexibility with more room for adjusting the touch of the trigger by using Japan SUS301 stainless steel.















Weight

Caliber

720 g


6 mm











Weight

Caliber

778 g

6 mm



#### **Ø6.03 Inner Barrel**

A universal spec 6.03mm precision barrel is easier for upgrading and maintenance.



#### **Compatible Holster**

BLE-XMK fits with the Holster from Swiss Arms even with the compensator on it.



#### **Additional Safety**

The safety button lies beneath the rail which can ensure no accident happened during the non-gaming session.



# ALLIANIANIANIANIAN EST

#### **REVO.II Gas Management System**

**@** 

The brand new REVO.II system is designed with two major

one provides sufficient gas output from the magazine and the other offers effective gas injection hence increased capacity when charging.





## BLE-BM9






















**Ø6.03 Inner Barrel** 

**Compatible Holster** 

and maintenance.





NBB

H-UP










**▲** AC-03 Shadow Extension Tube (100mm)


































extension tubes of the day.







## **BLE-XAE**









**Specification** 

Length

Capacity

Weight

Caliber

Inner Barrel



















#### **3-Dot Luminous Sights**

Aim-assisting dots are evolved by using Luminous paint. While entering from a brighter place into a darker one with the glow, player will still be able to aim clearly.

#### **Slide Disassembling Button**

Easy-to-access structure allows player to dismantle slide parts quickly.

#### **14mm CCW Steel Adapter**

Capable of accepting most of suppressors and extension tubes of the day.

#### M1913-compatible Tactical Rail

Capable of installing all M1913 under-barrel accessories.

#### Two-sided Magazine Release

Ambidextrous catch release design allows player performs a quick release either left-handed or right-handed.

#### **Customisable Grip**

Holding it tight? Or being easy with your hand? The grip of XAE offers you a flexibility of changing the pad that faced your palm.



and maintenance.

**Trigger Lock** 

the trigger.



# CXP-TOMAHAWK



# CXP-TOMAHAWK



















#### **Three-way Adjustable TDC Hop Up Chamber**

Specially equipped with three-way adjustable TDC Hop Up chamber. The dial on the top is to adjust the height of the trajectory, and the screws on both sides is to adjust the left and right of the trajectory. Compared to regular Hop Up, this unique Hop Up is more convenient for you to do fine adjustment, featuring a more stable shooting performance.

#### **Bolt-Action**

Bolt-Action is a simple but solid mechanical structure, it performs with the highest shooting accuracy by getting rid of unnecessary components.

# Quick-Detachable Hop Up & Outer Barrel Assembly

No need to disassemble the whole gun while doing maintenance and tuning process, Quick-detachable design makes the whole process much easier.

#### **CNC Machined Aluminum Outer Barrel**

Applied anodizing treatment on the CNC machined outer barrel, makes it a better resistance of scratching and wearing.

#### **Trigger Safety**

The intuitive push-and-pull design is very easy to use, the safety is more secure while not in game.

#### **Quick-Detachable Rubber Butt Pad**

You can add extra rubber butt pads according to your own habit, to extend the whole gun to an appropriate length.

# Top Feeding Magazine (capacity 50 rounds)

CXP-Tomahawk is the only top-feeding Bolt-Action sniper rifle in the market, performing a smooth movement without blocking eyesights while loading magazine.



#### **CNC machined One-piece Metal Hop-Up**

CNC machined Hop-Up with anodizing treatment, leading to a better precision and resistance of scratching. Its solid weight can effectively reduces the vibration while shooting.



#### **Quick-Detachable Spring Guide**

With the quick-detachable spring guide feature, provides a more efficient way to comply with different limitation and requirement in all games and fields by changing the spring.





#### **Inner Barrel Stabilizer**

The new designed inner barrel stabilizer is to keep the inner barrel centered. To avoid from wobbling, achieving better shooting accuracy. (This item can be purchased, installed quantities depends on your preference.)



#### **MASTER MODS R-Hop System**

R-HOP system and Electroless nickel-coated 6.04mm inner barrel increase your shooting accuracy and consistency with high durability and reliability.



#### The Stainless Steel 61cc Cylinder

Applied with a 61 cc cylinder, which can use heavier BBs to effectively increase shooting stability and range. Thanks to this, it improves the gaming experience. The vacuum metalizing treatment enhances surface hardness and smoothness, performing the effortless while pull the lever.



#### **CNC Machined Receiver**

Applied anodizing treatment on the CNC machined receiver, makes it a better resistance of scratching and wearing.





## EMG DANIEL DEFENSE LICENSED MKI8

































muniti)

#### EMG Licensed Daniel Defense MK18 Body Lettering

100% Metal upper and lower body with identical lettering with the original.

#### **CFS Sights**

Reinforced-polymer-made CFS foldable sights has features such as lighter weight, sturdy durability. Its compact profile allow it can still coexist with any optic installed while folding, no need for dismounting.

# EMG Licensed Daniel Defense MK18 Handguard

9.55 inches, 100% Metal, CNC precisely processed, fortified with hard anodizing finishing, and the same marking mirrored from the real one.

#### **Metal Mid-cap Silent Magazine**

High quality surface, built with plate metal, and sound-suppressing mechanism. And what matters is, feeding flawless.

#### **Short-Stroke Trigger**

Shorter distance trigger travels, faster firing rate you can get. With pre-cocking mechanism, all your moves are able to go like a straight line.

#### **Spring Relaxing**

The built-in ICS Spring Release mechanism actively protects the spring, piston and your airsoft investment. Whenever the SAFE mode is selected, the spring is automatically released reducing wear off of the spring, and other internals.

#### **Split Gearbox**

The ICS uniquely-designed Split Gearbox benefits players by separated structure of receiver part and gear part which offering capability of easy maintenance and upgrading. Also, you can disassemble and reassemble like real firearm.

#### **EMG ZETA Stock**

Re-designed to adapt 3-cell or Nunchuck battery, the stock design has enlarged the inner space while capable of 6-stage extension. Easy to disassembly and also applied EMG logo pattern on cheek pad.

Applicable with military spec stock tube. Enlarged battery

#### **EMG ZETA Grip**

- Enhanced friction on gripping by integrating EMG licensed logo pattern.
- The newly-designed "20°-Vertical" Pistol Grip has a compact looking, though. With right-angle shape, the comfort and control of gripping increase. Also The QD Button Cap allows the player to perform motor maintenance more easily.



#### **EBB System**

The ICS EBB (Electric Blow Back) system brings the most realistic experience to a real firearm without sacrificing the durability and the shooting performance.



#### **Premium Parts by MASTER MODS**

The MARS.II (SSS ver. as default) is equipped with Metal Cross Air Nozzle, Master Hop Tensioner Nub, Cylinder and Piston Heads, Full Steel Teeth Piston, and MIM Pinion and Bevel gears, which provides you a performance-grade reinforced internal, no need for further upgrades.



#### **Quick-Disassembling Clip**


Recoil spring guide rod with reverse plug retention clip is equipped within allows player can dismantle more easily.



#### **Tactical ERGO Stock**

The New ICS Ergo Stock has a 4-stage adjustable design and widened space for battery, suitable for most of the aftermarket batteries, giving your weapon the possibility to perform with sufficient power and longer operating duration.





Consistent with the original, more realistic.



#### SSS.III E-trigger

Monitor and coordinate all movements and feedbacks of trigger then improves time by time.



#### **Smart Trigger**

The smart sensing unit is able to distinguish whether it is time for the motor performing a short dash or full throttle in full-auto mode by recording your strength on trigger pulling and length of the time, a precise power output.



#### EVO I 35000RPM Motor

With quality, made in Taiwan, EVO motor is equipped with a design to reduce heat accumulation and improve endurance by using high heat resistance magnet.





4





## HERA ARMS COR



**Specification** 

Length

Inner Barrel

Capacity

Weight

Caliber































#### **EBB System**


To maximise the experience of realism, our improved EBB system can simulate the real firearm bolt moving by bolt-plate travels back and forth while firing.




#### **Quick-disassembling Clip**

Recoil spring guide rod with reverse plug retention clip is equipped within allows player can dismantle more easily.







#### **Reinforced Internal Parts**

Pre-upgraded parts such as high strength engineering plastic piston, metal H-UP unit, reinforced MIM pinion and bevel gears will be able to endure longer and tougher operation.



#### SSS.III E-trigger

Monitor and coordinate all movements and feedbacks of trigger then improves time by time.



#### **Smart Trigger**

The smart sensing unit is able to distinguish whether it is time for the motor performing a short dash or full throttle in full-auto mode by recording your strength on trigger pulling and length of the time, a precise power output.



#### **EVO I 35000RPM Motor**

With quality, made in Taiwan, EVO motor is equipped with a design to reduce heat accumulation and improve endurance by using high heat resistance magnet.











# ABOUT LIGHTWAY SERIES

Whatever the journey of a true warrior will be, it all starts simple. The Lightway Series carry a mission to pave the straight way and be the guiding light to an audience to become a participator. Developed from experiences and designs from some of the major series, ICS creates an entry-level AEG platform with all the necessary but advance elements. To who just step in, bearing burdens such as weight, maintenance, and investment is a stumbling rock. Yet, we have Lightway Series to get rid of them.



# PELEADOR.III





























Length	770-844 mm
Inner Barrel	263 mm
Capacity	300 Rds
Weight	2381 g
Caliber	6 mm

#### **Spring Relaxing**

For the purpose of lowering depreciation and lengthening the usable life of spring, Spring Relaxing Mechanism is equipped and will activate in safety mode.

#### **Split Gearbox**

The ICS uniquely-designed Split Gearbox benefits players by separated structure of receiver part and gear part which offering capability of easy maintenance and upgrading. Also, you can disassemble and reassemble like real firearm.

## **CFS Sights**

Reinforced-polymer-made CFS foldable sights has features such as lighter weight, sturdy durability. Its compact profile allow it can still coexist with any optic installed while folding, no need for dismounting.

## **Short-Stroke Trigger**

Shorter distance trigger travels, faster firing rate you can get. With pre-cocking mechanism, all your moves are able to go like a straight line.

### **Lightweight M-LOK Handguard**

By our unique technique, fabricated with reinforced industrial nylon fiber, the handguard possesses a metallic-looking surface and seamless structure which present both modern design, fine quality, and lightweight.

### **T-window Magazine**

The innovative 300-round high-capacity magazine with ammo-monitoring window offers player with the maximum support on their firepower.



#### **Premium Parts by MASTER MODS**

The Peleador.III is equipped with Metal Cross Air Nozzle, Master Hop Tensioner Nub, Cylinder and Piston Heads, Full Steel Teeth Piston, and MIM Pinion and Bevel gears, which provides you a performance-grade reinforced internal, no need for further upgrades.



#### **Quick-disassembling Clip**

Recoil spring guide rod with reverse plug retention clip is equipped within allows player can dismantle more easily.

ammmmmmm



#### **Tactical ERGO Stock**

The New ICS Ergo Stock has a 4-stage adjustable design and widened space for battery, suitable for most of the aftermarket batteries, giving your weapon the possibility to perform with sufficient power and longer operating duration.



### SSS.III E-trigger

Monitor and coordinate all movements and feedbacks of trigger then improves time by time.



#### **Smart Trigger**

This is it. Firing mode can be switched without off your finger from trigger. Pull, and hold, the trigger for 5 seconds and activate the 3-round burst mode. And it is simple to reset to default, just by repeating the move above.



#### **EVO I 35000RPM Motor**

With quality, made in Taiwan, EVO motor is equipped with a design to reduce heat accumulation and improve endurance by using high heat resistance magnet.





# DAGGER































ammo-monitoring window offers player with the maximum

support on their firepower.



#### **Premium Parts by MASTER MODS**

The Dagger (SSS ver. as default) is equipped with Metal Cross Air Nozzle, Master Hop Tensioner Nub, Cylinder and Piston Heads, Full Steel Teeth Piston, and MIM Pinion and Bevel gears, which provides you a performance-grade reinforced internal, no need for further upgrades.



#### **Quick-Disassembling Clip**

Recoil spring guide rod with reverse plug retention clip is equipped within allows player can dismantle more easily.

mmmmmmm



#### **Tactical ERGO Stock**

The New ICS Ergo Stock has a 4-stage adjustable design and widened space for battery, suitable for most of the aftermarket batteries, giving your weapon the possibility to perform with sufficient power and longer operating duration.



#### SSS.III E-trigger

Monitor and coordinate all movements and feedbacks of trigger then improves time by time.



#### **Smart Trigger**

This is it. Firing mode can be switched without off your finger from trigger. Pull, and hold, the trigger for 5 seconds and activate the 3-round burst mode. And it is simple to reset to default, just by repeating the move above.



#### **EVO I 35000RPM Motor**

With quality, made in Taiwan, EVO motor is equipped with a design to reduce heat accumulation and improve endurance by using high heat resistance magnet.





# PELEADOR

























Length	717-794 mm
Inner Barrel	263 mm
Capacity	300 Rds
Weight	2106 g
Caliber	6 mm



The innovative 300-round high-capacity magazine with ammo-monitoring window offers player with the maximum

support on their firepower.





# to reduce heat accumulation and improve endurance by using high heat resistance magnet.









Many firearms have been created and applied on the battlefield. As the day changes, SALW (Small Arms and Lightway Weapons) has become the mainstream in the world. By widely includes sorts of weapon design with different style or purpose, ICS thus is able to create a fine piece of CXP Series with ergonomic design and the most realistic experience.



# CXP-MARS.II































## **Specification**

Length	690-761 mm
Inner Barrel	263 mm
Capacity	300 Rds
Weight	2900 g
Caliber	6 mm

Length	872-946 mm
Inner Barrel	375 mm
Capacity	300 Rds
Weight	3020 g
Caliber	6 mm





_	
Length	997-1025 mm
Inner Barrel	458 mm
Capacity	300 Rds
Weight	3550 g
Caliber	6 mm



#### **Spring Relaxing**

For the purpose of lowering depreciation and lengthening the usable life of spring, Spring Relaxing Mechanism is equipped and will activate in safety mode.

#### **Split Gearbox**

The ICS uniquely-designed Split Gearbox benefits players by separated structure of receiver part and gear part which offering capability of easy maintenance and upgrading. Also, you can disassemble and reassemble like real firearm.

#### **CNC-Machined All-Metal Receiver**

Every core frame of MARS.II is well-machined with CNC process

**CFS Sights** which gives an aggressive look and geometrical surfaces. Reinforced-polymer-made CFS foldable sights has features such as lighter weight, sturdy durability. Its compact profile allow it can still coexist with any optic installed while folding, no need for

### **Ergonomic Vertical Pistol Grip**

The newly-designed "20°-Vertical" Pistol Grip has a compact looking, though. With right-angle shape, the comfort and control of gripping increase. Also The QD Button Cap allows the player to perform motor maintenance more easily.

#### **Short-Stroke Trigger**

Shorter distance trigger travels, faster firing rate you can get. With pre-cocking mechanism, all your moves are able to go like a straight line.

#### **T-window Magazine**

The innovative 300-round high-capacity magazine with ammo-monitoring window offers player with the maximum support on their firepower.

### **Aluminum M-LOK Handguard**

dismounting.

Made with hard anodized Aluminum alloy, the handguard possesses a perfect surface and solid structure which present both modern design, fine quality, and lightweight.



#### **EBB System**

The ICS EBB (Electric Blow Back) system brings the most realistic experience to a real firearm without sacrificing the durability and the shooting performance.



#### **Premium Parts by MASTER MODS**

The MARS.II (SSS ver. as default) is equipped with Metal Cross Air Nozzle, Master Hop Tensioner Nub, Cylinder and Piston Heads, Full Steel Teeth Piston, and MIM Pinion and Bevel gears, which provides you a performance-grade reinforced internal, no need for further upgrades.



#### **Quick-Disassembling Clip**


Recoil spring guide rod with reverse plug retention clip is equipped within allows player can dismantle more easily.



#### **Tactical ERGO Stock**

The New ICS Ergo Stock has a 4-stage adjustable design and widened space for battery, suitable for most of the aftermarket batteries, giving your weapon the possibility to perform with sufficient power and longer operating duration.





# **Realistic Muzzle Brake**

This is not just a decor makes the gear looks real, this, is a part to the perfection. The muzzle brake provides not only appearance but also adapt the sound amplifier muzzle.



#### SSS.III E-trigger

Monitor and coordinate all movements and feedbacks of trigger then improves time by time.



#### **Smart Trigger**

The smart sensing unit is able to distinguish whether it is time for the motor performing a short dash or full throttle in full-auto mode by recording your strength on trigger pulling and length of the time, a precise power output.



#### **EVO I 35000RPM Motor**

With quality, made in Taiwan, EVO motor is equipped with a design to reduce heat accumulation and improve endurance by using high heat resistance magnet.





Long survived and lived the legend has in jungle, in desert, or in snowfield. One may tell its durability and classic look but know not the beast desires more. The chance appeared when a nova star in rifle with advanced design for combat arrived, two into one, unprecedented fusion. Not the Frankstein people are afraid of, ICS integrated the best parts of both and adding more magical technologies. A well-modernised combat rifle with nostalgic shape, ARK has come to extend the legend.



ICS is officially authorized by MAGPUL to use M-LOK system, allowing our products equipped with latest technology and be the part of the future of airsoft industry.

# CXP-ARK



Length

Capacity

Weight

Caliber





























#### **SF1 Quick Response Stock**

Specifically designed for the needs of quick engagement. It is capable to be fully stretched then adjust to a proper length by the adjusting lever; the cheek pad can also be adjusted to create the best comfort while aiming.

#### **Firing Mode Selector**

The newly-designed selector allows not just simply choose between the modes, it also can lock the charging handle when adjusting H-UP.

#### **Spring Relaxing**

For the purpose of lowering depreciation and lengthening the usable life of spring, Spring Relaxing Mechanism is equipped.

Open the upper receiver cover then push the firing mode selector to the very top.

# Classic Sight

The final touch of a ARK is simple but critical. The original-designed front sight makes the ARK whole.

### **Ergo-Tech Textured Grip**

Made of industrial-grade nylon fiber, the ARK ergo-tech tactical grip is designed with unique ergonomics and anti-slip texture to increases the grip friction which achieves both solid and comfortable at the same time.

#### **Short-Stroke Trigger**

Shorter distance trigger travels, faster firing rate you can get. With pre-cocking mechanism, all your moves are able to go like a straight line.

# Lightweight M-LOK Handguard

By our unique technique, fabricated with reinforced industrial nylon fiber, the handguard possesses a metallic-looking surface and seamless structure which present both modern design, fine quality, and lightweight.

#### **T-Window Magazine**

The innovative 520-round high-capacity magazine with ammo-monitoring window offers player with the maximum support on their firepower.

Optional 50/30-round magazine is also available for military simulation of real firearms.



# Quick-Disassembling Clip

Recoil spring guide rod with reverse plug retention clip is equipped within allows player can dismantle more easily.



#### **Built-in MOSFET**

Play safe and stay long on the field is the condition not allowed to be compromised. MOSFET has lower resistance that will let the system wastes less power and produce less heat during the operation.



#### **Premium Parts by MASTER MODS**

The ARK (SSS ver. as default) is equipped with Metal Cross Air Nozzle, Master Hop Tensioner Nub, Cylinder and Piston Heads, Full Steel Teeth Piston, and MIM Pinion and Bevel gears, which provides you a performance-grade reinforced internal, no need for further upgrades.



### SSS.III E-trigger

Monitor and coordinate all movements and feedbacks of trigger then improves time by time.



#### **Smart Trigger**

The smart sensing unit is able to distinguish whether it is time for the motor performing a short dash or full throttle in full-auto mode by recording your strength on trigger pulling and length of the time, a precise power output.



#### **EVO I 35000RPM Motor**

With quality, made in Taiwan, EVO motor is equipped with a design to reduce heat accumulation and improve endurance by using high heat resistance magnet.





# **CXP-MARS PDW9**













IMG-420(S3)-1























Length	619-690 mm
Inner Barrel	160 mm
Capacity	340 Rds
Weight	2692 g
Caliber	6 mm

#### **Split Gearbox**

The ICS uniquely-designed Split Gearbox benefits players by separated structure of receiver part and gear part which offering capability of easy maintenance and upgrading. Also, you can disassemble and reassemble like real firearm.

### **Spring Relaxing**

For the purpose of lowering depreciation and lengthening the usable life of spring, Spring Relaxing Mechanism is equipped. Open the upper receiver cover then push the firing mode selector to the very top.

#### **Realistic Ejection Port**

The port offers not only the real look but also a rear-lockable bolt plate for easy H-UP adjustment.

#### **CFS Sights**

Reinforced-polymer-made CFS foldable sights has features such as lighter weight, sturdy durability. Its compact profile allow it can still coexist with any optic installed while folding, no need for

dismounting.

#### **PDW Stock**

The PDW stock is made of top industrial polymer and built with a metal adapter to ensure the structure being solid. It features not only lightweight, durability, but also Adjustable 3-position Fast Draw Deployment Mechanism. Enlarged room for battery in the stock tube, available for 3-cell Li-Po battery.

### **Ergonomic Vertical Pistol Grip**

The newly-designed "20°-Vertical" Pistol Grip has a compact looking, though. With right-angle shape, the comfort and control of gripping increase. Also The QD Button Cap allows the player to perform motor maintenance more easily.

#### **Short-Stroke Trigger**

Shorter distance trigger travels, faster firing rate you can get. With pre-cocking mechanism, all your moves are able to go like a straight line.

## **Aluminum M-LOK Handguard**

Made with hard anodized Aluminum alloy, the handguard possesses a perfect surface and solid structure <u>which present both modern design</u>, fine quality, and lightweight.

#### **Pistol Caliber Style Magazine**

330-round high-capacity magazine in pistol caliber style.
120-round mid-capacity magazine with translucent housing and internal mock-up bullet design is available as option.



#### **Premium Parts by MASTER MODS**

The MARS.II (SSS ver. as default) is equipped with Metal Cross Air Nozzle, Master Hop Tensioner Nub, Cylinder and Piston Heads, Full Steel Teeth Piston, and MIM Pinion and Bevel gears, which provides you a performance-grade reinforced internal, no need for further upgrades.



#### **Quick-Disassembling Clip**

Recoil spring guide rod with reverse plug retention clip is equipped within allows player can dismantle more easily.



#### **Drum Magazine Adaptor (Optional)**

The MARS PDW9 is able to work with ICS electric drum magazine, just install this adaptor.



#### **EBB System**

The ICS EBB (Electric Blow Back) system brings the most realistic experience to a real firearm without sacrificing the durability and the shooting performance.



#### SSS.III E-trigger

Monitor and coordinate all movements and feedbacks of trigger then improves time by time.



#### **Smart Trigger**

The smart sensing unit is able to distinguish whether it is time for the motor performing a short dash or full throttle in full-auto mode by recording your strength on trigger pulling and length of the time, a precise power output.



#### **EVO I 35000RPM Motor**

With quality, made in Taiwan, EVO motor is equipped with a design to reduce heat accumulation and improve endurance by using high heat resistance magnet.





# **CXP-MMR**



























# CXP-YAK

























### **Specification**

Length	947-977 mm
Inner Barrel	420 mm
Capacity	300 Rds
Weight	3617 g
Caliber	6 mm

Length	743-838 mm
Inner Barrel	263 mm
Capacity	300 Rds
Weight	3145 g
Caliber	6 mm



# CXP-APE





























# CXP-UKI























### **Specification**

Length	617-693 mm
Inner Barrel	186 mm
Capacity	300 Rds
Weight	2840 g
Caliber	6 mm

# **Specification**

Length	700-795 mm
Inner Barrel	263 mm
Capacity	300 Rds
Weight	2700 g
Caliber	6 mm



Length	811-906 mm
Inner Barrel	375 mm
Capacity	300 Rds
Weight	2920 g
Caliber	6 mm





### CXP-HOG























### **CXP-08**



Caliber

6 mm

























ICS-238



### CXP-15





















































## <u>FEATURES</u>

#### **SFS Stock**

The unique-designed SFS stock is one of the enhancement ICS offers. Solid-shaped but foldable with a 4-stage extendable structure, and a rapid adjustable cheek rest.

#### MRS Tactical Handguard (SFS ver.)

Even with such shortened length, the rail can carry essential support from the gadget you install.

### Retractable Stock


The stock rods are made by SPCC steel which is able to survive after intensively times of operations. The stock butt plate use the exactly the same engineering method of the real one.

#### **Split Gearbox**

The ICS uniquely-designed Split Gearbox benefits players by separated structure of receiver part and gear part which offering capability of easy maintenance and upgrading. Also, you can disassemble and reassemble like real firearm.

#### **Short-Stroke Trigger**

Shorter distance trigger travels, faster firing rate you can get. With pre-cocking mechanism, all your moves are able to go like a straight line.



By using the same material, with our skilled fabricating process, CES-P has the good quality such as durability and solid structure just like the real one.



#### **Quick-disassembling Clip**

Recoil spring guide rod with reverse plug retention clip is equipped within allows player can dismantle more easily.



### **Receivers with Power-Safe Design**

Along with the separable structure of gearbox, the upper and lower receivers will be completely separated and no any connection. This assures player being able to open the gearbox and maintain the parts within safely without removing the battery.



#### SSS.II E-trigger

Monitor and coordinate all movements and feedbacks of trigger then improves time by time.



#### **Spring Relaxing**

For the purpose of lowering depreciation and lengthening the usable life of spring, Spring Relaxing Mechanism is equipped. Open the upper receiver cover then push the firing mode selector to the very top.



#### **EVO I 35000RPM Motor**

With quality, made in Taiwan, EVO motor is equipped with a design to reduce heat accumulation and improve endurance by using high heat resistance magnet.



























#### **Specification**

Length	680 mm
Inner Barrel	230 mm
Capacity	230 Rds
Weight	2300 g
Caliber	6 mm

Length	500-640 mm
Inner Barrel	230 mm
Capacity	230 Rds
Weight	2000 g
Caliber	6 mm



















#### **Specification**

Length	778-873 mm
Inner Barrel	375 mm
Capacity	450 Rds
Weight	3000 g
Caliber	6 mm

### Specification

Length	730-815 mm
Inner Barrel	263 mm
Capacity	450 Rds
Weight	3250 g
Caliber	6 mm



Length	778-873 mm
Inner Barrel	375 mm
Capacity	450 Rds
Weight	2950 g
Caliber	6 mm































### MAR



















#### **Specification**

Length	714-964mm				
Inner Barrel	458mm				
Capacity	550 Rds				
Weight	3000 g				
Caliber	6 mm				

Length	960mm				
Inner Barrel	458mm				
Capacity	550 Rds				
Weight	3314 g				
Caliber	6 mm				



























### MI GARAND



















### M3 GREASER



















_	
Length	587-763 mm
Inner Barrel	230 mm
Capacity	430 Rds
Weight	2045 g
Caliber	6 mm



### L85

















#### **Specification**

Length	740 mm
Inner Barrel	420 mm
Capacity	450 Rds
Weight	3090 g
Caliber	6 mm

Length	787 mm
Inner Barrel	480 mm
Capacity	450 Rds
Weight	3652 g
Caliber	6 mm



Length	913 mm
Inner Barrel	610 mm
Capacity	450 Rds
Weight	4411 g
Caliber	6 mm



















### **SPECIFICATIONS**

Series	Item	Model	Туре	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Stock Type	Magazine Capacity (rounds)
CXP-TOMAHAWK	ICS-450	CXP-Tomahawk(BK)	Spring Power	Nylon Fiber	910	2963	510	6.04	N/A	Fixed Stock	50
	IMD-450-1	CXP-Tomahawk(OD)	opg . 0.10.	Nylon Fiber	910	2963	510	6.04	N/A	Fixed Stock	50
	ICS-180S3	DD MK18 S3	EBB	Metal	726-821	2877	279	6.04	ICS Split EBB Gearbox 8mm Bushing	EMG ZETA Stock	120
DD MK18	IMD-180-1S3	DD MK18 FDE S3	EBB	Metal	726-821	2877	279	6.04	ICS Split EBB Gearbox 8mm Bushing	EMG ZETA Stock	120
DD WIKTO	IMT-180-1S3	DD MK18 COYOTE S3	EBB	Metal	726-821	2877	279	6.04	ICS Split EBB Gearbox 8mm Bushing	EMG ZETA Stock	120
	IMG-180-1S3	DD MK18 GREY S3	EBB	Metal	726-821	2877	279	6.04	ICS Split EBB Gearbox 8mm Bushing	EMG ZETA Stock	120
HERA ARMS CQR	ICS-390	HERA Arms CQR (BK)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 8mm Bushing	Fixed Stock	300
HENA ANIVIS GUN	IMD-390-1	HERA Arms CQR (TwoTone)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 8mm Bushing	Fixed Stock	300
HERA ARMS CQR	ICS-390S3	HERA Arms CQR S3 (BK)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 8mm Bushing	Fixed Stock	300
SSS	IMD-390S3-1	HERA Arms CQR S3 (TwoTone)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 8mm Bushing	Fixed Stock	300
LIGHTWAY	ICS-445	Lightway-Peleador (BK)	AEG	Nylon Fiber	717-794	2333	263	6.04	ICS CS4 Split Gearbox 8mm Bushing	MTR Stock	300
PELEADOR / III	ICS-445S3	Lightway-Peleador.III (BK)	AEG	Nylon Fiber	770-844	2381	263	6.04	ICS CS4 Split Gearbox 8mm Bushing	ERGO Stock	300
LIGHTWAY	ICS-444	Lightway-Dagger (BK)	AEG	Nylon Fiber	600-695	2078	186	6.04	ICS CS4 Split Gearbox 8mm Bushing	MTR Stock	300
DAGGER	ICS-444S3	Lightway-Dagger S3 (BK)	AEG	Nylon Fiber	640-711	2305	186	6.04	ICS CS4 Split Gearbox 8mm Bushing	ERGO Stock	300
	ICS-308	CXP-MARS.II Komodo Junior (BK)	EBB	Metal	690-761	2900	263	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	300
CXP-MARS.II	ICS-309	CXP-MARS.II Komodo Carbine (BK)	EBB	Metal	872-946	3020	375	6.04	ACS Split EBB Gearbox 8mm Bushing	ERGO Stock	300
	ICS-310	CXP-MARS.II Komodo DMR (BK)	EBB	Metal	997-1025	3550	458	6.04	ICS Split EBB Gearbox 8mm Bushing	UKSR Stock	300
	ICS-308S3	CXP-MARS.II Komodo Junior S3 (BK)	EBB	Metal	690-761	2900	263	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	300
CXP-MARS.II SSS	ICS-309S3	CXP-MARS.II Komodo Carbine S3 (BK)	EBB	Metal	872-946	3020	375	6.04	ICS Split EBB Gearbox 8mm Bushing	ERGO Stock	300
	ICS-310S3	CXP-MARS.II Komodo DMR S3 (BK)	EBB :	Metal	997-1025	3550	458	6.04	ICS Split EBB Gearbox 8mm Bushing	UKSR Stock	300
	ICS-131	CXP-ARK (BK)	AEG	Metal	638-884	3365	375	6,04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
CXP-ARK	IMD-131-1	CXP-ARK (Two Tone)	AEG	Metal	638-884	3365	375	6. 04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
CXP-ARK	ICS-131S3	CXP-ARK S3	AEG	Metal	638-884	3365	375	6.04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
SSS	IMD-131S3-1	CXP-ARK S3 (Two Tone)	AEG	Metal	638-884	3365	375	6.04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
	ICS-420	CXP-MARS PDW9 (BK)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	340
CXP-MARS PDW9	IMG-420-1	CXP-MARS PDW9 (Urban Grey)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	340
CXP-MARS PDW9	ICS-420S3	CXP-MARS PDW9 S3 (BK)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	340
SSS	IMG-420S3-1	CXP-MARS PDW9 S3 (Urban Grey)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	340
	ICS-400	CXP-MMR DMR (BK)	EBB	Metal	975-1,005	3,393	458	6.04	ICS Split EBB Gearbox 8mm Bushing	UKSR Stock	300
CXP-MMR	ICS-401	CXP-MMR Carbine (BK)	EBB	Metal	835-930	2,886	375	6.04	ICS Split EBB Gearbox 8mm Bushing	S1 Stock	300
	ICS-410	CXP-YAK SBR (BK)	EBB	Metal	733-825	3,067	263	6.04	ICS Split EBB Gearbox 8mm Bushing	S1 Stock	300
	IMT-410-1	CXP-YAK SBR (TAN)	EBB	Metal	733-825	3,067	263	6.04	ICS Split EBB Gearbox 8mm Bushing	S1 Stock	300
	ICS-411	CXP-YAK Carbine (BK)	EBB	Metal	835-930	3,145	375	6.04	ICS Split EBB Gearbox 8mm Bushing	S1 Stock	300
	IMT-411-1	CXP-YAK Carbine (TAN)	EBB	Metal	835-930	3,145	375	6.04	ICS Split EBB Gearbox 8mm Bushing	S1 Stock	300
CXP-YAK	ICS-412	CXP-YAK DMR (BK)	EBB	Metal	947-977	3,617	420	6.04	ICS Split EBB Gearbox 8mm Bushing	UKSR Stock	300
	IMT-412-1	CXP-YAK DMR (TAN)	EBB	Metal	947-977	3,617	420	6.04	ICS Split EBB Gearbox 8mm Bushing	UKSR Stock	300
	ICS-413	CXP-YAK CQB (BK)	EBB	Metal	743-838	3,145	263	6.04	ICS Split EBB Gearbox 8mm Bushing	S1 Stock	300
	IMT-413-1	CXP-YAK CQB (TAN)	EBB	Metal	743-838	3,145	263	6.04	ICS Split EBB Gearbox 8mm Bushing	S1 Stock	300
	ICS-230	CXP-APE (BK)	EBB	Metal	716-784	2,900	263	6.04	ICS Split EBB Gearbox 7mm Bushing	SF1 Stock	300
CXP-APE	IMD-230-1	CXP-APE (TAN)	EBB	Metal	716-784	2,900	263	6.04	ICS Split EBB Gearbox 7mm Bushing	SF1 Stock	300

### **SPECIFICATIONS**

Series	Item	Model	Туре	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Stock Type	Magazine Capacity (rounds)
CXP-APE	ICS-231	CXP-APE Rifle (BK)	EBB	Metal	827-895	3,000	375	6.04	ICS Split EBB Gearbox 7mm Bushing	SF1 Stock	300
	IMD-231-1	CXP-APE Rifle (TAN)	EBB	Metal	827-895	3,000	375	6.04	ICS Split EBB Gearbox 7mm Bushing	SF1 Stock	300
CXP-UK1	ICS-262	CXP-UK1 Captain (BK)	EBB	Metal	617-693	2,840	186	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMT-262-1	CXP-UK1 Captain (TAN)	EBB	Metal	617-693	2,840	186	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	ICS-264	CXP-UK1 (Rear Wired) (BK)	EBB	Metal	700-795	2,700	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMT-264-1	CXP-UK1 (Rear Wired) (TAN)	EBB	Metal	700-795	2,700	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	ICS-265	CXP-UK1 Rifle (Rear Wired) (BK)	EBB	Metal	811-906	2,920	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMT-265-1	CXP-UK1 Rifle (Rear Wired) (TAN)	EBB	Metal	811-906	2,920	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
CXP-HOG	ICS-275	CXP-HOG Tubular L	EBB	Metal	895-925	3,300	375	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
GAF-110d	ICS-380	CXP-HOG Tubular SD	EBB	Metal	800-880	2,860	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
CXP-08	ICS-160	CXP-08 QRS Stock	AEG	Nylon Fiber	595-695	2,150	200	6.04	ICS CS4 Split Gearbox 7mm Bushing	QRS Stock	300
CXP-16	ICS-238	CXP-16 L Crane Stock	AEG	Metal	885-980	3,300	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	Crane Stock	300
CXP-15	ICS-170	CXP-15 K	AEG	Nylon Fiber	642-732	1,800	200	6.04	ICS CS4 Split Gearbox 7mm Bushing	Retractable Stock	300
GAP-15	ICS-172	CXP-15 K PSL	AEG	Nylon Fiber	472	1,600	200	6.04	ICS CS4 Split Gearbox 7mm Bushing	N/A	300
CES-P	ICS-211S3	CES-P A5 S3 Retractable Stock	AEG	Metal	500-650	2,600	230	6.04	ICS Ver. 2 Gearbox 8mm Bushing	Retractable Stock	230
GES-P	ICS-212S3	CES-P MS1 S3 SFS Stock	AEG	Metal	490-760	2,800	230	6.04	ICS Ver. 2 Gearbox 8mm Bushing	SFS Stock	230
	ICS-01	CES SD5	AEG	Metal	780	2,240	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Fixed Stock	230
CES	ICS-02	CES SD6	AEG	Metal	600-741	2,300	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Retractable Stock	230
CES	ICS-03	CES A4	AEG	Metal	680	2,300	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Fixed Stock	230
	ICS-04	CES A5	AEG	Metal	500-640	2,000	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Retractable Stock	230
	ICS-20	CS4A1	AEG	Metal	778-873	3,000	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	Retractable Stock	450
CS4	ICS-321	CS4 RIS EBB	EBB	Metal	730-815	3,250	263	6.04	ICS Split EBB Gearbox 7mm Bushing	Crane Stock	450
	ICS-323	CS4A1 Tubular RAS S EBB	EBB	Metal	778-873	2,950	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	450
AAD	ICS-233	AAR (BK)	AEG	Nylon Fiber	515-795	2,550	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	SFS Stock	300
AAR	ICS-235	AAR (TwoTone)	AEG	Nylon Fiber	515-795	2,550	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	SFS Stock	300
	ICS-31	MAR	AEG	Metal	965	3,000	458	6.04	ICS Ver.3 Gearbox 7mm Bushing	Fixed Stock	550
MAR	ICS-34	MAR SU	AEG	Metal	510-745	2,700	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	550
	ICS-35	MAR M	AEG	Metal	714-964mm	3,000	458	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	550
	ICS-36	MAR (Wooden)	AEG	Metal	960	3,314	458	6.04	ICS Ver.3 Gearbox 7mm Bushing	Fixed Stock	550
	ICS-91	TOD ARM	AEG	Metal	750-980	3,500	515	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	400
TOD	ICS-92	TOD AR	AEG	Metal	750-980	3,000	515	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	400
wwii	ICS-200	M3 Greaser	AEG	Metal	587-763	2,045	230	6.04	ICS M3 Gearbox 8mm Bushing	Retractable Stock	430
	ICS-201L	M1 Garand 8mm Limited	AEG	Wood	1,100	3,600	610	8.04	ICS M1 Gearbox 8mm Bushing	Fixed Stock	25
	ICS-202	M1 Garand 6mm	AEG	Wood	1,100	3,600	610	6.04	ICS M1 Gearbox 8mm Bushing	Fixed Stock	42
L85/86	ICS-85	L85 A2 Assault Rifle	AEG	Metal	787	3,652	480	6.04	ICS L85 Gearbox 7mm Bushing	Fixed Stock	450
	ICS-86	L86 A2 LSW	AEG	Metal	913	4,411	610	6.04	ICS L85 Gearbox 7mm Bushing	Fixed Stock	450
	ICS-87	L85 A2 Carbine	AEG	Metal	740	3,090	420	6.04	ICS L85 Gearbox 7mm Bushing	Fixed Stock	450
MGL -	ICS-190	MGL (BK)	Multiple Grenade Launcher	Nylon Fiber	630-725	2,200	N/A	N/A	N/A	Retractable Stock	Depends on grenade
	ICS-191	MGL (TAN)		Nylon Fiber	675-780	2,200	N/A	N/A	N/A	Crane Stock	

### **SPECIFICATIONS**

Series	ltem	Model	Туре	Receiver Material	Slide Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Magazine Capacity (rounds)	
Hi-Capa	BLE-007-SB	Hi-Capa CHALLENGER (BK)	GBB	Aluminum	Aluminum	220	910	113	6.04	30	
	BLE-007-PB	Hi-Capa CHALLENGER (Plastic)	GBB	Aluminum	Plastic	220	770	113	6.04	30	
	BLE-007-SB-C	Hi-Capa CHALLENGER CO <sup>2</sup> (BK)	CO <sup>2</sup>	Aluminum	Aluminum	220	910	113	6.04	30	
SAR9.II	BLE-009-SB-2	SARSILMAZ SAR 9.II	GBB	Nylon Fiber	Aluminum	195	750	97	6.03	22	
	BLE-009-SB-2-C	SARSILMAZ SAR 9.II CO <sup>2</sup>	CO <sup>2</sup>	Nylon Fiber	Aluminum	195	750	97	6.03	25	
ICP	BLE-012-SB	ICP (BK)	GBB	Nylon Fiber	Aluminum	204	800	103	6.04	30	
Vulutre	BLE-011-SB	Vulutre (BK)	GBB	Aluminum	Aluminum	195	537	85	6.03	14	
	BLE-011-TB	Vulutre (Tactical)	GBB	Aluminum	Aluminum	240	558	115	6.03	14	
	BLE-011-TB-C	Vulutre CO <sup>2</sup> (Tactical)	CO <sup>2</sup>	Aluminum	Aluminum	240	558	115	6.03	14	
	BLE-010-CB	XMK (Compact)	GBB	Nylon Fiber	Aluminum	211	720	115	6.03	17	
XMK	BLE-010-SB	XMK (BK)	GBB	Nylon Fiber	Aluminum	211	778	115	6.03	23	
	BLE-010-SB-C	XMK CO <sup>2</sup> (BK)	CO <sup>2</sup>	Nylon Fiber	Aluminum	211	778	115	6.03	25	
	BLE-050-SB	BM9 (BK)	GBB	Aluminum	Aluminum	216	1000	115	6.03	20	
ВМ9	BLE-050-ST	BM9 (TAN)	GBB	Afuminum	Aluminum	216	1000	115	6.03	20	
	BLE-050-SB-C	BM9 CO <sup>2</sup> (BK)	CO <sup>2</sup>	Aluminum	Aluminum	216	1000	115	6.03	26	
PM2	BLE-002-SB	PM2 (BK)	CO <sup>2</sup>	Zinc Alloy	N/A	265	830	88.5	6.03	13	
XFG	BLE-005-SH	XFG (Hairline)	GBB	Nylon Fiber	Aluminum	184	642	93	6.03	19	
	BLE-005-SB	XFG (BK)	GBB	Nylon Fiber	Aluminum	184	642	93	6.03	19	
	BLE-005-ST	XFG (TAN)	GBB	Nylon Fiber	Aluminum	184	642	93	6.03	19	
	BLE-005-SD1	XFG (Two Tone BKTN)	GBB :	Nylon Fiber	Aluminum	184	642	93	6.03	19	
	BLE-005-SD2	XFG (Two Tone TNBK)	GBB	Nylon Fiber	Aluminum	184	642	93	6.03	19	
	BLE-005-SB-C	XFG CO <sup>2</sup> (BK)	COs	Nylon Fiber	Aluminum	184	642	93	6.03	25	
XAE	BLE-006-SB	XAE (BK)	GBB	Nylon Fiber	Aluminum	184.5	670	85.5	6.03	24	
	BLE-006-ST	XAE (TAN)	GBB	Nylon Fiber	Aluminum	184.5	670	85.5	6.03	24	
	BLE-006-SD3	XAE (Two Tone BKTN)	GBB	Nylon Fiber	Aluminum	184.5	670	85.5	6.03	24	
	BLE-006-SD4	XAE (Two Tone TNBK)	GBB	Nylon Fiber	Aluminum	184.5	670	85.5	6.03	24	
	BLE-006-SB-C	XAE CO <sup>2</sup> (BK)	CO <sup>2</sup>	Nylon Fiber	Aluminum	184.5	670	85.5	6.03	24	

- 1. The specifications listed above are for reference ONLY and may be subject to change base on any condition.
- 2. Consumables and auxiliary goods such as battery, charger, or BB pellets are not included.
- For AEG above 360 FPS, it is available to use 11.1V Li-Po or 9.6V Ni-Mh batteries;
   AEG below 350 FPS and using Turbo 2000, Turbo 3000, EVO 35000 motor is recommended to use only 7.4V Li-Po or 8.4V Ni-Mh batteries. (EVO 25000 Motor is NOT included)
- 4. For SSS product, it is recommended to use 11.1V Li-Po or 7.4V Li-Po batteries Only.
- 5. For GBB product, it is recommended to use 12KG Green Gas.
- 6. Muzzle velocity is measured with 0.20g BB pellet and is adjusted to comply with market regulation /requirements for specific countries as shown below:

Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK

Below 100 m/s (328 FPS): Italy

Below 95 m/s (312 FPS): Japan

Below 45 m/s (148 FPS): Korea

### FIND ICS





Global website: https://www.icsbb.com





Youtube: ICS AIRSOFT





Instagram: icsbbairsoft





Facebook (Global): ICSBBAirsoft





Facebook (Taiwan): ICSairsoft.tw





Facebook (Japan): ICSairsoft.jp





Twitter (Global): icsbbairsoft



Twitter (Japan): ICSairsoft\_JP













イプションパーツや純正部品を購入することは可能 ※登録してない部品をご購入希望の方はicsjapan@icsbb.com にご連絡ください。

### ICON GUIDE



CO2 System



8 mm Bushing Box



40 mm Grenade



**KEYMOD Handguard** 



Ambidextrous Fire Selector



**AEG System** 



7 mm Bushing Box



**ICS Split Gearbox** 



M-LOK Handguard



Luminous Aiming Dot



**GBB System** 



**Quick Detach Spring** 



ICS Ver.3 Gearbox



Nylon Fiber Receiver



Double Safety Function



EBB System



L85 QD Spring Guide



ICS M3 Gearbox



Metal Receiver



Ambidextrous Magazine Catch



**MOSFET** 



6 mm BB Pellet



ICS M1 Gearbox



**Wood Receiver** 



Ambidextrous Slide Catch



**Smart Trigger** 



8 mm BB Pellet



ICS L85 Gearbox



H-UP Adjustable



Tactical Rail



SSS E-trigger



SSS.II E-trigger



SSS.III E-trigger



Short-stroke Trigger



V3 BOX QD Spring Guide



R-HOP



NBB System



**Spring Power** 



Tomahawk QD Spring Guide

### **REVO SERIES**







# PHOTO CREDIT & SPECIAL THANKS

020 magazine Cover P02 Elvis Varcelija **Rocha Airsoft Gf P25 P29 Champion Clément (Isoft) P67** 020 Magazine P71 **Riddick Wolf P77 Champion Clément (Isoft)** P81 Murmrmedia Maniek44 P85 **P87** 020 Magazine Elvis Varcelija P91 P95 **Champion Clément (Isoft) P99** WMASG.com Björn Klockar P101 P111 Elvio Lupi P113 **Riddick Wolf Brendon Terry** P117 **Asgc Airsoft Gun Center Nattaphum S Phokhin** P125 **NSP Hobby Thailand** WMASG.com P127 **Teddy Ameen (inzzen)** P131 **Victor Karlund** Teddy Ameen (inzzen) P133 **Victor Karlund** P140 **Alpha Photography** 



