



UNIVERSO SNIPER
AIRSOFT



Golden ratio



2016

Product
Catalogue

The best Shooting Gear

Milestones



Found in 1978, Shun-Chi Huang found Kien Well Toy Industrial Company in Tainan, the south part of Taiwan. It was first established in Huang's house with around 10 workers. We start off as a toy manufacturer and the most famous product is our matchbox car.




1989 the company cooperates with top Japan airsoft producer and switch business direction from toy manufacturing to airsoft production.



1993 with years of experience in airsoft industry, Shun-Chi Huang teams up with several Taiwanese airsoft manufacturers and establishes Taiwan Airsoft Development Association. He is also elected as the first and second chairman of the association.

KG 61 SERIES
KG 62 SERIES



1997 KWC is the first ISO 9002 certified airsoft manufacturer in Taiwan. We also launches gas revolver replicas at the same year.



In 2007 We start to work on non-blowback CO2 replicas. The CO2 replicas are more reliable, shoot harder and last longer than gas. It is also known for better performance in cooler temperature.

KM 42 SERIES
KM 43 SERIES
KM 47 SERIES



2010 KWC introduces full metal CO2 blowback 1911. This has right away makes it to most popular replicas of all time.

KCB 76 SERIES

Walmart
2014 As an ethical supplier of WalMart, KWC successfully passes the ES audit. This promote our products to all customers thru over 11,000 WalMart stores in the USA.

2016...

1978

1987 with supporting from Taiwan Toy Manufacturers Association (TTMA), KWC starts to import computerization management. We are also one of the first few toy manufacturers successfully integrate computer system at work place.



1992 our 1911 spring pistols is a great hit in Japan market. Then the following year, we launch four more spring pistol series.

KA 02 SERIES



1995 KWC launches our first gas blowback replicas.

KG 11 SERIES

UNIVERSO SNIPER
AIRSOFT



2004 We introduce our first mid-size sub-machine gun replica with gas blowback system.

KG 07 SERIES



2008 KWC launch our first CO2 blowback pistol—KCB12. Afterwards we successfully turn several other gas pistol into CO2 power replicas.

KCB 12 SERIES



2012 To keep up with increasing demand of Airgun and airsoft, KWC expands our factory in a new location.



2015 KWC establishes a new headquarter in Tainan, Taiwan. As our goal of continuing growth and improvement, we strive for best quality products.

Prologue

2015 was a building year for Kien Well Toy Industrial Co., Ltd.—both literally and figuratively. We have been constructing a new KWC headquarter in Tainan, Taiwan since end of 2014. The new over 10,000 m² KWC headquarter office and factory is over US\$10 million investment and increases our capacity by 5 times. It will be completed by the beginning of 2016. This is expecting to be the largest facility of Taiwan airsoft and airgun industry.

Besides the infrastructure investment, KWC also focus on building a strong team. From operations to quality control, and sales to Research & Development team, we improve the level of employee engagement. From the new headquarter constructions to our strengthening team, we continued to execute our Strategic Plan. This entire Plan is for one important reason—to execute our Corporate Social Responsibility, CSR, in order to reach Sustainable Development for the business.

With 38 years of history, KWC directly distribute in more than 25 countries in the world. We are devoted to work on sustainable development. Whether market expansion, company internal management, employee well-being, or Corporate Social Responsibility, KWC would always uphold the spirit of sustainable operation and sustainable development to meet greater challenges and to create another career peak. We appreciate the support from all customers and suppliers and continue to make the best airsoft and airgun.

President & CEO

S.C.HUANG



Content

   	NEW NEW	
 	 	
KMB-48AHN · KCB-48AHN · KMB-19AHN · KCB-19AHN KMB-20AHN · KCB-20AHN · KMB-21AHN · KCB-21AHN KMB-22AHN · KCB-22AHN · KMB-23AHN · KCB-23AHN · KPM-66DN KPM-67DN · KPM-68DN · KM-66DN · KC-66DHN · KM-67DN KC-67DHN · KM-68DN · KC-68DHN · KMB-44AHN · KCB-44AHN KMB-41DHN · KCB-41DHN · KMB-18DHN · KCB-18DHN · KM55HN KC55HN · KAM-11HN · KAM-15HN		01~22
  		
KMB-07HN · KCB-07HN · KMB-20AHN · KCB-20AHN · KMB-22AHN KCB-22AHN · KMB-23AHN · KCB-23AHN · KMB-15AHN · KCB-15AHN KMB-18DHN · KCB-18DHN · KCB-53AHN		23~24
 		
KMB-76AHN · KCB-76AHN · KMB-77AHN · KCB-77AHN		25~26
 		
KMB-88AHN · KCB-88AHN · KMB-89AHN · KCB-89AHN		27~28
 		
KMB-12AHN · KCB-12AHN		29
 		
KMB-15AHN · KCB-15AHN		30

 	KMB-74AHN · KCB-74AHN	31
	KCB-51AHN · KCB-53AHN · KA-51HN	32
 	KM-40DHN · KC-40DHN · KM-42ZDHN · KC-42ZDHN · KM-43ZDHN KC-43ZDHN · KM-46DHN · KC-46DHN · KM-44DHN · KC-44DHN KM-45DHN · KC-45DHN · KM-47DHN · KC-47DHN · KM-48DHN KC-48DHN	33~36
 	KE-36HN · KE-37HN · KE-38HN · KA-36HN · KA-37HN · KA-38HN	37~38
 	KMB-07HN · KCB-07HN	39
	KA-11HN · KA-12HN · KA-13HN · KA-14HN · KA-15HN · KA-16HN KA-02HN · KA-112HN · KA-26HN	40~44
	KW-033 · KW-033-1 · KW-070 · KW-080 · KW-035 · KW-041 KW-0421 · KW-043 · KW-067 · KW-047 · KW-006 · KW-006-1 KW-134-1 · KW-134-2 · KW-134-3	45~46



KWA **KMB**
48
SERIES

AIRSOFT **KCB**
48
SERIES

- ◎ Full function blowback
- ◎ 1:1 scale
- ◎ Operated by 12g CO2 cartridge
- ◎ Semi auto
- ◎ Adjustable Hop up system
- ◎ Real gun disassembly process
- ◎ Real gun operation including ejection port and hold open
- ◎ Interchangeable grips with three different sizes



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-48AHN	BLOWBACK	724g	194 mm	1.6 Joule Max	95 m /s Max	METAL SLIDE	15 rds.	4.5mm (0.177")	KW-147
KCB-48AHN	BLOWBACK	717g	194 mm	1.4 Joule Max	117 m /s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	KW-148



Interchangeable grips



BLOWBACK



Adjustable Hop up



Double Action



Scalloped Slide Serrations



Tactical Rail

NEW

**KMB
19
SERIES**

**KCB
19
SERIES**

**KMB
21
SERIES**

**KCB
21
SERIES**

- ⊙ High grade CO2 blowback
- ⊙ Full function blowback
- ⊙ 1:1 scale
- ⊙ Weaver rail compatible with standard flashlight and laser

- ⊙ Semi auto
- ⊙ Adjustable Hop up system
- ⊙ Real gun operation including ejection port and hold open
- ⊙ Operated by 12g CO2 cartridge



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-19AHN	BLOWBACK	735g	186 mm	1.4 Joule Max	90 m /s Max	METAL SLIDE	17 rds.	4.5 mm (0.177")	KW-143
KCB-19AHN	BLOWBACK	730g	186 mm	1.3 Joule Max	115 m /s Max	METAL SLIDE	17 rds.	6 mm (0.2g)	KW-144
KMB-21AHN	BLOWBACK	765g	195 mm	1.4 Joule Max	90 m /s Max	METAL SLIDE	17 rds.	4.5 mm (0.177")	KW-143
KCB-21AHN	BLOWBACK	748g	195 mm	1.3 Joule Max	115 m /s Max	METAL SLIDE	17 rds.	6 mm (0.2g)	KW-144



BLOWBACK



Adjustable Hop up



CNC Slide for 19's Series



Tactical Sight



Trigger Safety



Anti Skid Grip

NEW

**KMB
20
SERIES**

**KCB
20
SERIES**

**FULL
AUTO
SERIES**

**KMB
22
SERIES**

**KCB
22
SERIES**

**FULL
AUTO
SERIES**



BLOWBACK



CNC Slide



Trigger Safety



Adjustable Hop up



Tactical Sight



Anti Skid Grip

- ⊙ Premium blowback airgun
- ⊙ Full function blowback
- ⊙ 1:1 scale
- ⊙ Weaver rail compatible with standard flashlight and laser

- ⊙ SEMI AUTO / FULL AUTO
- ⊙ Operated by 12g CO2 cartridge
- ⊙ Adjustable Hop up system
- ⊙ Real gun operation including ejection port and hold open




MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-20AHN	BLOWBACK	742g	186 mm	1.4 Joule Max	90 m /s Max	METAL SLIDE	17 rds.	4.5mm (0.177")	KW-143
KCB-20AHN	BLOWBACK	730g	186 mm	1.3 Joule Max	115 m /s Max	METAL SLIDE	17 rds.	6 mm(0.2g)	KW-144
KMB-22AHN	BLOWBACK	765g	195 mm	1.4 Joule Max	90 m /s Max	METAL SLIDE	17 rds.	4.5mm (0.177")	KW-143
KCB-22AHN	BLOWBACK	748g	195 mm	1.3 Joule Max	115 m /s Max	METAL SLIDE	17 rds.	6 mm(0.2g)	KW-144

NEW



MODEL	CYLINDER	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KPM-66DN	SWING OUT	867g	200 mm	1.2 Joule Max	86 m/s Max	FULL METAL	8 rds.	4.5mm (0.177")	KW-174
KPM-67DN	SWING OUT	952g	235 mm	2.0 Joule Max	109 m/s Max	FULL METAL	8 rds.	4.5mm (0.177")	KW-174
KPM-68DN	SWING OUT	1080g	285 mm	2.5 Joule	120 m/s	FULL METAL	8 rds.	4.5mm (0.177")	KW-174



- ⊙ Classic revolver.
- ⊙ 1:1 scale
- ⊙ Full metal
- ⊙ New Loading System





MODEL	CYLINDER	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KM-66DN	SWING OUT	900g	200 mm	1.3 Joule Max	86 m/s Max	FULL METAL	6 rds.	4.5 mm (0.177")	KW-141
KM-67DN	SWING OUT	950g	235 mm	2.0 Joule Max	109 m/s Max	FULL METAL	6 rds.	4.5 mm (0.177")	KW-141
KM-68DN	SWING OUT	1100g	285 mm	2.5 Joule	120 m/s	FULL METAL	6 rds.	4.5 mm (0.177")	KW-141
KM-68CDN	SWING OUT	1100g	285 mm	2.5 Joule	120 m/s	FULL METAL	6 rds.	4.5 mm (0.177")	KW-141
KC-66DHN	SWING OUT	900g	200 mm	1.4 Joule Max	118 m/s Max	FULL METAL	6 rds.	6 mm (0.2g)	KW-142
KC-67DHN	SWING OUT	950g	235 mm	1.7 Joule Max	134 m/s Max	FULL METAL	6 rds.	6 mm (0.2g)	KW-142
KC-68DHN	SWING OUT	1100g	285 mm	2.5 Joule	158 m/s	FULL METAL	6 rds.	6 mm (0.2g)	KW-142



- ◎ Classic revolver.
- ◎ 1:1 scale
- ◎ Full metal
- ◎ Emulate shells



6-Round Capacity



Vertical Adjustment



Double Action & Single Action



Horizontal Adjustment



KSC **KM66** **KSC** **KC66**
SERIES SERIES



KSC **KM67** **KSC** **KC67**
SERIES SERIES





KMB
23
SERIES

KCB
23
SERIES

FULL
AUTO
SERIES

- ⊙ High grade CO2 blowback
- ⊙ 1:1 scale
- ⊙ Operated by 12g CO2 cartridge
- ⊙ Adjustable Hop up system
- ⊙ SEMI AUTO / FULL AUTO
- ⊙ Real gun disassembly process
- ⊙ Real gun operation including injection port and hold open
- ⊙ Weaver rail compatible with standard flashlight, laser or scopes.



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-23AHN	BLOWBACK	1130g	216 mm	1.5 Joule Max	95 m /s Max	FULL METAL	17 rds.	4.5 mm (0.177")	KW-145
KCB-23AHN	BLOWBACK	1069g	216 mm	1.4 Joule Max	120 m /s Max	FULL METAL	22 rds.	6 mm (0.2g)	KW-146



Adjustable Hop up



Double Action



Weaver rail



SEMI AUTO / FULL AUTO



BLOWBACK



Anti Skid Grip



KMB
44
SERIES

KCB
44
SERIES

- ⊙ Compact pistol
- ⊙ Full blowback function
- ⊙ Classic collector's replica
- ⊙ High grade CO2 blowback
- ⊙ Operated by 12g CO2 cartridge
- ⊙ Semi auto
- ⊙ Adjustable Hop-up system
- ⊙ Real gun operation including hold open
- ⊙ Real gun disassembly process



KCB44 Adjustable Hop up



Rear Sight Cover



BLOWBACK



Anti Skid Grip


MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-44AHN	BLOWBACK	737g	160 mm	1.5 Joule Max	92 m/s Max	FULL METAL	15 rds.	4.5 mm (0.177")	KW-168
KCB-44AHN	BLOWBACK	737g	160 mm	1.3 Joule Max	113 m/s Max	FULL METAL	15 rds.	6 mm(0.2g)	KW-169



KMB
41
SERIES

KCB
41
SERIES

- Realism toggle-lock recoil operation
- 1:1 SCALE
- Operated by 12g CO2 cartridge
- Real gun disassembly process
- Real gun operation including hold open



Realism Toggle-lock Recoil




4" BARREL



Anti Skid Grip



1:1 SCALE



Rear Sight Cover

MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-41AHN	BLOWBACK	834g	220 mm	1.6 Joule Max	95 m /s Max	FULL METAL	21 rds.	4.5mm (0.177")	KW-136
KCB-41AHN	BLOWBACK	834g	220 mm	1.3 Joule Max	113 m /s Max	FULL METAL	15 rds.	6 mm(0.2g)	KW-137



KMB
18
SERIES

KCB
18
SERIES

FULL
AUTO
SERIES

◎ Full function blowback

◎ 1:1 scale

◎ Operated by 12g CO2 cartridge.

◎ SEMI AUTO / FULL AUTO

◎ Adjustable Hop up system

◎ Real gun disassembly process

◎ Real gun operation including injection port



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-18DHN	BLOWBACK	1410g	300 mm	2.4 Joule Max	118 m/s Max	FULL METAL	19 rds.	4.5mm (0.177")	KW-129
KCB-18DHN	BLOWBACK	1410g	300 mm	1.7 Joule Max	130 m/s Max	FULL METAL	22 rds.	6 mm (0.2g)	KW-130



BLOWBACK



Rear Sight Adjustment



4" BARREL



Semi / Full Auto Switch




Wooden Pattern Grip



KM 55 SERIES

KC 55 SERIES

- ⊙ 1:1 scale
- ⊙ Operated by 12g CO2 cartridge
- ⊙ Super stable and long life.
- ⊙ Telescopic stock
- ⊙ High capacity magazine
- ⊙ Semi auto only



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KM-55HN	NON-BLOWBACK	531g	255 mm	2.5 Joule Max	120 m/s Max	FULL ABS	39 rds.	4.5mm (0.177")	KW-170
KC-55HN	NON-BLOWBACK	531g	255 mm	2.5 Joule Max	150 m/s Max	FULL ABS	26 rds.	6 mm(0.2g)	KW-171



Metal Telescopic Stock



Fixed Aperture Sight



Post Front Sight



High Capacity Magazine



Anti Skid Grip

NEW



KAM 15 SERIES

- Spring powered airgun
- Easy operation with durable long life
- High capacity magazine can load up to 70 BBs per magazine.
- Each loading is 16 rounds.



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KAM-11N	NON-BLOWBACK	231g	217 mm	0.5 Joule Max	57 m/s Max	FULL ABS	70 rds.	4.5mm (0.177")	KW-173
KAM-15N	NON-BLOWBACK	269g	196 mm	0.5 Joule Max	57 m/s Max	FULL ABS	70 rds.	4.5mm (0.177")	KW-172

KAM 11 SERIES



Manual Cocking



Tactical Sight



High Capacity Magazine



Anti Skid Grip



Spring Steel Gun

Full Auto Series



AIR GUN KMB
07
SERIES

Please refer to Page 39 for product information.

AIR SOFT KCB
07
SERIES



AIR GUN KMB
15
SERIES

Please refer to Page 30 for product information.

AIR SOFT KCB
15
SERIES



AIR GUN KMB
18
SERIES

Please refer to Page 17 for product information.

AIR SOFT KCB
18
SERIES



AIR GUN KMB
22
SERIES

Please refer to Page 5 for product information.

AIR SOFT KCB
22
SERIES



NEW

AIR GUN KMB
20
SERIES

Please refer to Page 5 for product information.

AIR SOFT KCB
20
SERIES



AIR GUN KMB
23
SERIES

Please refer to Page 11 for product information.

AIR SOFT KCB
23
SERIES



AIR SOFT KCB
53
SERIES

Please refer to Page 31 for product information.

UNIVERSO SIM
AIRSOFT



AIR GUN
KMB 76
SERIES

AIR GUN
KCB 76
SERIES

- ◎Full function blowback
- ◎1:1 scale
- ◎Operated by 12g CO2 cartridge.
- ◎Semi auto
- ◎Adjustable Hop up system
- ◎Real gun disassembly process
- ◎Real gun operation including ejection port and hold open
- ◎Strong blowback recoil



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-76AHN	BLOWBACK	890g	225 mm	1.7 Joule Max	100 m/s Max	FULL METAL	17 rds.	4.5mm (0.177")	KW-111
KCB-76AHN	BLOWBACK	890g	225 mm	1.4 Joule Max	120 m/s Max	FULL METAL	14 rds.	6 mm(0.2g)	KW-110



Customization (weathering edition)



BLOWBACK



Grip Safety



KCB76 Adjustable Hop up



Anti Skid Grip

AIR GUN
KMB 77
SERIES

AIR GUN
KCB 77
SERIES

- ◎Full function blowback
- ◎1:1 scale
- ◎Operated by 12g CO2 cartridge.
- ◎Semi auto
- ◎Adjustable Hop up system
- ◎Real gun disassembly process
- ◎Real gun operation including ejection port and hold open
- ◎Strong blowback recoil



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-77AHN	BLOWBACK	900g	225 mm	1.5 Joule Max	94 m/s Max	FULL METAL	17 rds.	4.5mm (0.177")	KW-128
KCB-77AHN	BLOWBACK	900g	225 mm	1.4 Joule Max	120 m/s Max	FULL METAL	14 rds.	6 mm(0.2g)	KW-138



BLOWBACK



KCB77 Adjustable Hop up



High Capacity Magazine

Customization



Weathering Edition



Slide With Hair Line Edition



Multi Color Grip

27
Capacity Steel rds.

High Capacity Magazine



- ◎IPSC Pistol
- ◎High grade CO2 blowback
- ◎Full function blowback
- ◎1:1 Scale
- ◎Operated by 12g CO2 cartridge
- ◎Mount rail compatible with scopes and red dots.
- ◎SEMI AUTO
- ◎Adjustable HOP UP system
- ◎Real gun disassembly process
- ◎Real Gun operation including ejection port and hold open




MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-88AHN	BLOWBACK	1150g	215 mm	1.4 Joule Max	89 m/s Max	FULL METAL	17 rds.	45mm(0.177")	KW-125
KCB-88AHN	BLOWBACK	1150g	215 mm	1.4 Joule Max	120 m/s Max	FULL METAL	17 rds.	6 mm(0.2g)	KW-123



- ◎IPSC Pistol
- ◎High grade CO2 blowback
- ◎Full function blowback
- ◎1:1 Scale
- ◎Operated by 12g CO2 cartridge
- ◎Mount rail compatible with scopes and red dots.
- ◎SEMI AUTO
- ◎Adjustable HOP UP system
- ◎Real gun disassembly process
- ◎Real Gun operation including ejection port and hold open



BLOWBACK



KCB88&89 Adjustable Hop up



Rear Sight Adjustment



Both Side (R&L) Manual Safety



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-89AHN	BLOWBACK	1250g	279 mm	1.7 Joule Max	100 m/s Max	FULL METAL	17 rds.	45mm(0.177")	KW-125
KCB-89AHN	BLOWBACK	1250g	279 mm	1.4 Joule Max	120 m/s Max	FULL METAL	17 rds.	6 mm(0.2g)	KW-123



Rail Can Add The Laser Scope



Slide Loading Bar

- High grade airgun blowback

Full function blowback

1:1 scale

Operated by 12g CO2 cartridge.

Semi auto

Adjustable Hop up system

Real gun disassembly process

Real gun operation including ejection port and hold open



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-12AHN	BLOWBACK	856g	215 mm	1.4 Joule Max	89 m/s Max	METAL SLIDE	19 rds.	4.5mm (0.177")	KW-139
KCB-12AHN	BLOWBACK	856g	215 mm	1.4 Joule Max	120 m/s Max	METAL SLIDE	22 rds.	6 mm(0.2g)	KW-052S



BLOWBACK



KCB12 Adjustable Hop up

- High grade CO2 blowback

Full function blowback

1:1 scale

Operated by 12g CO2 cartridge

Weaver rail compatible with standard flashlight and laser

SEMI AUTO / FULL AUTO

Adjustable Hop up system

Real gun disassembly process

Real gun operation including injection port and hold open



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-15AHN	BLOWBACK	1100g	215 mm	1.4 Joule Max	89 m/s Max	FULL METAL	17 rds.	4.5mm (0.177")	KW-093
KCB-15AHN	BLOWBACK	1100g	215 mm	1.4 Joule Max	120 m/s Max	FULL METAL	26 rds.	6 mm(0.2g)	KW-074S



BLOWBACK



Double Action & Single Action



Semi Auto



Full Auto

**AIR KMB
GUN 74
SOFT SERIES**

**AIR KCB
GUN 74
SOFT SERIES**

- ◎High grade CO2 blowback
- ◎CO2 blowback
- ◎1:1 scale
- ◎Operated by 12g CO2 cartridge
- ◎Adjustable Hop up system
- ◎Real gun disassembly process
- ◎Real gun operation including ejection port and hold open



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-74AHN	BLOWBACK	1250g	225 mm	1.4 Joule Max	89 m/s Max	FULL METAL	19 rds.	4.5mm (0.177")	KW-117
KCB-74AHN	BLOWBACK	1250g	225 mm	1.6 Joule Max	126 m/s Max	FULL METAL	22 rds.	6 mm(0.2g)	KW-116



BLOWBACK



Rear Sight Adjustment

**AIR KCB
GUN 51
SOFT SERIES**

**SPRING KA
GUN 51
SERIES**

- ◎High grade CO2 blowback
- ◎1:1 scale
- ◎SEMI AUTO / FULL AUTO
- ◎Operated by 12g CO2 cartridge

- ◎Adjustable Hop up system
- ◎Real gun disassembly process
- ◎Real gun operation including injection port and hold open



**AIR KCB
GUN 53
SOFT SERIES**

**TULLO AUTO
GUN 53
SERIES**

MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KCB-51AHN	BLOWBACK	1060g	270 mm	1.5 Joule Max	122 m/s Max	METAL SLIDE	22 rds.	6 mm(0.2g)	KW-059S
KCB-51ACIHN	BLOWBACK	1060g	270 mm	1.6 Joule Max	126 m/s Max	METAL SLIDE	22 rds.	6 mm(0.2g)	KW-059S
KCB-53AHN	BLOWBACK	1060g	270 mm	1.5 Joule Max	122 m/s Max	METAL SLIDE	22 rds.	6 mm(0.2g)	KW-059S
KA-51HN	NON-BLOWBACK	1100g	270 mm	0.5 Joule Max	73 m/s Max	HALF METAL	30 rds.	6 mm(0.2g)	KW-040

**AIR KCB
GUN 51C
SOFT SERIES**



BLOWBACK



KCB53 SEMI AUTO / FULL AUTO



Double Action & Single Action



Anti Skid Grip



- ⦿ 1:1 scale
- ⦿ Operated by 12g CO2 cartridge
- ⦿ Semi auto
- ⦿ METAL SLIDE / ABS SLIDE
- ⦿ Interchangeable parts between 40's series and 42's series. Works great for customization.



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KM-40DHN	NON-BLOWBACK	840g	220 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	4.5mm (0.177")	KW-154
KM-40HN	NON-BLOWBACK	408g	220 mm	2.5 Joule Max	120 m/s Max	HALF METAL	21 rds.	4.5mm (0.177")	KW-154
KC-40DHN	NON-BLOWBACK	840g	220 mm	2.5 Joule Max	157 m/s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	KW-153
KC-40HN	NON-BLOWBACK	376g	220 mm	2.5 Joule Max	157 m/s Max	HALF METAL	15 rds.	6 mm(0.2g)	KW-153



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY
KM-42ZDHN	NON-BLOWBACK	1073g	220 mm	2.5 Joule Max
KC-42ZDHN	NON-BLOWBACK	1050g	220 mm	2.3 Joule Max

VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
120 m/s Max	METAL SLIDE	20 rds.	4.5mm (0.177")	KW-084
152 m/s Max	METAL SLIDE	14 rds.	6 mm(0.2g)	KW-121



Tactical Rail



- ⦿ 1:1 scale
- ⦿ Operated by 12g CO2 cartridge
- ⦿ One cartridge could shoot more than 250 bb.
- ⦿ Weaver rail compatible with standard flashlight or laser
- ⦿ Rubber grip



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KM-46DHN	NON-BLOWBACK	720g	180 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	4.5mm (0.177")	KW-106
KM-46HN	NON-BLOWBACK	600g	180 mm	2.5 Joule Max	120 m/s Max	HALF METAL	21 rds.	4.5mm (0.177")	KW-106
KC-46DHN	NON-BLOWBACK	720g	180 mm	1.8 Joule Max	134 m/s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	KW-099
KC-46HN	NON-BLOWBACK	530g	180 mm	1.8 Joule Max	134 m/s Max	HALF METAL	15 rds.	6 mm(0.2g)	KW-099
KA-06HN	NON-BLOWBACK	580g	180 mm	0.6 Joule Max	78 m/s Max	HALF METAL	26 rds.	6 mm(0.2g)	M-KA06X



- ⦿ 1:1 scale
- ⦿ Operated by 12g CO2 cartridge
- ⦿ Semi auto
- ⦿ METAL SLIDE

MODEL	RECOIL	WEIGHT	LENGTH	ENERGY
KM-43ZDHN	NON-BLOWBACK	800g	205 mm	2.5 Joule Max
KC-43ZDHN	NON-BLOWBACK	800g	205 mm	1.8 Joule Max

VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
120 m/s Max	METAL SLIDE	21 rds.	4.5mm (0.177")	KW-085
134 m/s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	KW-122



Rubber grip



- ⦿1:1 scale
- ⦿Operated by 12g CO2 cartridge
- ⦿One cartridge could shoot more than 250 bb.
- ⦿Weaver rail compatible with standard flashlight or laser
- ⦿Super stable and long life.



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KM-47DHN	NON-BLOWBACK	756g	190 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	45mm (0.177")	KW-078
KM-47HN	NON-BLOWBACK	600g	190 mm	2.5 Joule Max	120 m/s Max	HALF METAL	21 rds.	45mm (0.177")	KW-078
KC-47DHN	NON-BLOWBACK	756g	190 mm	1.6 Joule Max	127 m/s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	KW-098
KC-47HN	NON-BLOWBACK	600g	190 mm	1.6 Joule Max	127 m/s Max	HALF METAL	15 rds.	6 mm(0.2g)	KW-098
KA-07HN	NON-BLOWBACK	600g	190 mm	0.6 Joule Max	78 m/s Max	METAL SLIDE	26 rds.	6 mm(0.2g)	M-KA07X



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY
KM-48DHN	NON-BLOWBACK	1073g	220 mm	2.5 Joule Max
KM-48HN	NON-BLOWBACK	1050g	220 mm	2.3 Joule Max
KC-48DHN	NON-BLOWBACK	1073g	220 mm	2.5 Joule Max
KC-48HN	NON-BLOWBACK	1050g	220 mm	2.3 Joule Max
KA-08HN	NON-BLOWBACK	1073g	220 mm	2.5 Joule Max

VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
120 m/s Max	METAL SLIDE	20 rds.	45mm (0.177")	KW-084
152 m/s Max	METAL SLIDE	14 rds.	6 mm(0.2g)	KW-121
120 m/s Max	METAL SLIDE	20 rds.	45mm (0.177")	KW-084
152 m/s Max	METAL SLIDE	14 rds.	6 mm(0.2g)	KW-121
120 m/s Max	METAL SLIDE	20 rds.	45mm (0.177")	KW-084



- ⦿1:1 scale
- ⦿Operated by CO2. fit on 12g CO2 cartridge.
- ⦿Semi auto
- ⦿Super stable and long life
- ⦿Compact of pistol



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KM-44DHN	NON-BLOWBACK	800g	160 mm	2.5 Joule Max	120 m/s Max	FULL METAL	18 rds.	45mm (0.177")	KW-118
KC-44DHN	NON-BLOWBACK	800g	160 mm	1.6 Joule Max	127 m/s Max	FULL METAL	13 rds.	6 mm(0.2g)	KW-119



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY
KM-45DHN	NON-BLOWBACK	840g	195 mm	2.5 Joule Max
KC-45DHN	NON-BLOWBACK	830g	195 mm	2.2 Joule Max

VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
120 m/s Max	FULL METAL	19 rds.	45mm (0.177")	KW-131
148 m/s Max	FULL METAL	15 rds.	6 mm(0.2g)	KW-132



Anti Skid Grip

AEG KE 36 SERIES SPRING GUN KA 36 SERIES

- ⦿R.I.S handguard (Picatinny rail)
- ⦿High density composite material for extended durability
- ⦿Retractable stock to fit all arm lengths
- ⦿Adjustable Hop up
- ⦿High capacity 300 round magazine for extended play



MODEL	POWER	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KE-36HN	Electric	1300g	766 mm	0.35 Joule Max	59 m/s Max	FULL ABS	300 rds.	6 mm(0.2g)	KW-140
KA-36HN	Spring	1300g	766 mm	0.5 Joule Max	71 m/s Max	FULL ABS	350 rds.	6 mm(0.2g)	KW-133
KE-38HN	Electric	1350g	690 mm	0.35 Joule Max	59 m/s Max	FULL ABS	300 rds.	6 mm(0.2g)	KW-140
KA-38HN	Spring	1350g	690 mm	0.5 Joule Max	71 m/s Max	FULL ABS	350 rds.	6 mm(0.2g)	KW-133

AEG KE 38 SERIES SPRING GUN KA 38 SERIES



AEG KE 37 SERIES SPRING GUN KA 37 SERIES

- ⦿R.I.S handguard (Picatinny rail)
- ⦿High density composite material for extended durability
- ⦿Retractable stock to fit all arm lengths
- ⦿Adjustable Hop up
- ⦿High capacity 300 round magazine for extended play



MODEL	POWER	WEIGHT	LENGTH	ENERGY
KE-37HN	Electric	1600g	766 mm	0.35 Joule Max
KA-37HN	Spring	1600g	766 mm	0.5 Joule Max
VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
59 m/s Max	FULL ABS	350 rds.	6 mm(0.2g)	KW-140
71 m/s Max	FULL ABS	300 rds.	6 mm(0.2g)	KW-133



⊙High grade CO2 blowback

⊙Adjustable Hop up system

⊙Full function blowback

⊙Real gun operation including injection port and hold open

⊙1:1 scale


⊙SEMI AUTO / FULL AUTO



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KMB-07HN	BLOWBACK	2200g	615 mm	1.8 Joule Max	101 m/s Max	HALF METAL	24 rds.	4.5 mm (0.177")	KW-096
KCB-07HN	BLOWBACK	2200g	615 mm	1.5 Joule Max	122 m/s Max	HALF METAL	38 rds.	6 mm (0.2g)	KW-115



BLOWBACK



KCB07 Adjustable Hop up



Grip Safety



Front Sight



Rear Sight



⊙Material = full abs + metal weight

⊙BB capacity = 12+1 rds.

⊙Easy operation with durable long life

⊙Great starter gun for beginners to the world of airsoft



MODEL	SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KA-11N	NON-HOP UP	360g	200 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm (0.2g)	M-KA11H
KA-11CIN	NON-HOP UP	360g	200 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm (0.2g)	M-KA112CIH
KA-13N	NON-HOP UP	400g	215 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm (0.2g)	M-KA13H
KA-13CIN	NON-HOP UP	400g	215 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm (0.2g)	M-KA13CIH



SPRING GUN KA 14 SERIES

- Material = full abs + metal weight
- BB capacity = 12+1 rds.
- Easy operation with durable long life
- Great starter gun for beginners to the world of airsoft



MODEL	SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KA-14N	NON-HOP UP	360g	220 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA14H
KA-14CIN	NON-HOP UP	360g	220 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA14CIH
KA-15N	NON-HOP UP	400g	200 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA15H
KA-15CIN	NON-HOP UP	400g	200 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA15CH

SPRING GUN KA 15 SERIES

SPRING GUN KA 15C SERIES



UNIVERSO SNIPER AIRSOFT

SPRING GUN KA 02 SERIES

- Material = full abs + metal weight
- BB capacity = 12+1 rds.
- Easy operation with durable long life
- Great starter gun for beginners to the world of airsoft



MODEL	SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KA-02HN	HOP UP	620g	240 mm	0.6 Joule Max	77 m/s Max	HALF METAL	12 rds.	6 mm(0.2g)	M-KA02HN
KA-112N	NON-HOP UP	360g	220 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA112H
KA-112CIN	NON-HOP UP	360g	220 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA112CIH

SPRING GUN KA 112 SERIES

SPRING GUN KA 112C SERIES



SPRING GUN KA 27 SERIES

- Material = full abs + metal weight
- BB capacity = 12+1 rds.
- Easy operation with durable long life
- Great starter gun for beginners to the world of airsoft



MODEL	SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KA-27HN	HOP UP	900g	200 mm	0.6 Joule Max	77 m/s Max	HEAVY WEIGHT	12 rds.	6 mm(0.2g)	KW-055
KA-12N	NON-HOP UP	360g	200 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA12H
KA-05CIN	NON-HOP UP	420g	220 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA05CI

SPRING GUN KA 12 SERIES



SPRING GUN KA 05C SERIES

UNIVERSO SNIPER AIRSOFT

SPRING GUN KA 16 SERIES

- Material = full abs + metal weight
- BB capacity = 12+1 rds.
- Easy operation with durable long life
- Great starter gun for beginners to the world of airsoft



MODEL	SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
KA-16N	NON-HOP UP	360g	200 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA11H
KA-16CIN	NON-HOP UP	360g	200 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA112CIH
KA-26HN	HOP UP	750g	235 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA26H
KA-26CIHN	HOP UP	750g	235 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	M-KA26CIH

SPRING GUN KA 26 SERIES



SPRING GUN KA 26C SERIES





KW-041 Trap Target



KW-046 Gel Target




KW-0421 CO2 12g Cartridge



KW-150 6mm / KW-151 4.5mm Speedloader

Shells are not included



KW-047 3-Bull's eye Multi-Function Auto Trap Target



KW-035 Rubber Grip



KW-033 0.12g BB, 750 counts GRENADE shape



KW-033-1 0.20g BB, 750 counts GRENADE shape



KW-080 4.5mm Steel BB, 2000 counts / Grenade



KW-006 0.12g BB, 2000 counts BOTTLE



KW-006-1 0.20g BB, 2000 counts BOTTLE



KW-134-1 Holster Black

KW-134-2 Holster Desert Camo

KW-134-3 Holster Camo



KW-155 Red Dot Laser



KW-174 KMP SERIES Magazine