




KIEN WELL TOY INDUSTRIAL CO., LTD

NO. 89, LN. 168, YILIN RD., RENDE DIST., TAINAN CITY 71752, TAIWAN (R.O.C)

TEL : +886-6-2798175 • FAX : +886-6-2798176

WWW.KWCGUN.COM • EMAIL : sales@kwcgun.com



K08-00820-A



PRODUCT CATALOG

THE BEST SHOOTING GEAR

HISTORY

- 1978** • Found in 1978, Shun-Chi Huang found Kien Well Toy Industrial Company in Tainan, the south part of Taiwan. It was first established in Huang's house with around 10 workers. We start off as a toy manufacturer and the most famous product is our matchbox car.
- 1987** • with supporting from Taiwan Toy Manufacturers Association (TTMA), KWC starts to import computerization management. We are also one of the first few toy manufacturers successfully integrate computer system at work place.
- 1989** • the company cooperates with top Japan airsoft producer and switch business direction from toy manufacturing to airsoft production.
- 1992** • our 1911 spring pistols is a great hit in Japan market. Then the following year, we launch four more spring pistol series.
- 1993** • with years of experience in airsoft industry, Shun-Chi Huang teams up with several Taiwanese airsoft manufacturers and establishes Taiwan Airsoft Development Association. He is also elected as the first and second chairman of the association.
- 1995** • KWC launches our first gas blowback replicas.
- 1997** • KWC is the first ISO 9002 certified airsoft manufacturer in Taiwan. We also launches gas revolver replicas at the same year.
- 2004** • We introduce our first mid-size sub-machine gun replica with gas blowback system.
- 2007** • We start to work on non-blowback CO2 replicas. The CO2 replicas are more reliable, shoot harder and last longer than gas. It is also known for better performance in cooler temperature.
- 2008** • KWC launch our first CO2 blowback pistol—KCB12. Afterwards we successfully turn several other gas pistol into CO2 power replicas.
- 2010** • KWC introduces full metal CO2 blowback 1911. This has right away makes it to most popular replicas of all time.
- 2012** • To keep up with increasing demand of Airgun and airsoft, KWC expands our factory in a new location.
- 2014** • As an ethical supplier of WalMart, KWC successfully passes the ES audit. This promote our products to all customers thru over 11,000 WalMart stores in the USA.
- 2015** • KWC establishes a new headquarter in Tainan, Taiwan. As our goal of continuing growth and improvement, we strive for best quality products.

BLOW BACK

MODEL 20 SERIES	02	MODEL 46 SERIES	11
MODEL 54 SERIES	03	MODEL 48 SERIES	12~13
MODEL 07 SERIES	04	MODEL 51 SERIES	14
MODEL 12 SERIES	05	MODEL 74 SERIES	15
MODEL 15 SERIES	06	MODEL 76 SERIES	16
MODEL 18 SERIES	07	MODEL 77 SERIES	17
MODEL 23 SERIES	08	MODEL 88 SERIES	18
MODEL 41 SERIES	09	MODEL 89 SERIES	19
MODEL 44 SERIES	10		

NON-BLOW BACK

MODEL 44 PELLET SERIES	20	MODEL 42 SERIES	26
MODEL 46 PELLET SERIES	21	MODEL 43 SERIES	27
PELLET REVOLVER SERIES	22~23	MODEL 44 SERIES	28
MODEL 76 PELLET SERIES	24	MODEL 55 SERIES	29
MODEL 40 SERIES	25	REVOLVER SERIES	30-31

NON-BLOW BACK & SPRING GUN

MODEL 46 SERIES	32	MODEL 48 SERIES	34-35
MODEL 47 SERIES	33		

SPRING GUN

SPRING AIRGUN SERIES	36-37	MODEL M4 SERIES	42-43
SPRING AIRSOFT SERIES	14, 38-41		

ACCESSORIES


ACCESSORIES	44-45
-------------------	-------

MODEL 20 SERIES

- Premium blowback airgun
- Full function blowback
- 1:1 scale
- Weaver rail compatible with standard flashlight and laser
- Semi auto / full auto options on model 20
- Operated by 12g CO2 cartridge
- Adjustable Hop up system




Trigger Safety



Adjustable Hop up



Tactical Sight





AIRGUN	AAKCMB202AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	AAKCMF202AZB / FULL AUTO								
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	755 g	205 mm	1.6 Joule Max	96 m/s Max	METAL SLIDE	18 rds.	AAKCM190AZL	

AIRSOFT	AAKCCB202AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	AAKCCF202AZB / FULL AUTO								
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	734 g	205 mm	1.3 Joule Max	114 m/s Max	METAL SLIDE	15 rds.	AAKCCM190AZL	



MODEL 54 SERIES

- High grade CO2 blowback
- 1:1 scale
- Semi auto / Full auto
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Integral muzzle break



Full auto option available




Double Action & Single Action

AIRGUN	AAKCMF541AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1125 g	269 mm	1.9 Joule Max	105 m/s Max	METAL SLIDE	15 rds.	AAKCM510AZL	


AIRSOFT	AAKCCF541AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1094 g	269 mm	1.4 Joule Max	118 m/s Max	METAL SLIDE	21 rds.	AAKCCM510AZL	

MODEL 07 SERIES

- Full function CO2 blowback
- 1:1 scale
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun operation including ejection port and hold open



Blowback



Adjustable Hop up




Adjustable Front Sight




Adjustable Rear Sight

MODEL 12 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge.
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Blowback



Adjustable Hop up

AIRGUN	AAKCMF070AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	2000 g	596 mm	1.8 Joule Max	101 m/s Max	HALF METAL	25 rds.	AAKMM070AZL	

AIRSOFT	AAKCCF070AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	2000 g	596 mm	1.8 Joule Max	135 m/s Max	HALF METAL	39 rds.	AAKCCM070AZL	




AIRGUN	AAKCB120AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	860 g	200 mm	1.8 Joule Max	100 m/s Max	METAL SLIDE	19 rds.	AAKCBM120AZL	

AIRSOFT	AAKCCB120AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	850 g	200 mm	1.6 Joule Max	125 m/s Max	METAL SLIDE	23 rds.	AAKCCM120AZL	



MODEL 15 SERIES


- High grade CO2 blowback
- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Weaver rail compatible with standard flashlight and laser
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Rear Sight Adjustment



Semi / Full Auto Switch



Blowback





Wooden Pattern Grip



MODEL 18 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge.
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port



Blowback



Double Action and Single Action



Semi Auto



Full Auto

AIRGUN	AAKCMF150AZB								4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	BLOWBACK	1100 g	215 mm	1.7 Joule Max	99 m/s Max	FULL METAL	19 rds.	AAKMM150AZL		

AIRSOFT	AAKCCF150AZB								6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	BLOWBACK	1100 g	215 mm	1.6 Joule Max	126 m/s Max	FULL METAL	27 rds.	AAKCCM150AZL		

AIRGUN	AAKCMF180AZB								4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	BLOWBACK	1410 g	300 mm	2.4 Joule Max	118 m/s Max	FULL METAL	19 rds.	AAKMM180AZL		

AIRSOFT	AAKCCF180AZB								6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	BLOWBACK	1400 g	300 mm	1.7 Joule Max	133 m/s Max	FULL METAL	22 rds.	AAKCCM180AZL		

MODEL 23 SERIES

- High grade CO2 blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Semi auto / Full auto
- Real gun disassembly process
- Ambidextrous safety and decocker
- Weaver rail compatible with standard flashlight, laser or scopes.



Double Action & Single Action



Ambidextrous Safety & Decocker



Semi auto / Full auto




High Capacity Magazine Available

Extended Magazine see P45



Realism Toggle-lock Recoil




Rear Sight Cover



1:1 SCALE



4" BARREL



MODEL 41 SERIES


- Realism toggle-lock recoil operation
- 1:1 SCALE
- Operated by 12g CO2 cartridge
- Real gun disassembly process
- Real gun operation including hold open

AIRGUN	AAKCMF230AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1080 g	216 mm	1.5 Joule Max	95 m/s Max	FULL METAL	18 rds.	AAKCM230AZL	

AIRSOFT	AAKCCF230AJB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	1069 g	216 mm	1.5 Joule Max	125 m/s Max	FULL METAL	21 rds.	AAKCC230AZL	

AIRGUN	AAKCMB410AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	834 g	220 mm	1.6 Joule Max	95 m/s Max	FULL METAL	21 rds.	AAKCM410AZL	

AIRSOFT	AAKCCB410AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	830 g	220 mm	1.3 Joule Max	112 m/s Max	FULL METAL	15 rds.	AAKCC410AZL	



MODEL 44 SERIES

- Compact pistol
- Full function blowback
- Classic collector's replica
- High grade CO2 blowback
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable Hop-up system
- Real gun operation including hold open
- Real gun disassembly process




Rear Sight Cover




Blowback



Anti Skid Grip



Adjustable Hop up



AAKCCB460EZB

DUAL TONE

MODEL 46 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Functional trigger safety



Adjustable sight



Single Action



Ambidextrous safety



Interchangeable grips

AIRGUN	AAKCMB440AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	737 g	160 mm	1.5 Joule Max	92 m/s Max	FULL METAL	15 rds.	AAKCM440AZL

AIRSOFT	AAKCCB440AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	737 g	160 mm	1.3 Joule Max	113 m/s Max	FULL METAL	15 rds.	AAKCCM440AZL

AIRGUN	AAKCMB460AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	815 g	185 mm	1.9 Joule Max	105 m/s Max	METAL SLIDE	16 rds.	AAKCM460AZL

AIRSOFT	AAKCCB460AZB / AAKCCB460EZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	797 g	185 mm	1.8 Joule Max	134 m/s Max	METAL SLIDE	16 rds.	AAKCCM460AZL

MODEL 48 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open
- Interchangeable grips with three different sizes

BLOWBACK

HOP-UP



▲ Interchangeable grips in different sizes



Scalloped Slide Serrations

Adjustable Hop up

Single Action Only

Tactical Rail

BLOWBACK

HOP-UP



▲ Interchangeable grips in different sizes



Ported slide

Single Action Only

Hidden manual safety

Blowback


AIRGUN	AAKCMB483AZB							4.5 STEEL BB 4.5 mm (0.177")	CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	763 g	214 mm	1.8 Joule Max	102 m/s Max	HALF METAL	15 rds.	AAKCM480AZL	

AIRSOFT	AAKCCB483AZB							6 AIRSOFT 6 mm (0.2g)	CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	757 g	214 mm	1.6 Joule Max	126 m/s Max	HALF METAL	15 rds.	AAKCCM480AZL	

AIRGUN	AAKCMB480AZB							4.5 STEEL BB 4.5 mm (0.177")	CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	724 g	194 mm	1.6 Joule Max	95 m/s Max	METAL SLIDE	15 rds.	AAKMM480AZL	

AIRSOFT	AAKCCB480AZB							6 AIRSOFT 6 mm (0.2g)	CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	710 g	194 mm	1.4 Joule Max	118 m/s Max	METAL SLIDE	15 rds.	AAKCCM480AZL	





AAKCCB510BZB
Silver Version Available

MODEL 51 SERIES

- High grade CO2 blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Semi Auto




Double Action &
Single Action



Blowback



Adjustable Rear Sight



Ambidextrous Safety



MODEL 74 SERIES

- High grade CO2 blowback
- CO2 blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



AIRSOFT	AAKCCB510AZB / AAKCCB510BZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1104 g	268 mm	1.4 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	AAKCCM510AZL

SPRING GUN	AAKACZ510AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	SPRING COCKING	895 g	274 mm	0.5 Joule Max	73 m/s Max	HEAVY WEIGHT	26 rds.	AAKACS510AZN

AIRGUN	AAKCMB740AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1275 g	225 mm	2.0 Joule Max	108 m/s Max	FULL METAL	18 rds.	AAKCCM740AZL

AIRSOFT	AAKCCB740AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1220 g	225 mm	1.8 Joule Max	135 m/s Max	FULL METAL	24 rds.	AAKCCM740AZL

MODEL 76 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open
- Strong blowback recoil



Customization
(weathering edition)



Grip Safety



Adjustable Hop up



BLOWBACK




HOP-UP

MODEL 77 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open
- Strong blowback recoil



Blowback




Adjustable Hop up



MAX
Capacity **27** Steel
rds.

High Capacity
Magazine Available



BLOWBACK



HOP-UP

Extended Magazine
see P45

CUSTOMIZATION



Weathering Edition



Slide With Hair Line Edition



Multi Color Grip

AIRGUN	AAKCMB760AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	900 g	215 mm	1.7 Joule Max	100 m/s Max	FULL METAL	17 rds.	AAKCM760AZL	


AIRSOFT	AAKCCB760AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	890 g	218 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKCCM760AZL	

AIRGUN	AAKCMB770AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	925 g	220 mm	1.6 Joule Max	97 m/s Max	FULL METAL	17 rds.	AAKCM770AZL	


AIRSOFT	AAKCCB770AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	BLOWBACK	900 g	218 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKCCM770AZL	

MODEL 88 SERIES



- IPSC Pistol
- High grade CO2 blowback
- Full function blowback
- 1:1 Scale
- Operated by 12g CO2 cartridge
- Mount rail compatible with scopes and red dots
- Semi Auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open



Rear Sight Adjustment


Ambidextrous
Manual Safety

Adjustable Hop up



MODEL 89 SERIES

- IPSC Pistol
- High grade CO2 blowback
- Full function blowback
- 1:1 Scale
- Operated by 12g CO2 cartridge
- Mount rail compatible with scopes and red dots
- Semi Auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open



Rail Can Add The Laser Scope



Slide Loading Bar



Muzzle brake

AIRGUN	AAKCMB880AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1240 g	215 mm	2 Joule Avg	109 m/s Avg	FULL METAL	17 rds.	AAKMM780AZL

4.5 STEEL BB
4.5 mm (0.177") CO₂

AIRSOFT	AAKCCB880AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1150 g	215 mm	1.4 Joule Max	119 m/s Max	FULL METAL	16 rds.	AAKCCM780AZL


6 AIRSOFT
6 mm (0.2g) CO₂

AIRGUN	AAKCMB890AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1437 g	279 mm	2 Joule Avg	109 m/s Avg	FULL METAL	17 rds.	AAKMM780AZL


4.5 STEEL BB
4.5 mm (0.177") CO₂

AIRSOFT	AAKCCB890AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	BLOWBACK	1250 g	279 mm	1.4 Joule Max	119 m/s Max	FULL METAL	16 rds.	AAKCCM780AZL

6 AIRSOFT
6 mm (0.2g) CO₂



6X2 Rotary Clip



Rear Sight Cover



Anti Skid Grip

MODEL 44 PELLET SERIES

- Compact pistol
- Classic collector's replica
- Operated by 12g CO2 cartridge
- Novel pellet rotary clip design
- Equipped with high precision rifled barrel
- Spare magazine part # AAKCPS440
- Spare rotary clip part # AAKCPW440

UNIVERSO SNIPER
AIRSOFT



AIRGUN PELLETS

AIRGUN	AAKCPD441AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	754 g	162 mm	2.6 Joule Max	105 m/s Max	FULL METAL	6X2 Pellet	AAKCPW440AZL	



MODEL 46 PELLET SERIES

- Operated by 12g CO2 cartridge
- Semi auto only
- Novel pellet rotary clip design
- Tactical design with railed full metal slide
- Equipped with high precision rifled barrel
- Spare magazine part # AAKCPS460
- Spare rotary clip part # AAKCPW460

UNIVERSO SNIPER
AIRSOFT



8X2 Rotary Clip



Fiber Optic Sights



Tactical Railed Slide



Rubberized Grip



AIRGUN PELLETS

AIRGUN	AAKCPD463AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	799 g	182 mm	2.8 Joule Max	110 m/s Max	METAL SLIDE	8X2 Pellet	AAKCPW463AZL	

PELLET REVOLVER SERIES

- Classic revolver
- 1:1 scale
- Rotary pellet clip

AIRGUN	AAKCPD661AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	870 g	195 mm	2.5 Joule Max	100 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN	

AIRGUN	AAKCPD671AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	955 g	230 mm	2.8 Joule Max	108 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN	


AIRGUN	AAKCPD681AZB							PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	1085 g	285 mm	3.0 Joule Max	110 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN	




Double Action & Single Action Trigger



Anti Skid Grip



Vertical Adjustment



Horizontal Adjustment



MODEL 40 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Interchangeable parts between non-blow back 40's series and 42's series. Works great for customization.
- Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- Full Metal grip on 42 series.



MODEL 76 PELLET SERIES

- 1:1 SCALE
- Operated by 12g CO2
- SEMI AUTO
- Novel pellet rotary clip design
- Equipped with high precision rifled barrel
- Spare rotary clip part # AAKCPW760AZN



6X2 Rotary Clip



Anti Skid Grip



AIRGUN	AAKCMD401AZB						4.5 STEEL BB 4.5 mm (0.177")		CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	840 g	220 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS400AZL	

AIRSOFT	AAKCCD401AZB						6 AIRSOFT 6 mm (0.2g)		CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	840 g	220 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS400AZL	

AIRGUN	AAKCPD761AZB						PELLETS AIRGUN 4.5 mm (0.177")		CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	990 g	220 mm	2.8 Joule Max	105 m/s Max	METAL SLIDE	6X2 Pellet	AAKPCS760AZL	






MODEL 42 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Interchangeable parts between non-blow back 40's series and 42's series. Works great for customization.
- Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- Full Metal grip on 42 series.

UNIVERSO SIMPER
AIRSOFT



Tactical Rail

MODEL 43 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- Semi auto
- Metal slide and hammer case for realistic weight



UNIVERSO SIMPER
AIRSOFT



AIRGUN	AAKCMD421AZB							4.5 STEEL BB 4.5 mm (0.177")	CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	1073 g	223 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	20 rds.	AAKCMS420AZL	

AIRSOFT	AAKCCD421AZB							6 AIRSOFT 6 mm (0.2g)	CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	1050 g	220 mm	2.3 Joule Max	152 m/s Max	METAL SLIDE	14 rds.	AAKCCS420AZL	

AIRGUN	AAKCMD431AZB							4.5 STEEL BB 4.5 mm (0.177")	CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	800 g	205 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	22 rds.	AAKCMS430AZL	

AIRSOFT	AAKCCD431AZB							6 AIRSOFT 6 mm (0.2g)	CO2
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	800 g	205 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS430AZL	



MODEL 44 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto only
- Compact of pistol
- Super stable and long life

UNIVERSO SNIPER
AIRSOFT



Fixed Aperture Sight



High Capacity Magazine



Metal Telescopic Stock



Post Front Sight

AIRGUN	AAKCMD550AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	531 g	255 mm	2.9 Joule Max	130 m/s Max	PLASTIC WITH METAL STOCK	39 rds.	AAKCMS550AZL	

AIRSOFT	AAKCCD550AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	531 g	255 mm	2.3 Joule Max	152 m/s Max	PLASTIC WITH METAL STOCK	26 rds.	AAKCCS550AZL	

MODEL 55 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Super stable and long life.
- Telescopic stock
- High capacity magazine
- Semi auto only



AIRGUN	AAKCMD440AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	390 g	160 mm	2.9 Joule Max	130 m/s Max	PLASTIC FRAME	18 rds.	AAKCMS440AZL	

AIRGUN	AAKCMD441AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	800 g	160 mm	2.9 Joule Max	130 m/s Max	FULL METAL	18 rds.	AAKCMS440AZL	

AIRSOFT	AAKCCD441AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	775 g	160 mm	1.9 Joule Max	138 m/s Max	FULL METAL	13 rds.	AAKCCS440AZL	

REVOLVER SERIES

- Classic revolver
- Double action & singl action trigger
- Full metal
- Shell loaded revolver




BARREL LENGTH 2.5 INCH


AAKCMD661BZB
Chrome Plating Finish

AIRGUN	AAKCMD661AZB / AAKCMD661BZB 4.5 STEEL BB 4.5 mm (0.177") CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	900 g	200 mm	1.3 Joule Max	86 m/s Max	FULL METAL	6 rds.	AAKCMW680AZL

AIRSOFT	AAKCCD661AZB 6 AIRSOFT 6 mm (0.2g) CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	900 g	200 mm	1.9 Joule Max	138 m/s Max	FULL METAL	6 rds.	AAKCCW680AZL



Vertical Adjustment



Horizontal Adjustment



Manual Safely



Speedloader



BARREL LENGTH 4 INCH

AIRGUN	AAKCMD671AZB 4.5 STEEL BB 4.5 mm (0.177") CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	950 g	235 mm	2.0 Joule Max	109 m/s Max	FULL METAL	6 rds.	AAKCMW680AZL

AIRSOFT	AAKCCD671AZB 6 AIRSOFT 6 mm (0.2g) CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	950 g	235 mm	1.9 Joule Max	138 m/s Max	FULL METAL	6 rds.	AAKCCW680AZL



BARREL LENGTH 6 INCH



Chrome Plating Finish

AIRGUN	AAKCMD681AZB 4.5 STEEL BB 4.5 mm (0.177") CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	1100 g	285 mm	2.9 Joule Max	130 m/s Max	FULL METAL	6 rds.	AAKCMW680AZL

AIRSOFT	AAKCCD681AZB 6 AIRSOFT 6 mm (0.2g) CO2							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-BLOWBACK	1100 g	285 mm	2.3 Joule Max	150 m/s Max	FULL METAL	6 rds.	AAKCCW680AZL



MODEL 46 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BBS shots per CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Rubber grip
- Series of products with several versions of different materials and power sources, see chart below for more detail



AIRGUN	AAKCMD460AZB								4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	NON-BLOWBACK	565 g	180 mm	2.9 Joule Max	130 m/s Max	PLASTIC SLIDE	21 rds.	AAKCMS460AZL		

AIRGUN	AAKCMD461AZB								4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	NON-BLOWBACK	725 g	180 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS460AZL		

AIRSOFT	AAKCCD460AZB								6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	NON-BLOWBACK	520 g	180 mm	1.9 Joule Max	138 m/s Max	PLASTIC SLIDE	15 rds.	AAKCCS460AZL		

AIRSOFT	AAKCCD461AZB								6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	NON-BLOWBACK	710 g	180 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS460AZL		

SPRING GUN	AAKACZ460AZA								6 AIRSOFT 6 mm (0.2g)	W W W W W SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	SPRING COCKING	580 g	180 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	25 rds.	AAKACS460AZN		

AIRGUN	AAKCMD470AZB								4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	NON-BLOWBACK	590 g	190 mm	2.9 Joule Max	130 m/s Max	PLASTIC SLIDE	21 rds.	AAKCMS470AZL		

AIRGUN	AAKCMD471AZB								4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	NON-BLOWBACK	760 g	190 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS470AZL		

AIRSOFT	AAKCCD470AZB								6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	NON-BLOWBACK	510 g	190 mm	1.9 Joule Max	138 m/s Max	PLASTIC SLIDE	14 rds.	AAKCCS470AZL		

AIRSOFT	AAKCCD471AZB								6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	NON-BLOWBACK	685 g	190 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	14 rds.	AAKCCS470AZL		

SPRING GUN	AAKACZ470AZA								6 AIRSOFT 6 mm (0.2g)	W W W W W SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
	SPRING COCKING	600 g	190 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	24 rds.	AAKACS470AZN		



MODEL 47 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 250 BBS shots per CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Series of products with several versions of different materials and power sources, see chart below for more detail



MODEL 48 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BBS shots per CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Series of products with several versions of different materials and power sources, see chart below for more detail

AIRGUN	AAKCMD480AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	515 g	193 mm	2.9 Joule Max	130 m/s Max	PLASTIC SLIDE	19 rds.	AAKCMS480AZL	
AIRGUN	AAKCMD481AZB							4.5 STEEL BB 4.5 mm (0.177")	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	710 g	193 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	19 rds.	AAKCMS480AZL	
AIRSOFT	AAKCCD480AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	480 g	190 mm	1.9 Joule Max	138 m/s Max	PLASTIC SLIDE	15 rds.	AAKCCS480AZL	
AIRSOFT	AAKCCD481AZB							6 AIRSOFT 6 mm (0.2g)	CO ₂
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	NON-BLOWBACK	700 g	190 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS480AZL	
SPRING GUN	AAKACZ480AZA							6 AIRSOFT 6 mm (0.2g)	WVWVWV SPRING
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE	
	SPRING COCKING	520 g	190 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	24 rds.	AAKACS480AZN	



SPRING AIRGUN SERIES

- Spring powered airgun
- Easy operation with durable long life
- High capacity magazine can load up to 70 BBs per magazine.
- Each loading is 16 rounds.



Spring Steel Gun



High Capacity Magazine



Also available in metal slide

SPRING GUN	AAKAMZ030AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	265 g	196 mm	0.6 Joule Max	57 m/s Max	FULL PLASTIC	16 rds.	AAKAMS030AZN



SPRING GUN	AAKAMZ110AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	231 g	219 mm	0.6 Joule Max	63 m/s Max	FULL PLASTIC	16 rds.	AAKAMS110AZN

SPRING AIRGUN SERIES

- 1:1 scale
- Weaver rail compatible with standard flashlight or laser
- Rubber grip
- 205 rds BB reservoir with 15 rds per load



Rubberized Grip



.177 Airgun



High Reservoir Magazine

SPRING GUN	AAKAMZ460AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	260 g	183 mm	0.5 Joule Max	55 m/s Max	PLASTIC SLIDE	15 rds.	AAKAMS460AZN

SPRING GUN	AAKAMZ461AZB							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	425 g	183 mm	0.5 Joule Max	55 m/s Max	METAL SLIDE	15 rds.	AAKAMS460AZN

SPRING AIRSOFT SERIES

- Easy operation with durable long life
- Great starter gun for beginners to the world of airsoft



AAKACZ030BZA 、AAKACZ032BZA
Silver Version Available

SPRING GUN	AAKACZ030AZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	400 g	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS030AZN

SPRING GUN	AAKACZ030BZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	400 g	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS030BZN

SPRING GUN	AAKACZ032AZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-HOP UP	400 g	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS030AZN

SPRING GUN	AAKACZ032BZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-HOP UP	400 g	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS030BZN



AAKACZ112BZA
Silver Version Available

SPRING GUN	AAKACZ112AZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	320 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110AZN

SPRING GUN	AAKACZ112BZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	320 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110BZN



AAKACZ113BZA
Silver Version Available



SPRING GUN	AAKACZ113AZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	360 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110AZN

SPRING GUN	AAKACZ113BZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	360 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110BZN



AKACZ130BZA 、AAKACZ132BZA

Silver Version Available



AAKACZ142BZA

Silver Version Available

SPRING GUN	AAKACZ130AZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	400 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS13AZN

SPRING GUN	AAKACZ130BZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	400 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130BZN

SPRING GUN	AAKACZ132AZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-HOP UP	355 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130AZN


SPRING GUN	AAKACZ132BZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON-HOP UP	355 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130BZN



SPRING GUN	AAKACZ260AZC							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	760	225 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS260AZN

SPRING GUN	AAKACZ142AZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	355 g	217 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS140AZN

SPRING GUN	AAKACZ142BZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	355 g	217 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS140BZN



AAKACZ162BZA

Silver Version Available

SPRING GUN	AAKACZ162AZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	330 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS160AZN

SPRING GUN	AAKACZ162BZA							
	6 AIRSOFT 6 mm (0.2g) M SPRING							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	NON HOP-UP	330 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS160BZN

MODEL M4 SERIES

- Dual spring loading system
- R.I.S hand guard
- High density composite material for extended durability
- Adjustable stock to fit all arm lengths
- High capacity 350 rounds reservoir in magazine



SPRING GUN	AAKACZ360AZC							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	1306 g	795 mm	0.7 Joule Max	82 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT



HOP-UP

HIGH CAP

350 rds.

SPRING GUN	AAKACZ370AZC							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	1544 g	798 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT




HOP-UP


HIGH CAP

350 rds.

SPRING GUN	AAKACZ380AZC							
	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
	HOP-UP	1320 g	684 mm	0.7 Joule Max	84 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT




Adjustable Hop-up



Classic Loading



Fast Reloading



Fast Reloading



AAKZZW006BZX

0.20g BB, 2000 Counts BOTTLE

**AAKZZW006AZX**

0.12g BB, 2000 Counts BOTTLE

**AAKZZW033AZX**0.12g BB
750 Counts GRENADE shape**AAKZZW033BZX**0.20g BB
750 Counts GRENADE shape**AAKZZW080AZX**4.5 mm Steel BB
2000 counts / Grenade**AAKZZW046AZE**

Gel Target

**AAKZZW041AZE**

Trap Target

**AAKZZW047AZC**

3-Bull's eye Multi-Function Auto Trap Target

AAKCPW680AZN


Pellet Revolver Clip



Shells are not included

AAKZZW150AZL

6 mm / 4.5 mm Speedloader

Pellet Rotary Clip
Assembly for Pellet gun**AAKCPW760AZN** 4.5 mm**6X2** Pellet**AAKCPW460AZN** 4.5 mm**8X2** Pellet**AAKCPW440AZN** 4.5 mm**6X2** Pellet**AAKCCM231AZL**6 mm **41+1** Plastic rds.**AAKCMM771AZL**4.5 mm **27** Steel rds.**AAKCCM771AZL**6 mm **26** Plastic rds.**AAKZZW035AZT**

Universal Rubber Grip

**AAKZZW134DZU**

Brown finish color

