



**HANDLING CAUTIONS AND INSTRUCTION MANUAL**

# AIRSOFT CLAYMORE



## **WARNING**

- FOR AGE 18 OR ABOVE.
- PLEASE READ THE INSTRUCTIONS CAREFULLY BEFORE USE. MISUSE OR CARELESS USE MAY CAUSE SERIOUS INJURY.
- USER SHOULD OBEY TO THE LAWS REGARDING THE USAGE AND OWNERSHIP OF AIRSOFT CLAYMORE.
- FACIAL PROTECTION IS REQUIRED.

## 1 WARNING

### Read Before Use

- Always wear goggles when loading and using.
- Do not fire at people or animals.
- Always point the front in a safe direction.
- Never store the unit loaded.
- Do not use in a public place.
- Do not store at high temperature.
- Do not transport in public view.
- Keep out of reach of children.
- Do not attach the igniter before use.
- Read all instructions before use.

Do not store the unit with the face pointing toward the ground, serious damage or bodily harm can occur.

Point away from face and body when loading.  
Do not rigidly block the lid, damage to the unit will occur.  
Firmly push the stakes into the ground for optimal use.  
Do not dismantle and use for unintended purposes.

Due to the wide shooting pattern, please consider potential damage outside of the immediate area.  
Due to the powerful nature of the system, high pressure gas is not recommended.

Classic Army is not responsible for any injury as a result from use, misuse, abuse, or modifications to the unit.  
Please carefully read and understand all points in the manual.

## 2 LOADING

### ► Step One

Reset the firing system.  
Push the BB chambers in until fully seated.



### ► Step Two

Using the gas port on the face of the firing chamber and fill for at least 20 seconds.  
At the same time fill the igniter using the gas port at the base.




### ► Step Three

Pour in approximately 65 BBs or other material until full.  
Press rubber disk into place.



### ► Step Four

Place the disk recovery cord inside the airsoft claymore body so it will not tangle.  
Close the airsoft claymore body halves. An audible click will be heard when finished.  
The Classic Army Airsoft Claymore is now LIVE.



## 3 FIRING


### ► Step One

Attach the "Det cord"(hose) to the connector at the top of the airsoft claymore.

Extend the provided 10m line as necessary.

Connect the remaining end of the "Det cord"(hose) to the igniter.

The Classic Army Airsoft Claymore is now ARMED.



### ► Step Two

To fire the airsoft claymore, firmly grasp the igniter with one hand and place the finger of the opposing hand inside the firing pin pull ring.

Using a single quick motion, pull the firing pin from the igniter housing until it stops.

The Classic Army Airsoft Claymore is now EXPENDED.



## Claymore Placement

The Classic Army Airsoft Claymore was developed with ultimate realism in mind.

Because of this, real placement techniques can be used.

The airsoft claymore has a shooting zone of 40m with a 60 degree spread.

A safety area of 2m should be observed to the


rear of the airsoft claymore.

The kit includes 10m of "Det cord" (hose) for use.

The "Det cord"(hose) does not need to be fully extended for proper use.

Classic Army advises against cutting the "Det cord"(hose) keeping in mind

future applications.



## 4 For complete product information, dealer locations and technical support, please visit the website of Classic Army Sole Distributors

### Italy, San Marino Republic, Città del Vaticano, Spain (includes Andorra and Gibraltar) Portugal and Switzerland

Co. Name: Evolution International S.r.l

Add.: Via dell' Annunciata n.31, 20121 Milan, Italy

Tel: (39) 02 25459027

Email: info@evolution-airsoft.com

Fax: (39) 02 25118356

Website: www.evolution-airsoft.com

### Denmark, Sweden, Norway & Finland, France, Germany, Austria, United Kingdom, Poland, Baltic countries, Belgium, Luxembourg, the Czech Republic and Slovakia

Co. Name: ActionSportGames A/S

Add.: Bakkegaardsvej 304, DK-3050 Humlebaek, Denmark

Tel: (45) 89 28 18 88

Email: sales@actionsportgames.com

Fax: (45) 49 19 31 60

Website: http://www.actionsportgames.com/

### The United States of America

Co. Name: Spartan Imports, Inc.

Add.: 213 Lawrence Avenue, S. San Francisco, California, USA 94080

Tel: (1) 650 589 5501

Email: info@spartanimports.com

Fax: (1) 650 589 5552

Website: http://www.spartanimports.com/

### Taiwan

Co. Name: F-Link Int'l Enterprise Co. Ltd.

Add.: 3 Lane 62, JIANGUO 1st Rd., Lingya District, Kaohsiung City 802, Taiwan, R.O.C.

Tel: (886) 7-710 0198

Email: kssa.kssa@msa.hinet.net

Fax: (886) 7-710 0398

Website: http://www.soloman.com.tw/

### Thailand

Co. Name: Vortex Co., Ltd

Add.: 92 Kaset - Nawamintra Rd. Soi Ladplacow 39 Jorakebua Ladphrao Bangkok

Tel: +662 9402629 ( auto 4 lines )

+668 1 8692117

Email: polaris\_adventure@yahoo.com

Fax: +662 9402679

Website: http://www.classicarmy-thailand.com

### Japan

Co. Name: Union Fire Company (UFC)

Add.: 542-0067, 6-10-1017MATSUYAMACHI, CHUO-KU, OSAKA, JAPAN

Tel: +81-6-4304-7750

Email: ufctrading@ufc-web.com

Fax: +81-6-4304-7799

Website: http://www.ufc-web.com/

## 5 Exploded Diagram

