

BB TOY GRENADE DEEPERE MK-II & M26A1

Users Restricted to 18 Years of age or older

HANDLING CAUTIONS AND **INSTRUCTION MANUAL**

Always read through this manual before operation.

| \triangle | WARNING A |
|---|---|
| Only for 18 years of age or older | Operation of this Toy for competition use is restricted to users of 18 years of age or older. |
| Injury caution | Since plastic BB bullets reach 50 to 60 meters, careless shooting may cause eye damage or other injuries. |
| Careful reading of Handling cautions and Instruction manual | Always read through this HANDLING CAUTIONS AND INSTRUCTION MANUAL carefully before operation. Operate the Toys with full recognition of warning and cautions |

This product is not suitable for children under 18 years old.

This product is designed as toy demonstrating the action of a grenade, it uses gas to push open the plastic cabinet and release powder and/or BB to the surrounding air.

We assume no responsibility, directly or indirectly, for financial losses or claims frim third persons resulting from using this product,

The information in this manual is subject to change without notice.

DeepFire has the final explanation on any dispute regarding the content of this user manual.

Never inject gas to the product before using it.




DeepFire MK- II & M26A1 BB TOY Grenade

Assembly and Usage :



Roll the upper body anticlockwise to open the body.



Adjust the switch to control the time of explosion (Clockwise - extend the time and vice versa)



Assemble the body by rolling the upper body clockwise.




Make sure the top and bottom parts presses tightly before infuse compress gas




Install handle and safety key.



Install the cap and use hexagon key to tighten the screw.



Insert 134a gas for 5-7 seconds.







Assemble outer covers (M26 x 2 pcs, MK-II x 3 pcs) and insert the BBs bullets.



Prepare cap, top cover, bottom cover and valve.



Install valve, top and bottom covers.



Assemble the last piece of outer covers.

Deepfire Mk-II & M26A1 Grenade series Assembly Drawing and Parts List.

| Descriptions | Assembly Number |
|--------------------|-----------------|
| Upper Body | 1 |
| Lower Body | 2,3 |
| Valve | 13 - |
| Cap | 1.4.92 |
| Handle | 0-15-5 |
| Safety Key | MALCO CONT |
| M26A1 Top Cover | |
| M26 A1 Outer Cover | 8 |
| M26A1 Bottom Cover | 5 9 5 |
| MK-II Top Cover | 10 |
| MK-II Outer Cover | 11 |
| MK-II Bottom Cover | 12 |

