



ICS AIRSOFT

AIRSOFT ELECTRIC GUN

ICS AIRSOFT
BE A GAME CHANGER

中英文國際版 · INTERNATIONAL EDITION

UNIVERSO SNIPER
AIRSOFT




2017

CATALOGUE

ICS BE A GAME CHANGER
ICS AIRSOFT

UNIVERSO SNIPER
AIRSOFT





Contents

CXP Series	08
PAR Mk3 Series	32
CS4 Series	38
MA Accessories	46
MAR Series	62
MK Accessories	66
WWII Series	70
ME Accessories	72
MY Accessories	75
L85/L86 Series	76
ML Accessories	80
AAR Series	82
MH Accessories	84
CES Series	86
MP Accessories	88
MGL Series	96
MM Accessories	100
TOD Series	102
MG Accessories	106
MC Accessories	108
MS Accessories	118
Product Info	122

About ICS

The First Manufacture to Produce AEG In Taiwan


Everyone wants to be the winner in battlefields wherever it is in real life or just a game, and the gun in each fighter's hands plays an important role which determines who is on the winning side. The exterior of a gun is obvious: receivers, sights, and barrels. However, the inside of an ICS AEG is a symphony composed by more than 400 parts that go through around 20 types of precision machinery processes by our uncompromised team works. The inner beauty of the ICS AEG is our passion, efforts, and spirit.

When ICS founder and CEO Mr. Chu entered the airsoft replica market in 1995, ICS was the first AEG company specializing in designing and manufacturing in Taiwan. As a professional AEG brand, "highly innovative, highly efficient, and high quality" is the principle of our enterprise, and we insist upon eliminating defective part from the factories, making no mistake on the production line, and releasing no defective product to the market. In 2014, ICS received certificate of quality ISO 9001.

Thus, ICS is not only successfully earning the acknowledgment from our customers around the world, but also leading the AEG industry of Taiwan to enter the global market.

To outstand from the competitors, ICS has a strong R&D team which consists of professionals from 16 different industries. We constantly devote efforts into product design while obtaining patents for our designs and authorizations from firearm companies to provide excellent user's experiences, and to ensure the satisfaction from our customers. This is the mission of ICS: "Innovation, Competition, and Satisfaction."

ICS, The Best Thing We Create.





UNIVERSO SNIPER
AIRSOFT



ICS Precision Workmanship


ICS invests in high precision CNC machines in order to produce high quality metal components such as receivers, RAS/RIS handguard, tactical rails and gearbox. All CNC machining components provide extremely realistic appearances as the real firearms. Even military standard 7075 aluminum can be processed for OEM customers.



ICS Exclusive Realistic Design


1. QD Receiver & Split Gearbox 快拆槍身及分離式齒輪箱

The ICS quick disassembling receivers and the split gearbox simulate real firearms, which enable an easier access to upgrade, battlefield maintain, and trouble shooting.



2. Wire-In Stock Tube 後出線電池桿托

Newly designed CS4 stock tube hides the power wire/cables to offer more space for batteries.



3. Ergonomic Design 人體工學設計

Human engineering designed parts, such as NM4 pistol grip and MTR stock, are easy to use, providing more comfort for long patrol mission, and more grip control for intensive combat situation.



4. Advanced Upgrade Parts 高階零件升級

The upgrade parts, including MIM high torque gears, reinforced POM piston, oversized aluminum piston head, and full capacity cylinder, provide the outstanding performance for advanced players.



CXP

Born for Combat with all Terrain

輕鬆掌握全地形的作戰模式

SERIES

Evolution !

ICS focuses on innovation and development to create the CXP-APE. Versatile and user-friendly rifle with simple design. Players can overcome all terrain combat easily.

The new five-position Keymod is superior to adapt for rails. The folding stock as the CXP-APE has ergonomic design, cheek rest is adjustable for height and fore/aft positions, and better stability & accuracy by rubber butt-pad. The CXP-APE will bring you a whole new experience!!

UNIVERSO SNIPER
AIRSOFT

Photography by Walter Sidas of Airsoft Insider Magazine

Patents acquired: US D607,078 S / US D706,879 S / US D706,880 S / US D721,407 S / US D733,223 S
D 124836 / D160112 / D 159178 / D 169080 / D 169081 / M 351340 / M 480664
ZL 200730331142.7 / ZL 200820137077.3 / 002246579-0001 / 002509737-0001



* 圖片僅供參考，不包含圖示配件
* Photo for reference only. Not include the gun accessories.

CXP-APE

IMD-230-1 CXP-APE Two-Tone Proline

SF1 Stock / SF1 戰術伸縮托 金屬版



Split Gearbox



EBB System



Situation Flexible 1 Stock



Newly Designed Flash Hider



3-Way Magazine Release



Quick-Detach Barrel System



Install the Battery in SF1 Stock

CXP-APE




ICS-231 CXP-APE R Proline
SF1 Stock / SF1 戰術伸縮托 金屬版

IMD-231-1 CXP-APE R Two-Tone Proline
SF1 Stock / SF1 戰術伸縮托 金屬版

ICS-231



IMD-230-1



IMD-231-1



Length/Retractable	895/827 (mm)	784/716 (mm)	895/827 (mm)
Barrel length (mm)	375	263	375
Muzzle velocity	114-133 m/s (374-436fps) ※	115-130 m/s (377-427fps) ※	114-133 m/s (374-436fps) ※
Weight (g)	3000	2900	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector
Mag. capacity	300	300	300
Spring	M120	M120	M120
Material	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

CXP-APE



ICS-230 CXP-APE Proline

SF1 Stock / SF1 戰術伸縮托 金屬版

IMT-230-1 CXP-APE Tan Proline




SF1 Stock / SF1 戰術伸縮托 金屬版

IMT-231-1 CXP-APE R Tan Proline

SF1 Stock / SF1 戰術伸縮托 金屬版

UNIVERSO SNIPER
AIRSOFT



	ICS-230 	IMT-230-1 	IMT-231-1 
Length/Retractable	784/716 (mm)	784/716 (mm)	895/827 (mm)
Barrel length (mm)	263	263	375
Muzzle velocity	115-130 m/s (377-427fps) ※	115-130 m/s (377-427fps) ※	114-133 m/s (374-436fps) ※
Weight (g)	2900	2900	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector
Mag. capacity	300	300	300
Spring	M120	M120	M120
Material	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

EXR-HOG



UNIVERSO SNIPER
AIRSOFT




Photography by Team GOTAC from Chile

CXP-HOG TUBULAR

ICS-275 CXP-HOG Tubular L SR Proline

UKSR Stock / UKSR 狙擊托 金屬版



EBB System




UKSR Sniper Stock



ICS-274



ICS-275



Length/Retractable	910/880 (mm)	925/895 (mm)
Barrel length (mm)	375	375
Muzzle velocity	123-134 m/s (404-440 FPS) ※	121-134 m/s (397-440 FPS) ※
Weight (g)	3300	3300
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long



※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/ requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

ICS-274 CXP-HOG Tubular SR Proline

UKSR Stock / UKSR 狙擊托 金屬版





CXP-HOG TUBULAR

後出線版本

REAR WIRED

ICS-380 CXP-HOG Tubular SD MTR Proline

MTR Stock / CXP-HOG 圓管護木 SD MTR 托



後出線版本

REAR WIRED

ICS-383 CXP-HOG Tubular SSD MTR Proline


MTR Stock / CXP-HOG 圓管護木 SSD MTR 托



■ ICS-380



■ ICS-383



Length/Retractable	880/800(mm)	800/720 (mm)
Barrel length (mm)	375	303
Muzzle velocity	120-138 m/s (394-453 FPS) ※	113-130 m/s (371-427 FPS) ※
Weight (g)	2860	2690
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 - Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 - Below 100 m/s (328 FPS): Italy
 - Below 95 m/s (312 FPS): Japan
 - Below 45 m/s (148 FPS): Korea



CXP-HOG TUBULAR

後出線版本

REAR WIRED

ICS-381 CXP-HOG Tubular SD S1 Proline

MTR S1 Stock / CXP-HOG 圓管護木 SD MTR S1 托


後出線版本

REAR WIRED

ICS-382 CXP-HOG Tubular SD SR Proline

UKSR Stock / CXP-HOG 圓管護木 SD UKSR 托

■ ICS-381 

■ ICS-382 

Length/Retractable	900/810 (mm)	910/880 (mm)
Barrel length (mm)	375	375
Muzzle velocity	120-138 m/s (394-453 FPS) ※	120-138 m/s (394-453 FPS) ※
Weight (g)	2920	3300
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



CXP-HOG QRS

前出線版本

FRONT WIRED

ICS-272 CXP-HOG QRS Proline

QRS Stock / QRS 戰術伸縮托 金屬版



UNIVERSO SUPER AIRSOFT



前出線版本

FRONT WIRED

IMT-272-1 CXP-HOG QRS Tan Proline

QRS Stock / QRS 戰術伸縮托 金屬版



■ ICS-272

■ IMT-272-1



Length/Retractable	775/675 (mm)
Barrel length (mm)	263
Muzzle velocity	115-130 m/s (377-427 FPS) ※
Weight (g)	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	300
Spring	M120
Material	Full metal
Motor axle	Long

※NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



CXP-HOG MTR

前出線版本

FRONT WIRED

ICS-270 CXP-HOG Proline

MTR Stock / MTR 戰術伸縮托 金屬版

後出線版本

REAR WIRED

ICS-271 CXP-HOG MTR Stock



前出線版本

FRONT WIRED

IMT-270-1 CXP-HOG Tan Proline

MTR Stock / MTR 戰術伸縮托 金屬版

後出線版本

REAR WIRED

IMT-271-1 CXP-HOG Tan MTR Stock



ICS-270

IMT-270-1



ICS-271

IMT-271-1



Length/Retractable	795/700 (mm)	795/700 (mm)
Barrel length (mm)	263	263
Muzzle velocity	115-130 m/s (377-427 FPS) ※	115-130 m/s (377-427 FPS) ※
Weight (g)	3000	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

CXP-UK1 SERIES

UNIVERSO SNIPER
AIRSOFT



TAIWAN
EXCELLENCE
2017

The CXP-UK1 comes standard with an ICS POM reinforced piston, metal H-up unit and a reinforced pinion and bevel gears via MIM process. These enhancements make it one of the most durable AEGs out of the box. The receiver pins have tracks on them keeping them attached to the lower receiver when disassembling the gun. The gun also has an ambidextrous charging handle allowing both right handed and left handed shooters to be comfortable. The selector switch also releases the spring tension when moving to the safety position - another feature that will prolong the life of your gun.

Photography by Section8 Ricky

CXP-UK1


後出線版本

REAR WIRED

ICS-268 CXP-UK1 S1 Proline

MTR S1 Stock / MTR S1 戰術伸縮托 金屬版

NEW



MTR S1 Stock



Ultra slim lightweight UK1 handguard with keymod system



後出線版本

REAR WIRED

ICS-267 CXP-UK1R SR Proline

UKSR Stock / 狙擊托 金屬版

NEW

■ ICS-267

■ ICS-268

Length/Retractable	925/895 (mm)	820/725 (mm)
Barrel length (mm)	375	263
Muzzle velocity	121-142 m/s (397-466 FPS) ※	117-135 m/s (384-443 FPS) ※
Weight (g)	3380	2800
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long



New EBB reinforced split gearbox



Reinforced MIM bevel and pinion gear



UKSR Sniper Stock



TAIWAN
EXCELLENCE
2017



後出線版本

REAR WIRED

ICS-264 CXP-UK1 Proline

MTR Stock / 戰術伸縮托 金屬版

前出線版本

FRONT WIRED

ICS-260 CXP-UK1

MTR Stock



後出線版本

REAR WIRED

IMT-264-1 CXP-UK1 Proline

MTR Stock / MTR 戰術伸縮托 金屬版



前出線版本

FRONT WIRED

IMT-260-1 CXP-UK1

MTR Stock



ICS-260

IMT-260-1

ICS-264

IMT-264-1

ICS-264C

IMT-264C-1

Length/Retractable	795/700 (mm)	795/700 (mm)	795/700 (mm)
Barrel length (mm)	261	261	263
Muzzle velocity	117-135 m/s (384-443 FPS) ※	117-135 m/s (384-443 FPS) ※	123-133 m/s (404-436 FPS) ※
Weight (g)	2700	2700	2587
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector
Mag. capacity	300	300	300
Spring	M120	M120	M120
Material	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long

※NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea





ICS-264C CXP-UK1 Proline
MTR Stock / 戰術伸縮托 金屬版
COMBINATION GEARBOX



IMT-264C-1 CXP-UK1 Tan Proline
MTR Stock / MTR 戰術伸縮托 金屬版
COMBINATION GEARBOX



後出線版本
REAR WIRED
ICS-265 CXP-UK1R Proline
MTR Stock / 戰術伸縮托 金屬版



後出線版本
REAR WIRED
IMT-265-1 CXP-UK1R Tan Proline
MTR Stock / MTR 戰術伸縮托 金屬版



前出線版本
FRONT WIRED **ICS-261 CXP-UK1R** MTR Stock



前出線版本
FRONT WIRED **IMT-261-1 CXP-UK1R Tan** MTR Stock

UNIVERSO SNIPER
AIRSOFT

	ICS-265 IMT-265-1	ICS-261 IMT-261-1
Length/Retractable	906/811 (mm)	906/811 (mm)
Barrel length (mm)	372	372
Muzzle velocity	121-142 m/s (397-466 FPS) ※	121-142 m/s (397-466 FPS) ※
Weight (g)	2920	2920
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long



※NOTE:
1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

CXP-UK1 CAPTAIN

NEW New Full Metal Compact UK1

UNIVERSO SNIPER
AIRSOFT

The UK1 Captain becomes one of the smallest UK1 variants, and inherits the UK1 series' brilliant pedigree. The free floating Keymod rail handguard is the excellent platform for mounting accessories. The overall small size is just perfect for extremely CQB situations.

Patents acquired: D 169081 / USD 7214075





Front Wired with Battery Box



ICS EBB System

NEW

前出線版本
FRONT WIRED
IMT-263-1 CXP-UK1 Captain Tan Proline



NEW

前出線版本
FRONT WIRED
ICS-263 CXP-UK1 Captain Proline



Realistic Tube with QD Sling Swivel Mount



Steel Crown Flash Hider



Flip-up Front Sight



Ergonomic Pistol Grip

CXP-UK1 CAPTAIN



MTR STOCK

後出線版本
REAR WIRED

NEW ICS-262 CXP-UK1 Captain MTR Proline

MTR Stock / 戰術伸縮托 金屬版

後出線版本
REAR WIRED

NEW IMT-262-1 CXP-UK1 Captain MTR Tan Proline


MTR Stock / 戰術伸縮托 金屬版





New Full Metal Compact UK1


EXP-UK1 CAPTAIN

UNIVERSO SNIPER
AIRSOFT

ICS-263 

IMT-263-1 

ICS-262 

IMT-262-1 

Length/Retractable	512 (mm)	512 (mm)	693/617 (mm)	693/617 (mm)
Barrel length (mm)	186	186	186	186
Muzzle velocity	111-121 m/s (364-397 FPS) ※	111-121 m/s (364-397 FPS) ※	111-121 m/s (364-397 FPS) ※	111-121 m/s (364-397 FPS) ※
Weight (g)	2630	2630	2840	2840
Battery type	11.1V Li-Po	11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector	Small connector
Mag. capacity	300	300	300	300
Spring	M120	M120	M120	M120
Material	Full metal	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

Photography by Daniel Gordillo Vieira

CXP-15

KEYMOD SYSTEM HANDGUARD



ICS-175 CXP-15 K Proline
Crane Stock / 海豹托 金屬版



Keymod System Handguard



Split Gearbox



Spring Release Function



ICS-174 **ICS-175**

Length/Retractable	743/648 (mm)	743/648 (mm)
Barrel length (mm)	200	200
Muzzle velocity	88-103 m/s (289-338 FPS) ※	112-124 m/s (367-407 FPS) ※
Weight (g)	1900	2200
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M100	M120
Material	Engineering plastic	Full metal
Motor axle	Long	Long

運動版系列
SPORTLINE

ICS-174 CXP-15 K Crane Stock



※NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea




ICS-171 CXP-15 K Proline

Keymod System / 金屬版

運動版系列
SPORTLINE**ICS-170 CXP-15 K** Keymod System**ICS-173 CXP-15 Proline**

Pistol / 手槍金屬版

運動版系列
SPORTLINE**ICS-172 CXP-15 K** Pistol / 手槍版

	■ ICS-170 	■ ICS-171 	■ ICS-172 	■ ICS-173 
Length/Retractable	732/642 (mm)	732/642 (mm)	472 (mm)	472 (mm)
Barrel length (mm)	200	200	200	200
Muzzle velocity	88-103 m/s (289-338 FPS) ※	112-124 m/s (367-407 FPS) ※	88-103 m/s (289-338 FPS) ※	112-124 m/s (367-407 FPS) ※
Weight (g)	1800	2100	1600	1900
Battery type	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector	Small connector
Mag. capacity	300	300	300	300
Spring	M100	M120	M100	M120
Material	Engineering plastic	Full metal	Engineering plastic	Full metal
Motor axle	Long	Long	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



CXP-16




ICS-238 CXP-16 L Proline

Crane Stock / 海豹托 金屬長版

IMT-238-1 CXP-16 L Tan Proline

Crane Stock / 海豹托 金屬長版



Length/Retractable	980/885 (mm)	980/885 (mm)
Barrel length (mm)	303	303
Muzzle velocity	116-136 m/s (381-446 FPS) ※	116-136 m/s (381-446 FPS) ※
Weight (g)	3300	3300
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



UNIVERSO AIRSOFT
OSR3NIV

Photography by INS4NEsmilies



CXP-08



SPORTLINE

ICS-160 CXP-08 QRS Stock / 伸縮托

SPORTLINE

IPT-160-1 CXP-08 Tan QRS Stock / 伸縮托



■ ICS-160
■ IPT-160-1

■ ICS-324

Length/Retractable	695/595 (mm)	695/595 (mm)
Barrel length (mm)	200	200
Muzzle velocity	90-104 m/s (295-341 FPS) ※	112-128 m/s (367-420 FPS) ※
Weight (g)	2150	2900
Battery type	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M100	M120
Material	Engineering plastic	Full metal
Motor axle	Long	Long

EBB SYSTEM

ICS-324 CXP-08 EBB QRS Stock / 伸縮托



SPORTLINE
ICS-144 CXP-08 Crane Stock / 海豹托




NEW

EBB SYSTEM




ICS-325 CXP-08 EBB Crane Stock / 海豹托

ICS-144



ICS-325



Length/Retractable	745/650 (mm)	745/650 (mm)
Barrel length (mm)	200	200
Muzzle velocity	90-104 m/s (295-341 FPS) ※	112-128 m/s (367-420 FPS) ※
Weight (g)	2300	2700
Battery type	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	300	300
Spring	M100	M120
Material	Engineering plastic	Full metal
Motor axle	Long	Long

※NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

PAR MK3

捷克血統 原槍工藝
SERIES

The perfect combination of the Czech Republic art and machinery workmanship

UNIVERSO SNIPER
AIRSOFT



PROARMS Armory is an armory manufacturer from the Czech Republic where has exquisite military industry and fine workmanship. The PAR Mk3 is the perfect combination of the Czech Republic art and machinery workmanship. Therefore, ICS and PROARMS Armory work together to acquire the official authority to manufacture the airsoft replica of PAR Mk3. The ICS PAR Mk3 will bring the players to another utmost level of experience.

Authorized by
PROARMS
armory

Proarms Armory Ltd., Czech Republic, and the Proarms logo are registered trademarks of Proarms Armory Ltd., Czech Republic – www.proarms-armory.com – and are used For airsoft replicas under license from Tolmar d.o.o., Slovenia – www.tolmar.biz

Photography by Team GOTAC from Chile

PAR Mk3 MTR SERIES

Patents acquired: US D706,879 S / US D706,880 S / D 159178 / D 160112 / M 480664 / 002246579-0001




*Turn the fire selector to point to the rear for full auto mode.

IMT-291-1 PAR Mk3 MTR Tan Proline
MTR Stock / 戰術伸縮托 標準版



ICS-291 PAR Mk3 MTR Proline
MTR Stock / 戰術伸縮托 標準版



UNIVERSO SNIPER AIRSOFT

1:1 Scale Replica

Liner Appearance



Newly Sesigned Flash Hider



MTR Stock & Battery Stock Tube



EBB System

■ ICS-291
■ IMT-291-1

Length/Retractable	930/835 (mm)
Barrel length (mm)	375
Muzzle velocity	115-135 m/s (377-443 FPS) ※
Weight (g)	3350
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	300
Spring	M120
Material	Full metal
Motor axle	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/ requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

PAR Mk3 MTR SERIES

ICS-290
 ICS-292
 ICS-293

IMT-290-1
 IMT-292-1
 IMT-293-1

Length/Retractable	828/733 (mm)	987/892 (mm)	838/743 (mm)
Barrel length (mm)	263	420	263
Muzzle velocity	115-132 m/s (377-434 FPS) ※	117-138 m/s (385-453 FPS) ※	115-130 m/s (377-427 FPS) ※
Weight (g)	3190	3470	3350
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector
Mag. capacity	300	300	300
Spring	M120	M120	M120
Material	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below.
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



ICS-290 PAR Mk3 C MTR Proline

MTR Stock / 戰術伸縮托 緊緻短管版




ICS-292 PAR Mk3 R MTR Proline

MTR Stock / 戰術伸縮托 步槍長管版



ICS-293 PAR Mk3 CQB MTR Proline

MTR Stock / 戰術伸縮托 城市突擊版



IMT-290-1 PAR Mk3 C MTR Tan Proline

MTR Stock / 戰術伸縮托 緊緻短管版

IMT-292-1 PAR Mk3 R MTR Tan Proline

MTR Stock / 戰術伸縮托 步槍長管版

IMT-293-1 PAR Mk3 CQB MTR Tan Proline

MTR Stock / 戰術伸縮托 城市突擊版



PAR Mk3 CRANE SERIES



UNIVERSO AIRSOFT

IMT-226-1 PAR Mk3 Tan Proline

Crane Stock / 海豹托 標準版

ICS-226 PAR Mk3 Proline

Crane Stock / 海豹托 標準版

IMT-228-1 PAR Mk3 CQB Tan Proline

Crane Stock / 海豹托 城市突擊版

ICS-228 PAR Mk3 CQB Proline

Crane Stock / 海豹托 城市突擊版

PAR Mk3 CRANE SERIES



IMT-225-1 PAR Mk3 C Tan Proline

Crane Stock / 海豹托 緊緻短管版

IMT-227-1 PAR Mk3 R Tan Proline

Crane Stock / 海豹托 步槍長管版

ICS-225

IMT-225-1




ICS-226

IMT-226-1



ICS-227

IMT-227-1



ICS-228

IMT-228-1



Length/Retractable	825/733 (mm)	930/835 (mm)	987/892 (mm)	838/743 (mm)
Barrel length (mm)	263	375	420	263
Muzzle velocity	115-132 m/s (377-434 FPS) ※	115-135 m/s (377-443 FPS) ※	117-138 m/s (385-453 FPS) ※	115-130 m/s (377-427 FPS) ※
Weight (g)	3190	3350	3470	3350
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector	Small connector
Mag. capacity	300	300	300	300
Spring	M120	M120	M120	M120
Material	Full metal	Full metal	Full metal	Full metal
Motor axle	Long	Long	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

PAR MK3 CRANE SERIES



ICS-227 PAR Mk3 R Proline

Crane Stock / 海豹托 長管版

UNIVERSO SNIPER
AIRSOFT

ICS-225 PAR Mk3 C Proline

Crane Stock / 海豹托 緊緻短管版



CS4

SERIES

ICS CS4/CS16 series carries a built-in split gearbox, technology proprietary to ICS, which gives our CS4/CS16 series a more realistic disassembly experience and contributes to ease maintenance.

UNIVERSO SNIPER
AIRSOFT



Photography by 野豬先鋒 from Taiwan


TUBULAR



Patents acquired: US7,077,117 B1 / US 7,971,583 B2 / US D706,880 S / US D706,879 S / ZL 200820137077.3 / 002246579-0001 / D 159178 / D 160112 / M 244431 / M 320468 / M 351340 / M 480664



Considerate Design of Adjustable Rail



Spring imported from the US



High Density Aluminium Extrusion and CNC Milling



Split Gearbox



ICS-220 CS4A1 Tubular R.A.S. L Proline

Retractable Stock / 戰術伸縮托 圓管護木金屬長版

	ICS-220	ICS-322
Length/Retractable	873/778 (mm)	873/778 (mm)
Barrel length (mm)	375	375
Muzzle velocity	115-140 m/s (377-459 FPS) ※	120-138 m/s (394-453 FPS) ※
Weight (g)	2900	3000
Battery type	11.1V Li-Po	11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 - Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 - Below 100 m/s (328 FPS): Italy
 - Below 95 m/s (312 FPS): Japan
 - Below 45 m/s (148 FPS): Korea

EBB SYSTEM ICS-322 CS4A1 Tubular R.A.S. L EBB MTR Stock / MTR 戰術伸縮托



TUBULAR



EBB SYSTEM



ICS-323 CS4A1 Tubular R.A.S. S EBB

MTR Stock / MTR 戰術伸縮托

ICS-221 CS4A1 Tubular R.A.S. S Proline
Retractable Stock / 戰術伸縮托 圓管護木金屬短版




UNIVERSO SNIPER
AIRSOFT

ICS-221



ICS-323



Length/Retractable	873/778 (mm)	873/778 (mm)
Barrel length (mm)	375	375
Muzzle velocity	115-140 m/s (377-459 FPS) ※	120-138 m/s (394-453 FPS) ※
Weight (g)	2850	2950
Battery type	11.1V Li-Po	11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

CS4A1



ICS-20 CS4A1 Proline

Retractable Stock / 戰術伸縮托 金屬版

UNIVERSO SNIPER AIRSOFT



ICS Split Gearbox

ICS-20

ICS-320

Length/Retractable	873/778 (mm)	873/778 (mm)
Barrel length (mm)	375	375
Muzzle velocity	115-140 m/s (377-459 FPS) ※	120-138 m/s (394-453 FPS) ※
Weight (g)	3000	2900
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long



EBB SYSTEM

ICS-320 CS4A1 EBB Retractable Stock / 戰術伸縮托 金屬版

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

CS16A3



ICS-24 CS16A3 Proline

Fixed Stock / 固定托 金屬版

ICS-30 CS16A3 R.A.S. Proline

Fixed Stock / R.A.S. 固定托 金屬版

UNIVERSO SNIPER
UNIVERSO SOFT



ICS-24

ICS-30

Length/Retractable	1025 (mm)	1025 (mm)
Barrel length (mm)	515	515
Muzzle velocity	117-142 m/s (384-466 FPS) ※	117-142 m/s (384-466 FPS) ※
Weight (g)	3370	3750
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

CS4 TACTICAL



戰術系列 · 突擊步槍



ICS-127 CS4 R.I.S. Proline
Crane Stock / 海豹托 金屬版



EBB SYSTEM
ICS-321 CS4 R.I.S. EBB Crane Stock / 海豹托 金屬版

	ICS-127 	ICS-321 
Length/Retractable	815/730 (mm)	815/730 (mm)
Barrel length (mm)	263	263
Muzzle velocity	113-130 m/s (371-427 FPS) ※	116-132 m/s (382-433 FPS) ※
Weight (g)	3000	3250
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Long	Long

※NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



- 運 - 動 - 版 -
- PLASTIC
VERSION -

SPORTLINE

*The same design as metal CS4.
*ICS is able to fulfill your request for the transparent / translucent plastic version of AEGs.

CS4A1



ICS-41 CS4A1 /
Retractable Stock / 伸縮托

ICS-42 CS4A1 /
Fixed Stock / 固定托

R.I.S.

ICS-47 CS4 R.I.S. /
Crane Stock / 海豹托



IPT-047-1 CS4 R.I.S. Tan /
Crane Stock / 海豹托



■ ICS-41 ■ ICS-42 ■ ICS-47 ■ IPT-047-1

Length/Retractable	873/778 (mm)	875 (mm)	815/730 (mm)	815/730 (mm)
Barrel length (mm)	375	375	263	263
Muzzle velocity	95-113 m/s (312-371 FPS) ※	95-113 m/s (312-371 FPS) ※	94-109 m/s (308-358 FPS) ※	94-109 m/s (308-358 FPS) ※
Weight (g)	2500	2700	2500	2500
Battery type	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 7.4V Li-Po	9.6V Ni-Mh or 7.4V Li-Po
Connector size	Small connector	Small connector	Small connector	Small connector
Mag. capacity	300	300	300	300
Spring	M100	M100	M100	M100
Material	Engineering plastic	Engineering plastic	Engineering plastic	Engineering plastic
Motor axle	Long	Long	Long	Long

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/ requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea



UNIVERSO SNIPER
FOSFORO

CS4 / CXP / PAR Mk3 Compatible Parts

Handguard

護木

UK1 Captain Handguard Set L152

UK1 Captain 護木組 L152

NEW MA-354 BK 黑色

NEW MA-355 TAN 沙色



CXP-16 Handguard L220
CXP-16 護木 L220 (短版)

NEW MA-343 BK 黑色

NEW MA-346 TAN 沙色



(Short Version)



(Short Version)

CXP-16 Handguard L318
CXP-16 護木組 L318(長版)

MA-319 BK 黑色

NEW MA-345 TAN 沙色



(Long Version)



(Long Version)

Mk3 Handguard L314
Mk3 護木組 L314

MA-262 BK 黑色

MA-278 TAN 沙色



HOG Handguard Set
HOG 護木組

MA-311 BK 黑色


MA-316 TAN 沙色



Mk3 Handguard L218
Mk3 護木 L218

MA-260 BK 黑色

MA-276 TAN 沙色



Mk3 Handguard L266
Mk3 護木 L266

MA-261 BK 黑色

MA-277 TAN 沙色



UK1R Handguard L320
UK1R 護木 L320
MA-224



UK1R Handguard L320-Tan
UK1R 護木 L320- 沙色
MA-281



UK1 Handguard L230
UK1 護木 L230
MA-222



UK1 Handguard L230-Tan
UK1 護木 L230- 沙色
MA-280



CS4A1 Handguard
CS4A1 護木
MA-06



CS4 CQB R.A.S. Handguard
CS4 CQB R.A.S. 護木
MA-81



CS4 Tubular Handguard
CS4 圓管護木 - 短
MA-183




(Short Ver.)

CS4 Tubular Handguard
CS4 圓管護木 - 長
MA-184



(Long Ver.)

CS16A3 Handguard
CS16A3 護木
MA-65




CS4 R.A.S. Handguard
CS4 R.A.S. 戰術護木
MA-73



CXP-08 Upper Handguard
CXP-08 上護木
MA-98



CS16A3 R.A.S. Handguard
CS16A3 R.A.S. 護木
MA-85



CXP-08 Lower Handguard
CXP-08 下護木
MA-101



R.I.S. Tactical Handguard
R.I.S. 戰術護木組
MA-58



CXP-15 Keymod Handguard
CXP-15 護木組
MA-236



APE Handguard
APE 護木組
MA-301



APE Handguard
APE 護木組 - 沙色
MA-309



UNIVERSO SNIPER
AIRSOFT



Handguard Accessories

護木配件

CS4A1 Delta Ring
CS4A1 護木固定環
MA-33



Delta Ring Wrench Tool
星狀環扳手組
MA-242



CS16A3 Front Handguard Ring
CS16A3 護木固定環
MA-69



APE Handguard Pin
APE 護木插銷
MA-302



CS4A1 Handguard Ring
CS4A1 護木固定環
MA-72



APE Barrel Ring
APE 槍管環
MA-303



CXP-08 Delta Ring
CXP-08 護木固定環
MA-100



HOG Handguard Retainer
HOG 護木固定環
MA-312



CS4A1 Tubular Handguard Delta Ring
星狀環 (圓管護木用)
MA-195



CXP-16 Handguard Retainer
CXP-16 護木定位座
MA-321



Wave Spring
波形彈簧
MA-196



CXP-16 Handguard Rear Retainer
CXP-16 護木後定位座
MA-323



Carrying Handle 提把組

Detachable Carrying Handle
金屬提把組
MA-07



(Metal)

Detachable Carrying Handle
塑膠提把組
MA-135



(Plastic)

Wire Guard Assembly 線槽組

CS4 Wire Guard Assembly
CS4 線槽組
MA-23



UK1/HOG EBB Wire Guard Assembly
UK1/HOG 線槽組
MA-209



Mk3 Wire Guard Assembly
Mk3 線槽組
MA-265



UK1 Wire Guard Assembly
UK1 線槽組
MA-337



(For Combination Gearbox)
(一體式齒輪箱用)

Trigger Guard 護弓

CS4 Trigger Guard
CS4 扳機護弓
MA-24



Enlarged Trigger Guard
加大護弓組
MA-208



(For ICS EBB)
(EBB 用)

Ejection Cover Assembly 防塵蓋

UK1 Ejection Cover Assembly
UK1 槍機防塵蓋
MA-211



CS4 Ejection Cover Assembly
CS4 槍機防塵蓋
MA-42



CXP Keymod Rail Set

CXP Keymod 戰術軌道 - 長

NEW MA-361



(Long Ver.)

CXP Keymod Rail Set
CXP Keymod 戰術軌道 - 中

NEW MA-362



(Medium Ver.)

CXP Keymod Rail Set
CXP Keymod 戰術軌道 - 短

NEW MA-363



(Short Ver.)

Tactical Rail Handguard Panel Set-BK
R.I.S. 戰術護片 - 黑色
MA-52



Tactical Rail Handguard Panel Set-TAN
R.I.S. 戰術護片 - 沙色
MA-177



Keymod Panel (2pcs/set)
Keymod 護片 (2 入)
MA-283



Tactical Rail For Keymod Handguard
Keymod 快拆軌道 - 長
MA-220



(Long Ver.)

Tactical Rail For Keymod Handguard
Keymod 快拆軌道 - 短
MA-221



(Short Ver.)

Keymod Bipod Mount
Keymod 腳架座組
MA-284



CXP-08 Top Rail With Sight Set
CXP-08 規孔軌道組
MA-94



CXP-08 Handguard Tactical Rail Set
CXP-08 下護木軌道組
MA-102



H-up Set H-up 組

CS4 H-up Set
CS4 H-up 組
MA-09



CS4 Metal H-up Set
CS4 金屬 H-up 組
MA-215



(For EBB & CS4)
(EBB & CS4 用)

APE H-up Set
APE H-up 組
MA-296



UK1 H-up Spring
UK1 H-up 定位壓簧
MA-216



APE H-up Spring
APE H-up 定位壓簧
MA-360

NEW



Stock

後托

CXP-08 QRS Stock Patent Acquired: USD6070785 / ZL200730331142.7 / D124836
Crane Stock Patent Acquired: M351340 / ZL200820137077.3



UKSR Precision Adjustable Stock

UKSR 狙擊托

PATENT ACQUIRED: EU-002686238-0001/
TW-D173288/TW-M517320

NEW MA-364

APE Butt Plate
APE 槍托底板
MA-341

NEW



CXP-08 QRS Stock
CXP-08 伸縮托
MA-93



(For AEG)
(AEG 用)

QRS Tactical Retractable Stock
QRS 戰術伸縮托
MA-313 BK 黑色



(For EBB)
(EBB 用)

QRS Tactical Retractable Stock
QRS 戰術伸縮托
MA-317 TAN 沙色



(For EBB)
(EBB 用)

CS4 Stock Adapter
CS4 槍托接頭
MA-27



CS16 Fixed Stock
CS16 固定托
MA-13



APE SF1 Stock
APE SF1 戰術伸縮托
MA-291 BK 黑色



APE SF1 Stock
APE SF1 戰術伸縮托
MA-307 TAN 沙色



MTR Carbine Stock
MTR 戰術伸縮托
MA-189



(W/O Stock Tube)
(不含槍托內管)

MTR Carbine Stock TAN
MTR 戰術伸縮托 - 沙色
MA-282



(W/O Stock Tube)
(不含槍托內管)

CS4 Retractable Stock
(Incl. Stock Tube)
CS4 戰術伸縮托
MA-16 BK 黑色



CS4 Retractable Stock
(Incl. Stock Tube)
CS4 戰術伸縮托
MA-169 TAN 沙色



Crane Stock
海豹托
MA-269 BK 黑色



(W/O Stock Tube)
(不含槍托內管)

Crane Stock
海豹托
MA-279 TAN 沙色



(W/O Stock Tube)
(不含槍托內管)

MTR Carbine Stock
(Incl. Stock Tube)
MTR 戰術伸縮托
MA-188 BK 黑色



Crane Stock
海豹托
MA-168 BK 黑色



(No Battery Function)

Crane Stock
海豹托
MA-147 TAN 沙色



(No Battery Function)

CS4 Stock Tube
CS4 伸縮托固定桿
MA-205



CS4 Stock Tube (Incl. Rear Cover)
CS4 伸縮托固定桿 (加底蓋)
MA-223



EBB Rear Wired Stock Tube Set
EBB 電池托固定桿組
MA-268



Stock Tube Rubber Block (5pcs/Set)
電池托橡膠塊 (5 顆裝)
MA-272



MTR S1 Tactical Retractable Stock
MTR S1 戰術伸縮托
MA-318



(W/O Stock Tube)
(不含槍托內管)

MTR S1 Tactical Retractable Stock
MTR S1 戰術伸縮托
MA-325



(Incl. Stock Tube)
(附槍托固定桿)

Stock Tube & Rear Wired Gearbox Set
電池托套件組
MA-285



(For CXP EBB)
(CXP EBB 用)

UK1 Stock Spacer
UK1 槍托墊片
MA-314



MTR S1 Tactical Retractable Stock Patent Acquired: 002541334-0001 / USD744048S / ZL201430345665.7 / D1531145 / D168410
MTR Carbine Stock Patent Acquired: D160112 / USD706879S

Charging Handle 槍機拉柄

CS4 Charging Handle
CS4 槍機拉柄
MA-30



EBB Ambi-Charging Handle
EBB 連動拉柄組
MA-212



APE Charging Handle
APE 拉柄組
MA-299



APE Charging Handle Assembly
APE 槍機拉柄組
MA-300




Receiver Pin 插銷

CS4 Front Receiver Pin
CS4 前槍身插銷
MA-21



CS4 Rear Receiver Pin
CS4 後槍身插銷
MA-25



Mk3 Rear Receiver Pin
Mk3 後槍身插銷
MA-267



APE Rear Receiver Pin (2pcs/set)
APE 後槍身插銷
MA-290




Switch Assembly 電閘組


CS4 Switch Assembly For Fixed Stock
CS4 固定托電閘組
MA-39



CS4 Switch Assembly For Retractable Stock
CS4 伸縮托電閘組
MA-40



CS4 Power Cord Set (Front Wired)
CS4 伸縮托線材 (前出線)
MA-71



MAR Power Cord Set for Fixed Stock
MAR 固定托線材組
MK-36



Stock Tube & Rear Wired Gearbox Set
電池托套件組
MA-285



(For CXP EBB)
(CXP EBB 用)

UK1 Stock Spacer
UK1 槍托墊片
MA-314



APE Switch Assembly
APE 電閘組
MA-329



UK1 Captain Power Cord Set (Front Wired)
UK1 Captain 前出延長線材組
MA-359

NEW



EBB Rear Wired Switch Assembly (MTR stock)
EBB 後出線電閘組 (MTR 托)
MK-369

NEW



EBB Rear Wired Switch Assembly (Crane stock)
EBB 後出線電閘組 (海豹托)
MK-370

NEW



(Compatible with CS4 Crane Stock Series)
(與 CS4 海豹托共用)



Gearbox

齒輪箱

Patent Acquired: US7077117B1 / M244431 / M480664



UK1 Combination Gearbox
UK1 一體式齒輪箱
MA-192




UK1 Lower Gearbox (Front Wired)
UK1 下齒輪箱 (前出線)
MA-194



Mk3 Lower Gearbox (Rear Wired, for Crane Stock Ver.)
Mk3 下齒輪箱
MA-263



UK1/HOG/Mk3 Lower Gearbox (Rear Wired, for MTR Stock Ver.)
UK1/HOG/Mk3 下齒輪箱 (MTR 電池托用)
MA-273




Lower Gearbox 下齒輪箱

CS4 Lower Gearbox Shell (Empty)
CS4 下齒輪箱 (空)
MA-35



APE Lower Gearbox
APE 下齒輪箱
MA-289



EBB Lower Gearbox Shell (Inc. screws)
EBB 下齒輪箱外殼 (含螺絲)
MA-336



CS4 Lower Gearbox
CS4 原廠下齒輪箱
MA-61



(Front Wired)
(前出線完成品)

CS4 Lower Gearbox
CS4 原廠下齒輪箱
MA-62



(Rear Wired)
(後出線完成品)

Upper Gearbox 上齒輪箱

CS4 Upper Gearbox Shell (Empty)
CS4 上齒輪箱 (空)
MA-34



EBB Upper Gearbox Shell (Inc. screws)
EBB 快拆式上齒輪箱外殼 (含螺絲)
MA-367

NEW



CS4 Standard Upper Gearbox Assembly (M100 Spring)
CS4 原廠上齒輪箱 (M100 彈簧 + 平拍頭)
MA-60



UK1/HOG/Mk3 EBB Upper Gearbox (M120 Spring)
UK1/HOG/Mk3 EBB 上齒輪箱
MA-193



CS4 Standard Upper Gearbox Assembly (M120 Spring)
CS4 原廠上齒輪箱 (M120 彈簧 + 吸排氣頭)
MA-340



APE Upper Gearbox Assembly (M120 Spring)
APE 上齒輪箱
MA-293



Upgrade Gearbox Parts

升級齒輪箱套件

Ver. 2 Metal Spring Guide
二代尾頂桿

MC-43




Aluminum Cylinder & Piston
Head Set (Oversized)
鋁活塞頭組 (加大)

MC-56



Oversized Cylinder (4 holes)
氣缸 (開四孔: 加大)

MC-58



Full Capacity Oversized Cylinder
全氣量加大氣缸

MC-71



Tappet Plate Delayer
上彈偏心軸

MC-102



Piston Head (Oversized)
活塞頭 (加大)

MC-93



Aluminum Cylinder Head (Oversized)
氣缸頭 (加大)

MC-91



Reinforced Upgrade POM Piston (Incl. Slice)
升級強化活塞

MC-170



Reinforced Upgrade Piston Slice
升級強化活塞鋼片

MC-171



Reinforced Upgrade POM
Piston (W/O Slice)
升級強化活塞 (不含鋼片)

MC-172



Upgrade Upper Gearbox A
(M120 Spring, Plastic Piston)
升級上齒輪箱組 -A
(M120 彈簧; 原廠塑膠活塞)

MA-47



Upgrade Upper Gearbox B
(M120 Spring, Aluminum Piston)
升級上齒輪箱組 -B
(M120 彈簧; 鋁活塞)

MA-48



Upgrade Upper Gearbox D
(M120 Spring, Aluminum Cylinder
& Oversized Piston Head, 4 Opening Oversized Cylinder)
升級上齒輪箱組 -D
(M120 彈簧; 加大鋁活塞頭組; 開 4 孔加大氣缸)

MA-54



Upgrade Upper Gearbox F
(M120 Spring, Aluminum Cylinder
& Oversized Piston Head, Full Capacity Oversized Cylinder)
升級上齒輪箱組 -F
(M120 彈簧; 加大鋁活塞頭組; 全氣量加大氣缸)

MA-56



Upper Receiver

上槍身

CS4 Metal Upper Receiver
CS4 金屬上槍身

MA-31 BK 黑色
MA-174 TAN 沙色



CS4 Metal Upper Receiver Assembly
CS4 金屬上槍身組

MA-249



Mk3 Upper Receiver Assembly
Mk3 上槍身組

MA-255 BK 黑色
MA-274 TAN 沙色



APE Upper Receiver Set
APE 上槍身

MA-297 BK 黑色
MA-308 TAN 沙色



HOG Upper Receiver Assembly
HOG 上槍身組

MA-310 BK 黑色
MA-315 TAN 沙色



CXP-15 Reinforced Plastic Upper Receiver
CXP-15 塑膠上槍身

MA-248



CXP-16 Upper Receiver Assembly
CXP-16 上槍身組

MA-320 BK 黑色
MA-347 TAN 沙色



CXP-16 Plastic Upper Receiver Assembly
CXP-16 塑膠上槍身組

NEW **MA-348** BK 黑色
NEW **MA-349** TAN 沙色



UK1 Upper Receiver Set
UK1 上槍身組

MA-330



(For Integrated Gearbox)
(一體式齒輪箱用)

UK1 Upper Receiver Assembly
UK1 上槍身組

MA-210 BK 黑色
MA-252 TAN 沙色



UK1 Upper Receiver Assembly(Incl. Charging Handle)
UK1 上槍身組 (含拉柄)

MA-250 BK 黑色
MA-251 TAN 沙色



UNIVERSO SNIPER
AIRSOFT

Lower Receiver 下槍身

CS4 Metal Lower Receiver
CS4 金屬下槍身

MA-28B BK 黑色
MA-173 TAN 沙色



CXP Metal Lower Receiver
CXP 金屬下槍身

MA-28F BK 黑色
MA-247 TAN 沙色



UK1/HOG EBB Metal Lower Receiver
UK1/HOG EBB 金屬下槍身組

MA-207 BK 黑色
MA-253 TAN 沙色



Mk3 Lower Receiver Assembly
Mk3 下槍身組

MA-264 BK 黑色
MA-275 TAN 沙色



APE Lower Receiver Assembly
APE 下槍身組

MA-286 BK 黑色
MA-305 TAN 沙色



UK1 Lower Receiver Set
UK1 下槍身組

MA-334



CXP Plastic Lower Receiver Assembly
CXP 塑膠下槍身組

NEW MA-350 BK 黑色
NEW MA-351 TAN 沙色



(For Integrated Gearbox)
(一體式齒輪箱用)

Receiver Set 槍身組

CS4 Upper & Lower Receiver Set (Sportline)
CS4 塑膠上下槍身

MA-140 BK 黑色
MA-227 TAN 沙色



CXP Upper & Lower Receiver Set (Sportline)
CXP 塑膠上下槍身

MA-145 BK 黑色
MA-206 TAN 沙色



UK1 Receiver Set for ICS-264C
UK1 一體式槍身

MA-191



UK1 Upper & Lower Receiver Assembly-TAN
UK1 金屬上下槍身組 - 沙色

MA-254



UNIVERSO SNIPERS
UNIVERSO SNIPERS



T Tactical Magazine T 戰術彈匣系列

Product Features

- Medium capacity and silenced design satisfy players needs for quiet motion in the battlefield.
- Screwless design allows fast assembly / disassembly.
- Compatible with CS4, CXP, AAR and L85/86 series. Available for both single package and 6 pieces per box.



T Tactical Hi-cap Magazine (300 Rounds) T 戰術大容量彈匣 (300 發)

BK 黑色

MA-186 1 入裝 / 1pc

MA-243 6 入裝 / 6pcs/box

TAN 沙色

MA-240 1 入裝 / 1pc

MA-245 6 入裝 / 6pcs/box

T Tactical Mid-cap Magazine (180 Rounds) T 戰術靜音彈匣 (180 發)

BK 黑色

MA-228 1 入裝 / 1pc

MA-232 6 入裝 / 6pcs/box

TAN 沙色

MA-229 1 入裝 / 1pc

MA-233 6 入裝 / 6pcs/box

T Tactical Low-cap Magazine (45 Rounds) T 戰術靜音彈匣 (45 發)

BK 黑色

MA-187 1 入裝 / 1pc

MA-244 6 入裝 / 6pcs/box

TAN 沙色

MA-241 1 入裝 / 1pc

MA-246 6 入裝 / 6pcs/box



Others 彈匣配件

CS4/CS16 Magazine Clamp
CS4/CS16 彈匣連結器

MA-08



CS4 Ready Magazine System
CS4 彈匣預備槽

MA-20



CS4/CS16 Magazine Spring
CS4/CS16 彈匣發條彈簧片

MA-44



CS4/EBB Magazine Catch Set
CS4/EBB 彈匣卡榫

MA-22



Mk3 Magazine Catch Set
Mk3 彈匣卡榫組

MA-266



APE Magazine Catch Set
APE 彈匣卡榫組

MA-287



Metal Magazine

金屬彈匣

Metal Hi-cap Magazine (450 Rounds)
金屬高容量彈匣 (450 發)

MA-04 1 入裝 / 1pc

MA-153 6 入裝 / 6pcs/box

Metal Mid-cap Magazine (180 Rounds)
金屬靜音彈匣 (180 發)

MA-230 1 入裝 / 1pc

MA-234 6 入裝 / 6pcs/box

Metal Low-cap Magazine (45 Rounds)
金屬靜音彈匣 (45 發)

MA-152 1 入裝 / 1pc

MA-154 6 入裝 / 6pcs/box

Metal Hi-cap Magazine (450 Rounds)
金屬高容量彈匣 (450 發)

MA-170 1 入裝 / 1pc

Metal Mid-cap Magazine (180 Rounds)
金屬靜音彈匣 (180 發)

MA-231 1 入裝 / 1pc

MA-235 6 入裝 / 6pcs/box

Metal Hi-cap Short Magazine (170 rounds)
金屬高容量短彈匣 (170 發)

NEW MA-352 1 入裝 / 1pc



Black
黑色



Tan
沙色



Black
黑色

Canada C7 Magazine

加拿大 C7 彈匣

Canada C7 Hi-cap Magazine (300 Rounds)
加拿大 C7 高容量彈匣 (300 發)

MA-92 1 入裝 / 1pc

MA-156 6 入裝 / 6pcs/box

Black
黑色



Canada C7 Hi-cap Magazine (300 Rounds)
加拿大 C7 高容量彈匣 (300 發)

MA-171 1 入裝 / 1pc

Tan
沙色



T4 Tactical Magazine

T4 戰術彈匣

T4 Tactical Hi-cap Magazine (300 Rounds)
T4 戰術高容量彈匣 (300 發)

MA-148 1 入裝 / 1pc

MA-150 6 入裝 / 6pcs/box

Black
黑色



T4 Tactical Low-cap Magazine (45 Rounds)
T4 戰術靜音彈匣 (45 發)

MA-151 6 入裝 / 6pcs/box

T4 Tactical Hi-cap Magazine (300 Rounds)
T4 戰術高容量彈匣 (300 發)

MA-328 6 入裝 / 6pcs/box

Tan
沙色



QD Suppressor

滅音管

MA-18
(長版 / Long Version)



MA-19
(短版 / Short Version)

MA-175 (TAN)
(長版 / Long Version)



Front / Rear Sight

準星 / 照門

CS4 QCB Front Sight Base
CS4 QCB 前準星鏡座
MA-87



CXP-08 Front Sight Base
CXP-08 準星座
MA-97



Filp-up Rear Sight
簡易式照門
MA-17



CS4 Rear Sight Set
CS4 快瞄鏡孔組
MA-136



CXP Front Flip-Up Sight
CXP 彈跳式準星組
MA-160 BK 黑色
MA-162 TAN 沙色



CXP Rear Flip-Up Sight-BK
CXP 彈跳式快瞄鏡孔組
MA-161 BK 黑色
MA-163 TAN 沙色



CS4 Rear Sight Set
CS4 鏡孔組
MA-132



CS4 Folding Front Sight
CS4 前準星座組
MA-80



CS4 Front Sight Set
CS4 前準星組
MA-32



CS4/CS16 Front Sight Set(Incl. Sling)
CS4/CS16 前準星組 (含槍背帶環)
MA-67



APE Front Sight Set
APE 準星組
MA-298



UK1 Captain Front Sight Set
UK1 準星組
MA-353



Flash Hider 防火帽

CS4/CS16 Birdcage
Flash Hider
CS4/CS16 制式防火帽
MA-02



C15 Flash Hider
C15 防火帽
MA-03



CXP-08 Flash Hider
CXP-08 防火帽
MA-96



CS4 Plastic Red Flash Hider
CS4 塑膠紅頭防火帽
MA-326



UK1 Plastic Red Flash Hider
UK1 塑膠紅頭防火帽
MA-327



Raider Flash Hider
突擊兵防火帽
MA-331



UK1 Flash Hider
UK1 防火帽
MA-219



Crown Flash Hider
鋼製皇冠防火帽
MA-356



Sling Swivel 背帶扣環

CS4 Front Sling Swivel Set
CS4 槍背帶扣環組
MA-05



CS4 Front Sling Swivel
CS4 快拆槍背帶扣環
MA-182



Sling Swivel Set For M1913 Rail System
CS4 前快拆槍背帶扣
MA-84



QD Sling Swivel
快拆槍背帶扣
MC-173



CXP-08 Front Sling Swivel
CXP-08 前槍背帶固定扣
MA-95



CS4 CQB Receiver End Cap
CS4 CQB 槍身後蓋組
MA-86



CS4 Sling Swivel For Retractable Stock
CS4 快拆伸縮托背帶扣環
MA-89



CS4 Sling Swivel For Folding Stock
CS4 折疊托背帶扣環
MA-90



CXP Ambidextrous Steel Sling Swivel
CXP 戰術背帶環
MA-164



CS4 Ambidextrous Steel Sling Swivel
CS4 戰術背帶環
MA-165



CXP-08 Cap For Front Sling Swivel (5pcs/Set)
CXP-08 前槍背帶固定扣螺帽 (5入)
MA-199



Outer Barrel 槍管組

CS4A1 Reinforced Outer
Barrel Set
CS4A1 槍管組
MA-10



CS16A3 Outer Barrel Set
CS16A3 槍管組
MA-68



CS4 CQB Reinforced Outer
Barrel Set
CS4 CQB 槍管
MA-83



CXP-08 Outer Barrel Set
CXP-08 槍管組
MA-99



CS4 Commando Reinforced
Outer Barrel Set
CS4 Commando 槍管
MA-131




UK1/HOG Reinforced Outer Barrel Set
UK1/HOG 槍管組
MA-217 (10.5")
MA-225 (14")



CXP-15 Outer Barrel Set
CXP-15 槍管組
MA-237 (Metal)
MA-238 (Plastic)



Mk3/CXP-APE Outer Barrel Set
Mk3/CXP-APE 槍管組
MA-256 (10.5")
MA-257 (14.5")
MA-258 (16.75")
*MA-258 is only for PAR Mk3



CXP-16 Outer Barrel Set
CXP-16 槍管組
MA-322 (11.8")



CXP-15 Outer Barrel Set (7.8")
CXP-15 槍管組 (7.8")
MA-342



UK1 Reinforced Outer Barrel Set (7")
UK1 槍管組 (7")
MA-357



UK1 Outer Barrel Adapter
UK1 金屬槍管後段
MA-239



UK1/HOG Gas Tube Retainer Set
UK1/HOG 瓦斯管座
MA-218



Mk3 Gas Block
Mk3 瓦斯管座
MA-259



APE Gas Block
APE 瓦斯管座
MA-304



Grip

握把

CS4 Pistol Grip
CS4 握把
MA-37



(For AEG)
(AEG 用)

CS4 MTS Tactical Grip
CS4 MTS 戰術握把
MA-137 BK 黑色



(For AEG)
(AEG 用)

UK1 Tactical Grip
UK1 戰術握把
MA-190 BK 黑色



(For EBB)
(EBB 用)

APE Pistol Grip
APE 握把
MA-288 BK 黑色



Bipod Foregrip
腳架握把
MA-79 BK 黑色



UK1 MTS Tactical Grip
UK1 MTS 戰術握把
MA-333



(For EBB)
(EBB 用)

CS4 MTS Tactical Grip
CS4 MTS 戰術握把
MA-167 TAN 沙色




(For AEG)
(AEG 用)

UK1 Tactical Grip
UK1 戰術握把
MA-271 TAN 沙色



(For EBB)
(EBB 用)

APE Pistol Grip
APE 握把
MA-306 TAN 沙色



Bipod Foregrip
腳架握把
MA-176 TAN 沙色



CS4 Grip Butt Cap
CS4 握把底蓋
MA-36



UK1 Tactical Grip Butt Cap
UK1 戰術握把底蓋
MA-270



CS4 MTS Tactical Grip Butt Cap
CS4 MTS 戰術握把底蓋
MA-365 BK 黑色



CS4 MTS Tactical Grip Butt Cap
CS4 MTS 戰術握把底蓋
MA-366 TAN 沙色



CS4 Anti-Reversal Lever
CS4 止逆轉釋放連桿

MA-14



CS4/CS16/CXP Switch Plate
電開組開關片

MA-45



Metal Switch Plate
金屬電開組開關片

MA-338



CS4 Gearbox Screw Set
CS4 齒輪箱螺絲組

MA-139



CS4 Gearbox Screw Set (New Version)
CS4 齒輪箱螺絲組 (新版)

MA-185




CS4 Trigger
CS4 扳機

MA-57




CS4 Forward Assist Assembly
CS4 槍機助進器

MA-41



CS4 Selector Lever Set
CS4 選擇鈕套件

MA-51



CS4 Motor Spacer
CS4 馬達墊片

MA-63



CS4 CQB Battery Box
CS4 CQB 外掛電池組

MA-82



CS4/CXP EBB QD Spring Guide
CS4/CXP EBB 齒輪箱用快拆式尾頂桿

MA-332



UK1 Captain Receiver Extension Tube
UK1 Captain 槍身尾桿組

MA-358



APE Nozzle
APE 推彈套筒

MA-295



CES/CS4 Nozzle
CES/CS4 推彈套筒

MP-23



CS4/CES Metal Air Nozzle
CS4/CES 金屬推彈套筒

MA-344



UK1/HOG Decorated Bolt Cover Set
UK1/HOG 退彈口飾片組

MA-213



UK1/HOG Bolt Cover Spring
UK1/HOG 飾片彈簧

MA-214



APE Decorated Bolt Cover Set
APE 退彈口飾片組

MA-294



APE Stock Button
APE 槍托壓鈕

MA-292



Ver.2 Metal Spring Guide
二代尾頂桿

MC-43



CS4/CES Cut-Off Lever
CS4/CES 單連發控制桿

MC-20



MAR

高環境適性步槍
SERIES

With the perfect metal body, excellent performance and characteristics found in all ICS products, the ICS MAR displays the beauty of the legend.

The ICS MAR series features full metal construction including the receivers, outer barrel, front and rear sights, sling mounts, mag release, front barrel assembly, flash hider, and charging handle,....etc.

The MAR series is durable and realistic. It comes with unique serial number and steel bushing in a compact design.

UNIVERSO SNIPER
AIRSOFT





ICS-36 MAR Proline

Fixed Stock / 木紋固定托金屬版



NEW

ICS-37 MAR SN Proline


Folding Stock / 折疊托金屬版

UNIVERSO SNIPER
AIRSOFT

ICS-36



ICS-37



Length/Retractable	960 (mm)	960/715 (mm)
Barrel length (mm)	458	458
Muzzle velocity	115-137 m/s (377-449 FPS) ※	122-137 m/s (400-449 FPS) ※
Weight (g)	3314	3100
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	550	550
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Short	Short



※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

MAR S 俄羅斯聯邦制式步槍



Front Sight Set



Realistic Handguard Disassembly Design



Stamping Made Receiver



Adjustable H-up



ICS-34 MAR SU Proline
Folding Stock / 折疊托金屬版

UNIVERSO SNIPER
AIRSOFT



Real Gun Design, Dewaxing Processes MAR SU / MAR M



Steel Plate Made Receiver



Real Steel Welding Look & Easy to Change to MAR M Stock

MAR SU / MAR M

俄羅斯聯邦制式步槍



ICS-32 MAR R.A.S. Proline




Fixed Stock / 固定托金屬版



ICS-35 MAR M Proline

Folding Stock / 折疊托金屬版

UNIVERSO SNIPER
AIRSOFT

	ICS-32 	ICS-34 	ICS-35 
Length/Retractable	965 (mm)	745/510 (mm)	964/714 (mm)
Barrel length (mm)	458	263	458
Muzzle velocity	115-137 m/s (377-449 FPS) ※	115-134 m/s (377-440 FPS) ※	115-137 m/s (377-449 FPS) ※
Weight (g)	3200	2700	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector
Mag. capacity	550	550	550
Spring	M120	M120	M120
Material	Full metal	Full metal	Full metal
Motor axle	Short	Short	Short

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 - Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 - Below 100 m/s (328 FPS): Italy
 - Below 95 m/s (312 FPS): Japan
 - Below 45 m/s (148 FPS): Korea

MAR SERIES

Compatible Parts

Gearbox

齒輪箱

MAR Gearbox Assembly MAR 齒輪箱 (後出線完成品) MK-44



MAR Gearbox Shell (Empty)
MAR 齒輪箱 (空)
MK-26



M3/MAR Gearbox Spacer Plate
M3/MAR 齒輪箱固定片
MK-27



MAR Plastic Spring Guid
MAR 塑膠尾頂桿
MK-28



Ver.3 Tappet Plate
撥彈連桿
MK-29



MAR Switch Plate
MAR 電閘開關片
MK-30




MAR Switch Copper Plate
MAR 電閘開關銅片
MK-31



MAR Switch Assembly
MAR 電閘組線材
MK-32



MAR Power Cord Set for Fixed Stock
MAR 固定托線材組
MK-36



Sector Gear Cover
3 號齒輪外蓋
MK-37



(Compatible with CS4 Crane Stock Series)
(與 CS4 海豹托共用)

MAR Motor Case
MAR 馬達座組
MK-39



MAR Gearbox Screw Set
MAR 齒輪箱螺絲組
MK-40



MAR Gearbox Spring Set
MAR 齒輪箱彈簧組
MK-41



CES/MAR Anti-Reversal Latch
CES/MAR 止逆轉組
MC-60



MAR Cut-off Lever
MAR 單連發控制桿
MK-33



MAR Trigger Plate
MAR 射擊連動片
MK-43



MAR Selector Plate
MAR 選擇片
MK-53



MAR M/MAR SU Gearbox Assembly
MAR M/MAR SU 齒輪箱 (前出線完成品)
MK-89

Receiver 槍身

MAR Upper Receiver Cover
MAR 有肋機匣蓋

MK-19



MAR Flat Upper Receiver Cover
MAR 無肋機匣蓋

MK-45



MAR SU Upper Receiver Cover
MAR SU 視孔機匣組

MK-66



MAR Charging Handle Set
MAR 槍機拉柄組

MK-18



MAR M/MAR SU Charging Handle
MAR M/MAR SU 槍機拉柄組

MK-69



MAR Upper Receiver Button
MAR 機匣蓋開關

MK-35



MAR M/MAR SU Battery Base Set
MAR M/MAR SU 電池座

MK-59




MAR Side Mount
MAR 鏡軌座 (2 件)

MK-48



MAR Side Mount
MAR 鏡軌座組 (3 件)

MK-49



MAR Scope Mount Base
MAR 鏡座

MK-50



MAR Receiver Mount
MAR 槍身基座

MK-25



MAR Lower Receiver Set
MAR 槍身組

MK-17



MAR M/MAR SU Receiver Set
MAR M/MAR SU 槍身組

MK-56



MAR M/MAR SU Stock Hook
MAR M/MAR SU 固定勾

MK-70



Barrel 槍管組

MAR Dummy Cleaning Rod
MAR 通槍條

MK-09



MAR Gas Tube Retainer Set
MAR 瓦斯管座

MK-06



MAR Reinforced Outer Barrel
MAR 槍管

MK-10



MAR SU Reinforced Outer Barrel
MAR SU 槍管

MK-65



Handguard

護木

MAR Upper Handguard (Wooden)
MAR 上護木組 (實木)
MK-73



UNIVERSO SNIPER
 AIRSOFT

MAR Lower Handguard
MAR 下護木
MK-02



MAR R.A.S. Tactical Handguard Set
MAR R.A.S. 戰術護木組
MK-47



MAR R.A.S. Tactical Handguard Set
MAR R.A.S. 戰術護木組
MK-51



MAR M Upper Handguard
MAR M 上護木組
MK-54

MAR SU Upper Handguard (Wooden)
MAR SU 上護木組 (實木)
MK-61



MAR SU Lower Handguard (Wooden)
MAR SU 下護木組 (實木)
MK-62



MAR Upper Handguard Lever
MAR 上護木固定鈕組
MK-14

MAR Lower Handguard Ring
MAR 下護木環
MK-05



MAR SU Lower Handguard Ring
MAR SU 下護木環
MK-64



MAR Lower Handguard (Wooden)
MAR 下護木組 (實木)
MK-74

Stock 後托

MAR Fixed Stock (Wooden)
MAR 固定托 (實木)
MK-72



MAR Wooden Stock Kit
MAR 護木固定托組 (實木)
MK-75



MAR Butt Plate
MAR 固定托底板
MK-24



MAR Fixed Stock
MAR 固定托
MK-23



MAR M Folding Stock
MAR M 折疊托
MK-57



MAR SU Triangle Folding Stock
MAR SU 三角折疊托
MK-58



Other 其他

MAR Front Sight
MAR 前準星組

MK-07



MAR Rear Sight Ruler
MAR 規孔表尺組

MK-13



MAR Rear Sight Set
MAR 規孔座組

MK-16



MAR SU Front Sight Set
MAR SU 準星組

MK-60



MAR Grip
MAR 握把

MK-22



MAR Hi-Cap Magazine (550 Rounds)
MAR 高容量彈匣 (550 發)

MK-01 1 入裝 / 1pc

MK-90 6 入裝 / 6pcs/box



MAR Magazine Catch Block
MAR 彈匣卡座

MK-42



MAR M/MAR SU Magazine Mount Set
MAR M/MAR SU 彈匣擋片

MK-71

MAR Trigger Guard
MAR 護弓組

MK-21



MAR Tactical Folding Grip
MAR 戰術折疊握把

MK-52



MAR H-up Set
MAR H-up 組

MK-12



MAR M/MAR SU H-up Set
MAR M/MAR SU H-up 組

MK-55



MAR Fire Select Lever
MAR 射擊選擇桿組

MK-20



MAR Sling Swivel Set
MAR 槍托背帶扣組

MK-46



MAR Trigger Set
MAR 扳機組

MK-34



Flash Hider 防火帽

MAR/MAR M Flash Hider
MAR/MAR M 防火帽

MK-08



MAR SU Flash Hider
MAR SU 防火帽

MK-63



WORLD WAR II

UNIVERSO SNIPER
AIRSOFT

M1 GRAND

As a part of the history and almost 70 years past, people still remember the image that en clips lay down in foxhole, the noise of "Ping" sound, and the smell of 30-06 rounds.

All these combined with courage, honor and discipline had created stories to share. All of these stories build up a role model to follow.

From WWII, Korea to Vietnam, The war has changed, but the spirits are never fade away.

A Legend that ICS shouldn't miss, The M1 Garand.

M3 二戰槍系列 - M3黃油槍 SUBMACHINE GUN

ICS launched the M3 submachine gun (ICS-200) in 2011 which is designed with innovative concept and creative features that give the M3 submachine gun the newest construction and immersive performance.

The player who adores scenes and objects from World War II would enjoy the fun and realistic war effect that offered by the ICS M3 capability.

Photography by Morten Kirsted



Wooden Gun Case



Trophy Mount




Bolt Carrier



Spatial Battery Room



ICS-201L M1 GARAND LIMITED Proline
Fixed Stock / 固定托 8mm 限量特仕紀念版



Realistic Sights & Engraved Serial Number

ICS-201L ICS-202

Length/Retractable	1100 (mm)	1100 (mm)
Barrel length (mm)	610	610
Muzzle velocity	80-87 m/s (262-285 FPS) ※	118-135 m/s (387-443 FPS) ※
Weight (g)	3600	3600
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	25	42
Spring	M120	M120
Material	Metal/Wood	Metal/Wood
Motor axle	Short	Short

ICS-202 M1 GARAND Proline
Fixed Stock / 固定托 6mm 木紋全金屬版



Classic Real Leather Sling



※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea


M1 SERIES

Compatible Parts

Handguard

護木

M1 Stock Set M1 槍托護木組 ME-27



M1 Stock
M1 槍托
ME-03



M1 Cylinder Head (8mm)
M1 氣缸頭 (8mm)
ME-40



M1 Cylinder Head (6mm)
M1 氣缸頭 (6mm)
ME-41

M1 Upper Handguard (Wood, Front)
M1 前段護木
ME-18



M1 Upper Handguard (Wood, Rear)
M1 後段護木
ME-21



M1 Trigger Assembly
M1 扳機組
ME-02



M1 Butt Plate Cover
M1 槍托電池蓋
ME-04

M1 Butt Plate Set
M1 槍托底蓋組
ME-05

M1 Power Cord Set
M1 線材組
ME-06



M1 Charging Handle Rod
M1 拉柄導桿
ME-07

M1 Bolt Carrier Spring
M1 槍機覆進簧
ME-08

M1 Gas Tube Buffer Spring
M1 瓦斯管緩衝壓簧
ME-09

M1 Charging Handle Set
M1 槍機拉柄組
ME-10

M1 Gearbox Set
M1 齒輪箱組
ME-11 (6mm)
ME-32 (8mm)

M1 Outer Barrel
M1 槍管組
ME-12 (6mm)
ME-36 (8mm)



M1 H-up Spring
M1 H-up 壓簧
ME-13



M1 H-up Set
M1 H-up 組
ME-14 (6mm)
ME-33 (8mm)



M1 Bolt Carrier
M1 槍機蓋板
ME-15



M1 Receiver
M1 上槍機室組
ME-16




M1 Gas Tube (Front)
M1 前槍管組
ME-17




M1 Sling Swivel & Handguard Ring
M1 護木固定環組
ME-19



M1 Front Sight
M1 準星組
ME-20



M1 Handguard Bracket
M1 護木定位片
ME-22



M1 Charging Handle Pin
M1 拉柄導桿固定銷
ME-23



M1 Motor Case
M1 馬達固定座組
ME-24



M1 Trigger Contact Switch Assembly (Male)
M1 插板座組
ME-25



M1 Trigger Contact Switch Assembly (Female)
M1 電閘組
ME-26



M1 MOSFET
M1 MOSFET 電閘開關
ME-28



M1 Gearbox (Incl. Bushings)
M1 齒輪箱 - 空 (含軸承)
ME-31



M1 H-up Bucking (8mm)
含彈橡皮 (8mm)
ME-34



M1 Nozzle (6mm)
M1 推彈套筒 (6mm)
ME-30



M1 Nozzle (8mm)
M1 推彈套筒 (8mm)
ME-38



M1 Tappet Plate
M1 撥彈連桿
ME-29 (6mm)
ME-39 (8mm)



M1 Magazine (6mm, 42 Rounds)
M1 彈匣 (6mm, 42 發)
ME-01



M1 Magazine (8mm, 25 Rounds)
M1 彈匣 (8mm, 25 發)
ME-37



M3 SUBMACHINE GUN 二戰槍系列 - M3 黃油槍



Complex Metalline Materials Application



ICS-200 M3 Submachine Gun Proline
Retractable Stock / 伸縮托 金屬版


UNIVERSO SNIPER AIRSOFT



New Developing M3 Gearbox (8mm Metal Bushings)

ICS-200

Length/Retractable	762.5/587 (mm)
Barrel length (mm)	230
Muzzle velocity	115-128 m/s (377-420 FPS) ※
Weight (g)	2045
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	430
Spring	M120
Material	Full metal
Motor axle	Short



Realistic Appearance Details



High Capacity Metal Magazine (430 rounds)



Integrated H-up, Realistic Cocking Handle & Realistic Automatic Firing

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/ requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

M3 SERIES

Compatible Parts

零件

M3 Hi-cap Metal Magazine (430 Rounds)

M3 高容量彈匣 (430 發)

MY-19 1 入裝 / 1pc



M3 Low-cap Magazine (140 Rounds)

M3 靜音彈匣 (140 發)

MY-20 1 入裝 / 1pc

M3 Outer Barrel

M3 槍管

MY-01



M3 H-up Assembly

(Incl. Inner Barrel)

M3 H-up 組

MY-02



M3 H-up Set

M3 H-up 組


MY-03



M3 Standard Gearbox Assembly

M3 齒輪箱 (完成品)

MY-04



M3 Gearbox Shell

M3 齒輪箱 (空)

MY-05



M3 Anti-reversal Latch

M3 止逆轉組 (含彈簧)

MY-06



M3 Safety Linking Plate

M3 保險連動片

MY-07



M3 Motor Spring

M3 馬達調整彈簧

MY-08



M3 Switch Set

M3 電匣組

MY-09



M3 Motor Case

M3 馬達座組

MY-10



M3 Housing Assembly

M3 槍身下蓋組

MY-11



M3 Trigger Guard

M3 扳機護弓

MY-12



M3 Stock Catch Set

M3 槍托配件

MY-13



M3 Metal Receiver (Aluminum)

M3 金屬槍身 (鋁)

MY-14



M3 Magazine Catch Button

M3 退彈卡榫

MY-15



M3 Rear Sight

M3 規孔座

MY-16



M3 Butt Cap

M3 槍身後蓋

MY-17



M3 Stock

M3 槍托

MY-18



UNIVERSO SNIPER
AIRSOFT



UNIVERSO SNIPER
AIRSOFT

Photography by Daniel Gordillo Vieira

英國皇家突擊步槍

L85 / L86 SERIES

ICS, as a world leading AEG manufacturer, is proud to release the L86 A2 LSW following the successful release of the L85 A2 assault rifle. The L86 A2 is designed by ICS dedicated engineering staff that designed and enhanced the L85 A2, and thus has made it the most affordable and outstanding L86 A2 LSW.





Instant Upper and Lower Receiver Assembly / Disassembly



Two Stages Emulated Trigger



Easier to adjust with screwdriver



There are three holes in three different sequences (metal spring guide ML-17)

ICS-86 L86A2 Proline
Fixed Stock / 固定托 金屬版

UNIVERSO SNIPER
AIRSOFT



Detachable and Retractable Sturdy Bipod



The charging handle can be fixed at the rear by pulling it back and raising the charging handle catch



※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

ICS-86 M

Length/Retractable	912.8 (mm)
Barrel length (mm)	610
Muzzle velocity	115-133 m/s (377-436 FPS) ※
Weight (g)	4411
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	450
Spring	M120
Material	Full metal
Motor axle	Short

L85A2

英國皇家突擊步槍

The unique features and innovations make ICS L85 A2 series the excellent AEGs For play and collection.

ICS-85 L85A2 Proline

Fixed Stock / 固定托 金屬版

Comes with instant releasable, stamped steel upper and lower receivers, patented newly designed delayed-action trigger mechanism, the ICS L85 power is off when detaching the upper and lower receivers.

Brand new gearbox set with adjustable spring strength.

UNIVERSO SNIPER
AIRSOFT

L85A2 CARBINE

英國皇家突擊步槍

ICS-87 L85A2 Carbine Proline

Fixed Stock / 固定托 金屬版



	ICS-85	ICS-87
Length/Retractable	786.5 (mm)	740 (mm)
Barrel length (mm)	480	420
Muzzle velocity	116-139 m/s (382-456 FPS) ※	118-136 m/s (387-446 FPS) ※
Weight (g)	3652	3090
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector
Mag. capacity	450	450
Spring	M120	M120
Material	Full metal	Full metal
Motor axle	Short	Long

- ※NOTE:
1. The product specification is for reference only and may be subject to change.
 2. Battery type is recommended, not included.
 3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
 4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



L85 / L86 SERIES Compatible Parts

L85/L86 共用零件系列

L85/L86 Upper Receiver Set L85/L86 上槍身組 ML-13



L85 Lower Receiver Set
L85 下槍身組
ML-09

L86 Lower Receiver Set
L86 下槍身組
ML-45

L85 Flash Hider
L85 防火帽
ML-03



L86 Flash Hider
L86 防火帽
ML-19



L85 Handguard Assembly
L85 護木組
ML-01



L86 Handguard Set
L86 護木組
ML-25



L85A2 Carbine Handguard Set
L85A2 卡賓護木組
ML-36



L85/L86 Front Sight Assembly
L85/L86 準星組
ML-02




L85 Butt Plate Set
L85 槍托組
ML-06



L86 Butt Plate Set
L86 槍托組
ML-23



L85/L86 H-up Set
L85/L86 H-up 組
ML-07



L85/L86 Pistol Grip Set
L85/L86 握把組
ML-10



L86 Foregrip Set
L86 輔助握把組
ML-22



L85/L86 Detachable Carrying
Handle Assembly
L85/L86 提把組
ML-12



L86 Bipod Set
L86 腳架組
ML-24



L85/L86 M1913 21mm Tactical Rail
L85/L86 M1913 21mm 鏡軌座
ML-28



Barrel 槍管組

L85/L86 Gas Tube Set
L85/L86 瓦斯管組

ML-11



L85/L86 Charging Handle Set
L85/L86 槍機拉柄組

ML-15



L85 Outer Barrel Set
L85 槍管組

ML-04



L86 Outer Barrel Set
L86 槍管組

ML-20



L85A2 Carbine Outer Barrel Set
L85A2 卡賓槍管組

ML-34




L85/L86 Gearbox Assembly
L85/L86 齒輪箱 (完成品)

ML-16



L85/L86 Metal Spring Guide
L85/L86 金屬尾頂桿

ML-17



L85/L86 Switch Assembly
L85/L86 電開扳機組

ML-08



L85/L86 Upper Connect Set
L85/L86 上接點組

ML-14



L85/L86 Motor Case
L85/L86 馬達座組

ML-18



L85/L86 Spring Set
L85/L86 彈簧組

ML-32



L85/L86 Receiver Pin
L85/L86 槍身插銷

ML-26



L85/L86 Rear Receiver Pin
L85/L86 後槍身插銷

ML-27




L85/L86 Tappet plate
L85/L86 撥彈連桿

ML-30



L85/L86 Switch Assembly
L85/L86 線材組

ML-37



L85/L86 Metal Nozzle
L85/L86 金屬推彈套筒

ML-38



L85/L86 Anti-Reversal Latch Set
L85/L86 止逆轉組

ML-33



L85/L86 Cheek Rest
L85/L86 貼腮板

ML-39



L85/L86 Fire Selector Set
L85/L86 射擊選擇鈕組

ML-40



L85 Magazine Catch Button
L85 彈匣釋放鈕

ML-41



L85 Cut-off Lever
L85 單發歸位連桿

ML-42

NEW



L85/L86 Gearbox Shell (Inc. screws)
L85/L86 齒輪箱外殼 (含螺絲)

ML-43

NEW



(Incl. Upper Connect Set)
(含電匣上接點組)

AAR

全新 AAR 次世代的戰術版槍型

SERIES

The AAR with SFS (Situation Flexible Stock) has not only a stock folding feature, but also a stock pad of 4 adjustable lengths, and ambidextrous QD sling swivel mounts on both sides.

UNIVERSO SNIPER
UNIVERSO

Photography by courtesy of David McCunnie
resident photographer at Section8
Model: Steven Allan Mcallister

Patents acquired:
US D706,880 S / D 159178 / D 137321 / ZL 201030002113.8 / 002246579-0001





ICS-233 AAR Black Proline

SFS Stock / SFS 狙擊折疊托

(non available in US and Canada)

- Compatible with standard CS4 magazine
- Improved tactical handguard allows more options for tactical setup
- Custom SFS (Situation Flexible Stock)
- Fire selector from either side for action agility and task accomplishment
- Magazine release mechanism

UNIVERSO SIMULAZIONE AIRSOFT



QD Sling Swivel (Not Included)

ICS-234 AAR Tan Proline

SFS Stock / SFS 狙擊折疊托

(non available in US and Canada)

ICS-235 AAR Two-Tone Proline

SFS Stock / SFS 狙擊折疊托

(non available in US and Canada)



- ICS-233
- ICS-234
- ICS-235



Length/Retractable	515/746/795 (mm)
Barrel length (mm)	263
Muzzle velocity	115-134 m/s (377-440 FPS) ※
Weight (g)	2550
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	300
Spring	M120
Material	Engineering plastic
Motor axle	Short

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea



AAR SERIES Compatible Parts

AAR 共用零件系列

**AAR Bolt Release Set
(Non-functional)**
AAR 槍機釋放鈕 (裝飾用)
MH-05



AAR Fire Select Set
AAR 射選連動齒組
MH-06



AAR Gearbox Pin
AAR 齒輪箱固定銷
MH-07



AAR Magazine Catch Button Set
AAR 退彈匣鈕組
MH-09

AAR Magazine Catch Lever Set
AAR 退彈匣旋鈕組
MH-10



AAR Receiver Pin
AAR 槍身插銷組
MH-11



AAR Gearbox Assembly
AAR 齒輪箱組
MH-12



**AAR Stock Mount
(Incl. Sling Swivel)**
AAR 槍托固定座組
MH-15



AAR Front Sight
AAR 準星組
MH-17



AAR Rear Sight Set
AAR 覘孔組
MH-18



AAR H-up Set
AAR H-up 組
MH-19



AAR Outer Barrel Set
AAR 槍管座組
MH-20



AAR Nozzle
AAR 推彈套筒
MH-31



AAR Switch Assembly
AAR 電閘組線材
MH-32



AAR Fire Select Plate
AAR 射選連動片
MH-33



AAR Stock Release Button
AAR 可調式折疊托固定鈕
MH-34



AAR Flash Hider
AAR 防火帽
MH-21



AAR Plastic Red Flash Hider
AAR 塑膠紅頭防火帽
MH-38



AAR Grip Plate
AAR 握把底蓋組
MH-02



AAR Fire Selector
AAR 射擊選擇鈕組
MH-04



Black Series 黑色版

AAR Lower Receiver-BK
AAR 下槍身 - 黑色

MH-01



AAR Magazine Housing Assembly-BK
AAR 槍身下蓋 - 黑色

MH-08



AAR Upper Receiver-BK
AAR 上槍身組 - 黑色

MH-13



AAR Charging Handle Set-BK
AAR 槍機拉柄組 - 黑色

MH-14



SFS Stock Patents acquired: D137321 / ZL201030002113.8



AAR Detachable Carrying Handle-BK
AAR 提把組 - 黑色

MH-16



AAR Handguard-BK
AAR 戰術護木組 - 黑色

MH-22



AAR SFS Stock-BK
AAR 狙擊折疊托組 - 黑色

MH-23



AARF Lightweight Folding Stock
AARF 輕量化折疊托 - 黑色

MH-35



Tan & Two-Tone Series 沙色 & 雙色版

AAR Lower Receiver-TAN
AAR 下槍身 - 沙色

MH-27



AAR Magazine Housing Assembly-TAN
AAR 槍身下蓋 - 沙色

MH-26



AAR Upper Receiver-TAN
AAR 上槍身組 - 沙色

MH-29



AAR Charging Handle Set-TAN
AAR 槍機拉柄組 - 沙色

MH-30



AAR Detachable Carrying Handle-TAN
AAR 提把組 - 沙色

MH-28



AAR Handguard-TAN
AAR 戰術護木組 - 沙色

MH-24



AAR SFS Stock-TAN
AAR 狙擊折疊托組 - 沙色

MH-25



AARF Lightweight Folding Stock-TAN
AARF 輕量化折疊托 - 沙色

MH-36



AARF Lightweight Folding Stock-Two-Tone
AARF 輕量化折疊托 - 雙色

MH-37



CES SERIES

UNIVERSO SNIPER
AIRSOFT

◦ With the latest kits of flash hider, tactical handguard and folding stock etc. combined into the classic CES, ICS creates a brand new modern combat system - CES-MRS. The modular rail system allows multi-kits equipment with invincible performance at battlefield.

Patents acquired: D 137321 / D 168400 / M 351340 / M 320468 / ZL 200820137077.3 / ZL 201030002113.8 / 002527580-0001



CES A / SD SERIES

警用 / 軍用衝鋒槍 -A 系列 /SD 系列「早期版 / 現代版」



ICS-01 SD5 Proline

Fixed Stock / 現代固定托



ICS-02 SD6 Fixed Stock / 現代伸縮托



ICS-03 A4 Fixed Stock / 現代固定托



ICS-04 A5 Retractable Stock / 現代伸縮托

	ICS-01	ICS-02	ICS-03	ICS-04
Length/Retractable	780 (mm)	740.5/600 (mm)	680 (mm)	640/500 (mm)
Barrel length (mm)	230	230	230	230
Muzzle velocity	112-122 m/s (367-400 FPS) ※	112-122 m/s (367-400 FPS) ※	112-122 m/s (367-400 FPS) ※	112-122 m/s (367-400 FPS) ※
Weight (g)	2240	2300	2300	2000
Battery type	9.6V Ni-Mh or 11.1V Li-Po	9.6V Ni-Mh or 11.1V Li-Po	8.4V Ni-Mh or 11.1V Li-Po	8.4V Ni-Mh or 11.1V Li-Po
Connector size	Small connector	Small connector	Small connector	Small connector

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
 Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
 Below 100 m/s (328 FPS): Italy
 Below 95 m/s (312 FPS): Japan
 Below 45 m/s (148 FPS): Korea

CES / CES-P Compatible Parts

CES-P Gearbox 齒輪箱

CES-P Lower Gearbox CES-P 下齒輪箱 MP-120



Suppressor 減音管

CES SD Suppressor
CES SD 減音管
MP-07



CES SD Suppressor
CES SD 減音管
MP-66



(CCW 14mm)
(14mm 逆牙)

CES Flash Suppressor Adapter
CES 防火帽轉接頭
MP-59



(CCW 14mm)
(14mm 逆牙)

CES SD Suppressor Adapter
CES SD 減音管轉接頭
MP-78



- MP-94 CES-P Upper Gearbox Block
CES-P 上齒輪箱擋塊
- MP-95 CES-P Upper Gearbox
CES-P 上齒輪箱
- MP-96 CES-P H-UP Set
CES-P H-UP 組
- MP-97 CES-P H-UP Spring
CES-P H-UP 彈簧
- MP-99 CES-P Fire Selector
CES-P 現代型射擊選擇鈕
- MP-100 MS1 Fire Selector
MS1 現代型射擊選擇鈕
- MP-109 CES-P Power Cord Set
CES-P 電線組
- MP-117 CES-P Fire Select Panel
CES-P 單連發選擇板
- MP-118 CES-P Electric Controller
CES-P 電子控制器
- MP-119 CES-P Fire Rounds Controller
CES-P 時間調整控制器
- MP-121 CES-P Lower Electric Socket
CES-P 下接電組
- MP-122 CES-P Spring Tension Release Lever
CES-P 釋放撥桿
- MP-132 CES/CS4 Gearbox Clip (Incl. Spring)
CES/CS4 齒輪箱固定扣 (含彈簧)



CES-P Gearbox Parts 相關套件

CES Gearbox

齒輪箱

CES Gearbox I
CES 齒輪箱 I

MC-51



CES Gearbox II
CES 齒輪箱 II

MC-52



CES Gearbox III
CES 齒輪箱 III

MC-53



CES Gearbox Complete Set
CES 齒輪箱完成品

MC-62



CES Gearbox Shell
CES 空齒輪箱

MC-63



CES Fire Selector Lever
CES 現代型射擊選擇鈕

MP-02



CES Fire Selector Lever-Early Ver.
CES 早期型射擊選擇鈕

MP-45



CES H-UP Set
CES H-UP 組

MP-22



CES Barrel Bracket Set (For Floating Hop Up)
CES 槍管固定座 (浮動式 H-UP 用)

MP-133



Tactical Rail

軌道

CES A Series Tactical Rail (21x114mm)
CES A 系列戰術軌道條 (21x114mm)

MP-54



CES SD Tactical Rail (Long, 21x183mm)
CES SD 戰術軌道條 (長·21x183mm)

MP-65



PDW Tactical Rail Set (21x125mm)
PDW 戰術軌道條 (21x125mm)

MP-68



CES Tactical Rail (21x50mm)
CES 戰術軌道條 (21x50mm)

MP-73



CES Tactical Mount
CES 戰術軌道固定座

MP-55



CES High Tactical Mount
CES 戰術軌道加高座

MP-56



CES High Tactical Mount Set
CES 戰術軌道加高座組

MP-61



CES Tactical Rail Clips (4pcs)
CES 戰術軌道條夾片 (4 入)

MP-72



Receiver Set / Housing

槍身組 / 握把

CES-P Lower Housing-Modern Ver. CES-P 現代型握把

MP-101



CES Metal Receiver (Aluminum)
CES 金屬槍身 (鋁製)

MP-41



CES Plastic Receiver Set (Sportline)
CES 塑膠槍身 (運動版)

MP-79



CES Modern Lower Housing
CES 現代型握把

MP-42

CES Lower Housing-Early Ver.
CES 早期型握把

MP-46

CES Metal Receiver Cap
CES 槍身上蓋音管

MP-76



CES-P Receiver Pin
CES-P 槍身固定銷

MP-90



MS1 Grip Suit
MS1 握把套

MP-102



MS1 Receiver Plate
MS1 飾片

MP-105



CES-P Stamped Steel Upper Receiver
CES-P 鍍金槍身

MP-106



CES Modern Metal Receiver Set
CES 現代型金屬槍身組

MP-28



CES Metal Receiver Set-Early Ver.
CES 早期型金屬槍身組

MP-49



MS1 Lower Housing-Modern Ver.
MS1 現代型握把

MP-125

Tactical Handguard

戰術護木

CES Tactical Flash Light Handguard
With Flash Light-BK
CES 槍燈護木 - 黑色

MP-147



CES Tactical Flash Light Handguard
With Flash Light-TAN
CES 槍燈護木 - 沙色

MP-148



CES Tactical Flash Light Handguard-BK
(W/O Flash Light)
CES 槍燈護木 - 黑色 (不含槍燈)

MP-149



CES Tactical Flash Light Handguard-TAN
(W/O Flash Light)
CES 槍燈護木 - 沙色 (不含槍燈)

MP-150



CES Tactical Flash Light
CES 槍燈

MP-146



CES A Tactical Handguard Set
CES A 系列戰術護木組

MP-52



CES SD Tactical Handguard Set
CES SD 戰術護木組

MP-64



CES/CES-P A Series Handguard
CES/CES-P A 系列三角護木

MP-15



CES/CES-P A Series Tactical Handguard
CES/CES-P A 系列戰術護木

MP-115



MRS CES-P Tactical Handguard
MRS CES-P 戰術護木

MP-116



Tactical Foregrip
戰術握把

MP-53



CES SD Handguard
CES SD 下護木

MP-09



CES SD Handguard Holder
CES SD 護木固定架

MP-10



CES Handguard Holder O-Ring
CES 護木固定銷墊片

MP-11



CES Handguard Locking Pin
CES 護木固定銷

MP-12



CES Handguard Pin
CES 三角護木插銷

MP-19



Receiver Set / Housing

槍身組 / 握把


CES Metal Magazine (230 Rounds)
CES 金屬彈匣 (230 發)

MP-30 1 入裝 / 1pcs/box
MP-126 6 入裝 / 6pcs/box



CES Magazine Clamp
CES 彈匣連結器

MP-05



CES Magazine Spring
CES 彈匣彈簧片

MP-29



CES-P Magazine Catch Set
CES-P 彈匣卡榫組

MP-108



CES Magazine Catch Button Set
CES 彈匣卡榫

MP-03



CES Magazine Catch Sleeve
CES 彈匣卡榫套筒

MP-34



馬達組 Motor

CES Heat Radition Motor Butt Plate
CES 馬達散熱底板

MP-43




CES-P Heat Radition Motor Butt Plate
CES-P 馬達散熱底蓋

MP-103




CES Motor Spacer
CES 馬達墊片

MP-35



CES-P Motor Shell
CES-P 馬達座組

MP-123



CES-P Reinforced Outer Barrel
CES-P 槍管

MP-107



拉柄組 Handle Set

CES A Series Metal Cocking Handle Set
CES A 系列金屬拉柄組

MP-27



CES A Series Plastic Cocking Handle Set (Sportline)
CES A 系列塑膠拉柄組 (運動版)

MP-80



CES SD Metal Cocking Handle Assembly
CES SD 金屬拉柄組

MP-08



CES/CES-P Cocking Lever
CES/CES-P 拉柄頭

MP-57



MST Charging Handle
MS1 拉柄頭

MP-92



CES-P Charging Handle Set
CES-P 拉柄組

MP-93



規孔 / 準星 *Sight Set*

CES SD Front Sight Assembly
CES SD 前規孔座

MP-20



CES/CES-P Rear Sight Set
CES/CES-P 規孔組

MP-31



CES A Series Front Sight
CES A 系列前規孔座

MP-51



MS1 Rear Sight Set
MS1 規孔組

MP-104



MS1 Front Sight Set
MS1 準星座組

MP-112



CES-P Front Sight Set
CES-P 準星座組

MP-111



MS1 Front Sight Post
MS1 準星

MP-113



CES-P Front Sight Post
CES-P 準星

MP-110



背帶扣環 *Brace Cramp*

CES A Series Brace Cramp Ring
CES A 系列前規孔槍背帶扣環

MP-40




CES SD Series Brace Cramp Ring
CES SD 前規孔背帶扣環

MP-50



CES Sling Bracket
CES 槍背帶扣片

MP-36



CES A Series Laser Cap
CES A 系列雷射前蓋

MP-75



G3 Cut-Off Lever
G3 單連發選擇片

MP-26



CES Cut-Off Lever-Early Ver.
CES 早期型射擊選擇片

MP-47



CES-P Fire Select Slice
CES-P 單連發選擇片

MP-98



CES/CS4 Safety Cover
CES/CS4 保險擋片

MP-24



CES Switch Plate
CES 電閘開關片

MP-25



CES Inner Barrel Bracket
CES 槍管固定環

MP-32



CES Cocking Handle Spring
CES 拉柄彈簧

MP-44



CES Cocking Handle Spring Guide
CES 槍機複進彈簧導桿

MP-33



CES-P Ejection Port Cover Set
CES-P 槍機護蓋組

MP-91



Cleaning Rod
通槍條

MP-39



CES/CS4 Nozzle
CES/CS4 推彈套筒

MP-23



Stock

後托

Sopmod Stock With CES Adapter-BK
CES 海豹托 - 黑色

MP-127



Sopmod Stock With CES Adapter-TAN
CES 海豹托 - 沙色

MP-128



Retractable Stock With CS4 Adapter-BK
CES 戰術伸縮托 - 黑色

MP-129



Retractable Stock With CS4 Adapter-TAN
CES 戰術伸縮托 - 沙色

MP-130



CES Stock Adapter
CES 伸縮托套件組

MP-131



CES/CES-P Fixed Stock
CES/CES-P 固定托

MP-17



CES/CES-P Fixed Stock (Incl. Power Cord Set)
CES/CES-P 固定托 (含線材)

MP-48



CES Short Fixed Stock
CES 固定短托

MP-124



CES Folding Stock
CES 折疊托

MP-71



CES-P SFS Stock
CES-P SFS 狙擊折疊托

MP-88



CES Retractable Stock (Incl. Block Set)
CES 伸縮托 (含擋片)

MP-87



CES-P Retractable Stock
CES-P 伸縮托

MP-89



CES Butt Pad
CES 固定托底板

MP-06



CES Sling Mount End Cap
CES 機匣尾蓋

MP-74



CES Battery Power Cord Set for Fixed Stock
CES 固定托線材組

MP-38



CES Stock Pin
CES 槍機箱結合銷

MP-01



CES Stock Retract Lever Set
CES 伸縮托旋轉卡榫

MP-04



CES Retractable Stock Block Set
CES 伸縮托擋片

MP-21



CES Receiver End Cap
CES 槍身後蓋

MP-81





UNIVERSO SNIPER
MIRSOFT

MGL

Multiple Grenade Launcher SERIES



Patents acquired:

US 8,707,939 B2 / M 420677 / M 422666 / EP 2573503A1 / EP2573499A1



The ICS-190 is made 1:1 in scale and detailing to a real MGL replica. The ICS MGL faithfully presents the feature of the MGL's doughty looking: ealistic revolver, the tube, the handguard rail and the revolver latch. Besides, the ICS MGL operates exactly like the real firearm.

UNIVERSO SNIPER
AIRSOFT



MILKOR



Milkor, (PTY) Ltd., South Africa, and the milkor logo are registered trademarks of Milkor (PTY) Ltd., South Africa - www.milkor.co.za - and are used for airsoft replicas under license from ActionSportGames A/S, Denmark - www.actionsportgames.com.

Milkor 是 Milkor (PTY) Ltd., South Africa 的註冊商標。在電動槍產品類別，是由 ActionSportGames A/S, Denmark 授權使用。

MGL METAL RAIL HANDGUARD

多管榴彈發射器 - 鍍金護木版


Upgrade version of MGL! Compatible with TAG Grenade and other rubber projectile body. Quality material and advanced design promote MGL to a new level and breakthrough airsoft tradition.

ICS-193 MGL S Proline

Retractable Stock / 伸縮托 鍍金護木短版



MGL Metal Lower Handguard (Short Version MM-42)



The peration is same as in real steel



Adjust 6 Lengths and 3 Angles Stock



ICS-193 

Length/Retractable	725/630
Barrel length	200
Weight (g)	2400
Caliber	40 mm
Grenade capacity	6 rounds
Material	Engineering plastic
Handguard type	Metal

* Velocity varies according to different gas pressure and grenade

MGL

多管榴彈發射器 - 鍍金護木版

METAL RAIL HANDGUARD

- Upgrade version of MGL! Compatible with TAG Grenade and other rubber projectile body.
- Quality material and advanced design promote MGL to a new level and breakthrough airsoft tradition.

ICS-192 MGL L Proline

Retractable Stock / 伸縮托 鍍金護木長版



Install Pressure Switches



Reproduce the Revolver Latch



Load Six Grenades
(MA-138 / MA-158)

ICS-192 

Length/Retractable	825/725
Barrel length	295
Weight (g)	2700
Caliber	40 mm
Grenade capacity	6 rounds
Material	Engineering plastic
Handguard type	Metal

* Velocity varies according to different gas pressure and grenade

ICS-190 MGL Black

Retractable Stock / 伸縮托



ICS-191 MGL Tan

Crane Stock / 海豹托



UNIVERSO SNIPER
AIRSOFT

	ICS-190	ICS-191
Length/Retractable	725/630 (mm)	780/675 (mm)
Barrel length	200	200
Weight (g)	2200	2200
Caliber	40 mm	40 mm
Grenade capacity	6 rounds	6 rounds
Material	Engineering plastic	Engineering plastic
Handguard type	Engineering plastic	Engineering plastic

* Velocity varies according to different gas pressure and grenade

MGL Accessories

原廠零配件

MGL Upper Handguard-BK
MGL 上護木組 - 黑色

MM-20



MGL Lower Handguard-BK
MGL 下護木組 - 黑色

MM-22



MGL Metal Upper Handguard
MGL 金屬上護木組

MM-39



MGL Metal Lower Handguard
MGL 長管金屬下護木組

MM-40



(Long Version)

MGL Metal Lower Handguard
MGL 短管金屬下護木組

MM-42



(Short Version)

ICS Tactical Foregrip-BK
ICS 快拆戰術握把 - 黑色

MM-23



MGL Upper Handguard-TAN
MGL 上護木組 - 沙色

MM-37




MGL Lower Handguard-TAN
MGL 下護木組 - 沙色

MM-38



MGL Tube
MGL 槍管組

MM-21



MGL Tube (Long Version)
MGL 長槍管組

MM-41



MGL Stock Tube
MGL 槍托管組

MM-02



ICS Tactical Foregrip-TAN
ICS 快拆戰術握把 - 沙色

MM-24



MGL Fire Selector-BK
MGL 射擊選擇鈕組 - 黑色

MM-03




MGL Hammer Assembly-BK
MGL 擊發底板組 - 黑色

MM-05



MGL Trigger Guard-BK
MGL 護弓組 - 黑色

MM-06



MGL Revolver Plate-BK
MGL 槍身底板組 - 黑色

MM-07



MGL Revolver Cover Set-BK
MGL 槍身前段組 - 黑色

MM-19



MGL Receiver Connector Set-BK
MGL 槍身連接管組 - 黑色

MM-08



MGL Fire Selector-TAN
MGL 射擊選擇鈕組 - 沙色

MM-26



MGL Hammer Assembly-TAN
MGL 擊發底板組 - 沙色

MM-27



MGL Trigger Guard-TAN
MGL 護弓組 - 沙色

MM-28



MGL Revolver Plate-TAN
MGL 槍身底板組 - 沙色

MM-29



MGL Revolver Cover Set-TAN
MGL 槍身前段組 - 沙色

MM-36



MGL Receiver Connector Set-TAN
MGL 槍身連接管組 - 沙色

MM-30



MGL Receiver Set (Rear Part)-BK
MGL 槍身後段組 - 黑色

MM-10



MGL Revolver-BK
MGL 彈輪組 - 黑色

MM-11



MGL Body Hook-BK
MGL 槍身定位扣組 - 黑色

MM-15



MGL Body Latch-BK
MGL 槍身釋放柄組 - 黑色

MM-16



MGL Upper Cover-BK
MGL 槍身上蓋組 - 黑色

MM-17



MGL Trigger Set
MGL 扳機組

MM-04



MGL Receiver Set (Rear Part)-TAN
MGL 槍身後段組 - 沙色

MM-31



MGL Revolver-TAN
MGL 彈輪組 - 沙色

MM-32



MGL Body Hook-TAN
MGL 槍身定位扣組 - 沙色

MM-33




MGL Body Latch-TAN
MGL 槍身釋放柄組 - 沙色

MM-34



MGL Upper Cover-TAN
MGL 槍身上蓋組

MM-35



MGL Body Connector
MGL 槍身連動桿

MM-09



MGL Spring Housing
MGL 板簧組

MM-12



MGL Spring Housing Set
MGL 彈輪驅動元件組

MM-13



MGL Revolver Axle
MGL 彈輪心軸

MM-14



40mm Lightweight Grenade

輕量化榴彈

M203 Grenade Launcher
M203 榴彈發射器

MA-159

M203 Grenade Launcher
M203 榴彈發射器

MA-339

Grenade O-Ring
榴彈活塞 O 環

MA-130



(One 40mm Lightweight Grenade Incl.)
(含 40mm 輕量化榴彈 *1)

MGL Revolver Latch
MGL 彈輪釋放柄組

MM-18



MGL Revolver Hook
MGL 槍身固定扣

MM-43



40mm Lightweight Grenade (2pcs)
40mm 輕量化榴彈 (2 入)

MA-138



40mm Lightweight Grenade (6pcs/Box)
40mm 輕量化榴彈 (6 入)

MA-158



Lightweight Grenade Cap (6pcs/Set)
輕量化榴彈頭 (6 入)

MA-166



TOD

沙漠之虎 SERIES



ARM 輕機槍

ICS-91 TOD ARM Proline Folding Stock / 折疊托 金屬版

The ICS TOD series rifles are the worthy collection of classic and practical rifles that reproduce the real gun design. Its fire select lever on right side and grip selector manual act simultaneously. Players can adjust fire mode to safety, semi-auto and full auto without changing their firing posture.

ICS-91



Length/Retractable	980/750 (mm)
Barrel length (mm)	515
Muzzle velocity	117-138 m/s (385-453 FPS) ※
Weight (g)	3500
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	400
Spring	M120
Material	Full metal
Motor axle	Short



Quick released foldable bi-pod



Reproduce the movable components of the real gun



Battery type :
9.6V Ni-Mh or 11.1V Li-Po



The real action side grip selector



Folding stock (MG-32)



ICS-91 TOD ARM Proline

Folding Stock / 折疊托 金屬版



Accurate steel dewaxing process



IDF Hebrew engraving

TOD MRS 戰術版

以色列軍事工業局 IMI 設計的經典槍款 - 加利步槍 - 戰術版




Adjustable cheek rest



MRS tactical module rail system

ICS-96 TOD MRS Proline

Folding Stock / 折疊托 金屬版



UNIVERSAL AIRSOFT

ICS-96

Length/Retractable	980/750 (mm)
Barrel length (mm)	515
Muzzle velocity	117-138 m/s (385-453 FPS) ※
Weight (g)	3860
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	400
Spring	M120
Material	Full metal
Motor axle	Short



Tactical handguard



Ergonomic design
newly developed for tactical grip



Folding stock

TOD AR 步槍



ICS-92 TOD AR Proline
Folding Stock / 折疊托 金屬版

UNIVERSO SNIPER
AIRSOFT



	ICS-92 
Length/Retractable	980/750 (mm)
Barrel length (mm)	515
Muzzle velocity	117-138 m/s (385-453 FPS) ※
Weight (g)	3000
Battery type	9.6V Ni-Mh or 11.1V Li-Po
Connector size	Small connector
Mag. capacity	400
Spring	M120
Material	Full metal
Motor axle	Short

※ NOTE:

1. The product specification is for reference only and may be subject to change.
2. Battery type is recommended, not included.
3. For AEG with M100 spring, it is recommended to use voltage 7.4V Li-Po or 9.6V Ni-Mh batteries.
4. Muzzle velocity is measured with 0.20g BB's, and is adjusted to comply with market regulation/requirements for specific countries as shown below:
Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK
Below 100 m/s (328 FPS): Italy
Below 95 m/s (312 FPS): Japan
Below 45 m/s (148 FPS): Korea

TOD SERIES Compatible Parts

TOD 共用零件

TOD Hi-Cap Metal Magazine (400 Rounds)
TOD 高容量金屬彈匣 (400 發)

MG-23 1 入裝 / 1pc

MG-39 6 入裝 / 6pcs/box



TOD Pistol Grip
TOD 握把

MG-26



TOD Tactical Pistol Grip
TOD 戰術握把

MG-38



TOD Cheek Rest Set
TOD 貼腮組

MG-37



TOD Selector Plate
TOD 射擊選擇片

MG-40



TOD ARM Bipod Set
TOD ARM 腳架組

MG-15



TOD/MAR Nozzle
TOD/MAR 推彈套筒

MG-17



TOD Reinforced Outer Barrel Set
TOD 槍管組

MG-22



TOD H-up Set
TOD H-up 組

MG-24



TOD Gearbox Assembly
TOD 齒輪箱組

MG-25




TOD Receiver Set
TOD 槍身組

MG-28



TOD Charging Handle Set
TOD 槍機拉柄組

MG-31



TOD MRS Upper Housing Assembly
TOD MRS 上機匣組

MG-35



TOD Folding Stock Set
TOD 折疊托組

MG-32



TOD ARM Handguard Set
TOD ARM 護木組
MG-13



TOD AR Handguard Set
TOD AR 護木組
MG-18



TOD Tactical Handguard
TOD 戰術護木
MG-36



TOD ARM Handguard Rear
Frame With Handle
TOD ARM 後護木框組
MG-14



TOD AR Handguard Rear Frame
TOD AR 後護木框組
MG-19



TOD Handguard Fornt Frame
TOD 前護木框組
MG-21



TOD Front Sight Assembly
TOD 準星組
MG-12



TOD Upper Housing Assembly
TOD 上機匣組
MG-27



Fire Selector Lever 射擊選擇組

TOD Fire Selector Lever
TOD 射擊選擇組
MG-29



TOD Grip Fire Selector Lever
TOD 左射擊選擇組
MG-30



Flash Hider 防火帽

TOD ARM Flash Hider
TOD ARM 防火帽
MG-11



TOD AR Flash Hider
TOD AR 防火帽
MG-16



Gas Tube Set 瓦斯鋼管組

TOD Gas Tube Set
TOD 瓦斯鋼管組
MG-20



TOD Gas Tube Set (Enlarged)
TOD 瓦斯鋼管組 (加大)
MG-33



TOD Tactical Rail Gas Tube Set
TOD 戰術軌道型瓦斯鋼管
MG-34



Compatible Parts

Piston 活塞

Original Piston
塑膠活塞
MC-01



Aluminum Piston (Full Teeth)
鋁活塞 (全齒)
MC-05



Aluminum Piston (Half Teeth)
鋁活塞 (半齒)
MC-06



Original Piston Set
塑膠活塞組
MC-95



Reinforced Upgrade
POM Piston Set
升級強化活塞組
MC-169



Reinforced Upgrade POM Piston
升級強化活塞
MC-170



Reinforced Upgrade POM Piston
升級強化活塞
MC-172



High Torque Piston Set
半齒活塞組
MC-213



High Torque Piston
半齒活塞
MC-214



High Torque Piston
半齒活塞
MC-215



EBB Reinforced POM Piston
EBB 塑鋼活塞
MC-221



EBB Reinforced POM Piston Set
EBB 塑鋼活塞組
MC-222



EBB Reinforced POM Piston
EBB 塑鋼活塞
MC-223



8 Holes Silent Piston Set
八孔吸排氣頭活塞組
MC-122



Reinforced Upgrade Piston Slice
升級強化活塞鋼片
MC-171



High Torque Piston Slice
半齒活塞鋼片
MC-216



Cylinder 氣缸

Original Cylinder (4 Holes)
氣缸 (開四孔: 原廠)
MC-57




Oversized Cylinder (4 Holes)
氣缸 (開四孔: 加大)
MC-58



Full Capacity Oversized Cylinder
全氣量加大氣缸
MC-71



Full Capacity Cylinder
全氣量氣缸
MC-72



Piston Slice
活塞鋼片
MC-10



Piston Head (Plastic)
氣缸頭 (塑膠)
MC-19



APE/AAR Cylinder Head
APE/AAR 氣缸頭
MC-236



Aluminum Cylinder & Piston Head Set (Oversized)
鋁活塞頭組 (加大)
MC-56



Aluminum Cylinder Head (Oversized)
氣缸頭 (加大)
MC-91



Piston Head (Oversized)
活塞頭 (加大)
MC-93



8 Holes Silent Piston Head
八孔吸排氣頭
MC-121



H-up Bucking
含彈橡皮
MC-16



H-up Spacer
H-up 緩衝膠圈
MC-17



Ver.2 Tappet Plate
撥彈連桿
MC-02



CES Selector Plate
CES 射擊選擇片
MC-04



CS4/CES Cut-off Lever
CS4/CES 單連發控制桿
MC-20




CES Trigger
CES 扳機
MC-64



CES Switch Assembly
CES 電閘線材
MC-15



Connector (Large Male
To Small Female)
轉接頭 (大公轉小母)
MC-47



Connector (Large Female
To Small Male)
轉接頭 (大母轉小公)
MC-48



30A Fuse
30A 保險絲
MC-83



Mini Blade Fuse-30A (5pcs)
微型保險絲 -30A (5入)
MC-211



Mini Blade Fuse-20A (5pcs)
微型保險絲 -20A (5入)
MC-230



CS4/CES Switch Unit
CS4/CES 電閘
MC-237



(W/O Cable)
(不含線材)

Ver.2 Metal Spring Guide
二代尾頂桿
MC-43



Ver.3 Metal Spring Guide
三代尾頂桿
MC-44



Plastic Spring Guide
塑膠尾頂桿
MC-66



CES/MAR Anti-Reversal Latch
CES/MAR 止逆轉組
MC-60



Spring Set
彈簧組
MC-65



Tappet Plate Gear Cam
上彈偏心軸
MC-102



BB Loader
BB 彈填彈器
MC-185



CES/CS4 Nozzle
CES/CS4 推彈套筒
MP-23



CES Motor Spacer
CES 馬達墊片
MP-35



CES Battery Power Cord Set for Fixed Stock
CES 固定托線材組
MP-38



Cleaning Rod
通槍條
MP-39



Tactical Foregrip
戰術握把
MP-53



Flash Hider

防火帽系列

CXP

CXP-08 Flash Hider
CXP-08 防火帽
MA-96



UK1 Plastic Red Flash Hider
UK1 塑膠紅頭防火帽
MA-327



Crown Flash Hider
鋼製皇冠防火帽
MA-356

NEW



L85/L86

L85 Flash Hider
L85 防火帽
ML-03



L86 Flash Hider
L86 防火帽
ML-19



CS4

CS4/CS16 Birdcage Flash Hider
CS4/CS16 制式防火帽
MA-02



C15 Flash Hider
C15 防火帽
MA-03



CS4 Plastic Red Flash Hider
CS4 塑膠紅頭防火帽
MA-326

MAR

MAR/MARM Flash Hider
MAR/MARM 防火帽
MK-08

AAR

AAR Flash Hider
AAR 防火帽
MH-21



MAR SU Flash Hider
MAR SU 防火帽
MK-63

AAR Plastic Red Flash Hider
AAR 塑膠紅頭防火帽
MH-38



OTHER

TOD ARM Flash Hider
TOD ARM 防火帽
MG-11



CES/CES-P Metal Flash Hider
CES/CES-P 金屬防火帽
MP-16



CES Vortex Flash Hider Set
CES 五叉防火帽
MP-62



MS1 Flash Hider
MS1 防火帽
MP-114



TOD AR Flash Hider
TOD AR 防火帽
MG-16



CES/CES-P Vortex Flash Hider
CES/CES-P 五叉防火帽
MP-58



CES Threaded Claw Flash Hider
CES 三爪防火帽
MP-67



CES Plastic Red Hider
CES 塑膠紅頭防火帽
MP-151



(Incl. Adapter)
(含轉接頭)

Gear Series

齒輪系列

Bevel Gear (No.1)
1 號齒輪

MC-07



Bevel Gear (No.2)
2 號齒輪

MC-08



Bevel Gear (No.3)
3 號齒輪

MC-09



Original Gear Set
原廠齒輪組 (粉末冶金 1 號齒)

MC-14



Motor Gear (PM)
馬達傘齒 (粉末冶金)

MC-101



Bevel Gear (MIM)
1 號齒輪 (粉末射出)

MC-218



Pinion Gear (MIM)
馬達傘齒 (粉末射出)

MC-219



Original Gear Set (MIM Bevel Gear)
原廠齒輪組 (粉末射出 1 號齒)

MC-238



Motor Series

馬達系列

Infinite motor & Super power Motor

Infinite Motor (Long)
無限長軸馬達

MC-161



Infinite Motor (Medium)
無限中軸馬達

MC-160



Infinite Motor (Short)
無限短軸馬達

MC-168



Super Power Motor (Long)
Super Power 長軸馬達

MC-217




Super Power Motor (Medium)
Super Power 中軸馬達

MC-228



Super Power Motor (Short)
Super Power 短軸馬達

MC-227



Turbo 3000 Motor

Turbo 3000 Motor (Long)
Turbo 3000 長軸馬達

MC-220



Turbo 3000 Motor (Medium)
Turbo 3000 中軸馬達

MC-226



Turbo 3000 Motor (Short)
Turbo 3000 短軸馬達

MC-225



Super Japan Motor

Super Japan Motor
Super Japan Motor

MC-224



Others

其他

Plastic Bushing Set-6mm
塑膠齒輪襯套組 -6mm

MC-11



Gear Spacer
齒輪墊片

MC-67



Spring Guide Bearing
尾頂桿止推軸承

MC-46



Metal Bushing Set
金屬齒輪襯套組

MC-03 (6mm)
MC-199 (7mm)
MC-200 (8mm)



Magazine Series

彈匣系列

Patents acquired: 002246579-0001 / USD706880S / D159178

CS4, CXP, AAR, L85/L86 Series

- Medium capacity and silenced design satisfy players needs for quiet motion in the battlefield.
- Screwless design allows fast assembly / disassembly.
- Compatible with CS4, CXP, AAR and L85/86 series. Available for both single package and 6 pieces per box.



T Tactical Magazine T 戰術彈匣

Black
黑色

T Tactical Hi-cap Magazine (300 Rounds)

T 戰術高容量彈匣 (300 發)

MA-186 1 入裝 / 1pc

MA-243 6 入裝 / 6pcs/box

T Tactical Mid-cap Magazine (180 Rounds)

T 戰術靜音彈匣 (180 發)

MA-228 1 入裝 / 1pc

MA-232 6 入裝 / 6pcs/box

T Tactical Low-cap Magazine (45 Rounds)

T 戰術靜音彈匣 (45 發)

MA-187 1 入裝 / 1pc

MA-244 6 入裝 / 6pcs/box

Tan
沙色

T Tactical Hi-cap Magazine (300 Rounds)

T 戰術高容量彈匣 (300 發)

MA-240 1 入裝 / 1pc

MA-245 6 入裝 / 6pcs/box

T Tactical Mid-cap Magazine (180 Rounds)

T 戰術靜音彈匣 (180 發)

MA-229 1 入裝 / 1pc

MA-233 6 入裝 / 6pcs/box

T Tactical Low-cap Magazine (45 Rounds)

T 戰術靜音彈匣 (45 發)

MA-241 1 入裝 / 1pc

MA-246 6 入裝 / 6pcs/box



Metal Magazine 金屬彈匣

Black
黑色

Metal Hi-cap Magazine (450 Rounds)

金屬高容量彈匣 (450 發)

MA-04 1 入裝 / 1pc

MA-153 6 入裝 / 6pc

Metal Mid-cap Magazine (180 Rounds)

金屬靜音彈匣 (180 發)

MA-230 1 入裝 / 1pc

MA-234 6 入裝 / 6pcs/box

Metal Low-cap Magazine (45 Rounds)

金屬靜音彈匣 (45 發)

MA-152 1 入裝 / 1pc

MA-154 6 入裝 / 6pcs/box

Tan
沙色

Metal Hi-cap Magazine (450 Rounds)

金屬高容量彈匣 (450 發)

MA-170 1 入裝 / 1pc

Metal Mid-cap Magazine (180 Rounds)

金屬靜音彈匣 (180 發)

MA-231 1 入裝 / 1pc

MA-235 6 入裝 / 6pcs/box

Black
黑色

Metal Hi-cap short Magazine (170 rounds)

金屬高容量短彈匣 (170 發)

NEW MA-352 1 入裝 / 1pc



Canada C7 Magazine 加拿大 C7 彈匣

*Not Compatible with L85/L86 series. *不適用 L85/L86 系列

Black
黑色

Canada C7 Hi-cap Magazine (300 Rounds)

加拿大 C7 高容量彈匣 (300 發)

MA-92 1 入裝 / 1pc

MA-156 6 入裝 / 6pcs/box

Tan
沙色

Canada C7 Hi-cap Magazine (300 Rounds)

加拿大 C7 高容量彈匣 (300 發)

MA-171 1 入裝 / 1pc

CS4, CXP, AAR Series



T4 Tactical Magazine

T4 戰術彈匣

*Not Compatible with L85/L86 series. * 不適用 L85/L86 系列

Black
黑色

T4 Tactical Hi-cap Magazine (300 Rounds)

T4 戰術高容量彈匣 (300 發)

MA-148 1 入裝 / 1pc

MA-150 6 入裝 / 6pcs/box

T4 Tactical Low-cap Magazine (45 Rounds)

T4 戰術靜音彈匣 (45 發)

MA-151 6 入裝 / 6pcs/box

Tan
沙色

T4 Tactical Hi-cap Magazine (300 Rounds)

T4 戰術高容量彈匣 (300 發)

MA-328 6 入裝 / 6pcs/box

WWII Series

M3 Hi-cap Metal Magazine (430 Rounds)

M3 高容量彈匣 (430 發)

MY-19 1 入裝 / 1pc

M3 Low-cap Magazine (140 Rounds)

M3 靜音彈匣 (140 發)

MY-20 1 入裝 / 1pc

MAR Series

MAR Hi-cap Magazine (550 Rounds)

MAR 高容量彈匣 (550 發)

MK-01 1 入裝 / 1pc

MK-90 6 入裝 / 6pcs/box



TOD Series

TOD Hi-Cap Metal Magazine (400 Rounds)

TOD 高容量金屬彈匣 (400 發)

MG-23 1 入裝 / 1pc

MG-39 6 入裝 / 6pcs/box



CES Series

CES Metal Magazine (230 Rounds)

CES 金屬彈匣 (230 發)

MP-30 1 入裝 / 1pcs/box

MP-126 6 入裝 / 6pcs/box



M1 Magazine (6mm, 42 Rounds)

M1 彈匣 (6mm, 42 發)

ME-01

M1 Magazine (8mm, 25 Rounds)

M1 彈匣 (8mm, 25 發)

ME-37



Electric Drum Magazine

彈鼓系列

Patents acquired: M 453836



ICS Electric Drum Magazine-TAN (Incl. CS4 Magazine Adaptor)

ICS 通用電動雙彈鼓 - 沙色 (附 CS4 彈匣接座)

MC-202

ICS Electric Drum Magazine-BK (Incl. CS4 Magazine Adaptor)

ICS 通用電動雙彈鼓 - 黑色 (附 CS4 彈匣接座)

MC-201

Drum Magazine Pressure Switch

彈鼓觸碰式開關

MC-229

CES Magazine Adaptor 彈匣接座

MAR / TOD Magazine Adaptor 彈匣接座

SG Magazine Adaptor 彈匣接座

CS4 / CXP Magazine Adaptor 彈匣接座

MC-203 BK 黑色

MC-204 TAN 沙色

MC-205 BK 黑色

MC-206 TAN 沙色

MC-207 BK 黑色

MC-208 TAN 沙色

MC-209 BK 黑色

MC-210 TAN 沙色



Slow Charger

充電器

Slow Charger (Small Pin)
慢充電器 (小頭)

MC-69



Slow Charger (Small Pin, Europe)
慢充電器 (小頭歐規)

MC-69E



Slow Charger (Small Pin, U.K.)
慢充電器 (小頭英規)

MC-69B



Slow Charger (Small Pin, Japan)
慢充電器 (小頭日規)

MC-69F



Grenade

榴彈

40mm Lightweight Grenade (2pcs)
40mm 輕量化榴彈 (2入)

MA-138



40mm Lightweight Grenade (6pcs/Box)
40mm 輕量化榴彈 (6入)

MA-158



Lightweight Grenade Cap (6pcs/Set)
輕量化榴彈頭 (6入)

MA-166



M203 Grenade Launcher
M203 榴彈發射器

MA-159



(One 40mm Lightweight Grenade Incl.)
(含 40mm 輕量化榴彈 *1)

M203 Grenade Launcher
M203 榴彈發射器

MA-339



Grenade O-Ring
榴彈活塞 O 環

MA-130



Spring

彈簧

MC-231
M90



MC-41
M100



MC-39
M120



MC-37
M130



MC-38
M140



MC-42
M150



MC-45
M170



BB Pallet Parts

BB 彈系列


× BB Tolerance is ±0.02mm

Biodegradable BBs 環保彈系列 (6mm)

原廠專業競賽用
超精準 / 超光滑 Competition grade

- 0.2g / 0.23g / 0.25g / 0.28g

包裝模式	Option
1 公斤 小袋裝	1 kg/bag (24bags/ctn)
25 公斤 大袋裝	25 kg/bag



ICS Biodegradable BBs are made from the new material formula.
ICS Biodegradable BBs can be dissolved in the nature environment.
You can protect our earth while enjoying the activities.

BB Pellet (6mm) BB 彈系列

- 0.2g / 0.23g / 0.25g / 0.28g

包裝模式	Option
1 公斤 小袋裝	1 kg/bag (24 bags/ctn)
25 公斤 大袋裝	25 kg/bag



BB Pellet (8mm) BB 彈系列




- 0.48g

包裝模式	Option
1 公斤 小袋裝	1 kg/bag (24 bags/ctn)
25 公斤 大袋裝	25 kg/bag

Aluminum BBs (6mm) 鋁彈系列

- 0.3g

包裝模式	Option
500 入 小袋裝	500 pcs/bag
1000 入 罐裝	1000 pcs/btl (48btl/ctn)



高品質新製鋁彈
(僅供外銷)

白、黑色為 BB 彈基本顏色。白、淺綠、沙色、鐵灰色為環保 BB 彈基本顏色。指定非基本色最低數量需每色 3 噸以上。
Black and white are the basic colors for regular BBs, and white, desert, D grey and green are the basic colors for biodegradable BBs.
The minimum quantity for special colors other than the basics is 3 tons.

Inner Barrel

內管

6.04mm



item#	length
MA-88	186 mm
MA-142	200 mm
MP-13	230 mm
MK-67	263 mm
MA-324	303 mm
MI-32	340 mm

item#	length
MA-38	375 mm
ML-35	420 mm
ML-05	480 mm
MK-11	458 mm
MA-70	515 mm
ML-21	610 mm

8.04mm



610mm
ME-35



UNIVERSO SNIPER
AIRSOFT
WWW.IC5BB.COM

Photography by Turgay Dansık

Original Accessories

原廠周邊商品

Three Point Sling-BK
三點式槍背帶 - 黑

MS-01



Three Point Sling-Green
三點式槍背帶 - 綠

MS-02



Utility Pouch
雜物袋

MS-14

S-Belt
美式軍事 S 腰帶

MS-17



Butterfly Universal Holster
ICS 蝶式萬用槍套

MS-36



Event Canopy
ICS 活動帳篷

MS-68



Reusable Shopping Bag
ICS 環保袋

MS-69



ID Landyard
ICS 識別證帶

MS-101



ICS 8 in 1 tool
ICS 8 合 1 工具組

MS-150



Tattoo Paper
2015 紋身貼紙

MS-140



ICS Glasses - International/Asia
ICS 運動眼鏡國際版 / 亞洲版


NEW MS-171 International 國際版

NEW MS-172 Asia 亞洲版



ICS Logo Sticker-Black (8x8cm)
黑色品牌貼紙 (8x8cm)

MS-160



ICS Logo Sticker-White (8x8cm)
白色品牌貼紙 (8x8cm)

MS-161



ICS Logo Sticker-Red (8x8cm)
紅色品牌貼紙 (8x8cm)


MS-162



ICS Logo Sticker (50x9cm)
品牌貼紙 (50x9cm)

NEW MS-163 Black 黑色

NEW MS-164 White 白色



ICS Patch 品牌臂章

ICS Blood Type Patch-A
品牌血型臂章 -A

MS-133



ICS Blood Type Patch-AB
品牌血型臂章 -AB

MS-134



ICS Blood Type Patch-B
品牌血型臂章 -B

MS-135



ICS Blood Type Patch-O
品牌血型臂章 -O

MS-136



ICS King Patch-BK
品牌臂章 -CS4 刻印 - 黑色

MS-49



ICS CXP Patch-BK
品牌臂章 -CXP- 黑色

MS-50



ICS CXP Patch-Green
品牌臂章 -CXP- 綠色

MS-56



2016 ICS Patch-BK
2016 品牌臂章 -ICS- 黑色

MS-155

NEW



2016 ICS Patch-TAN
2016 品牌臂章 -ICS- 沙色

MS-156

NEW



ICS Vest Patch
品牌胸口臂章

MS-137



2016 BLE Patch-BK
2016 品牌臂章 -BLE- 黑色

MS-157

NEW



2016 BLE Patch-TAN
2016 品牌臂章 -BLE- 沙色

MS-158

NEW



2016 BLE Patch-GN
2016 品牌臂章 -BLE- 綠色

MS-159

NEW



2016 ICS PVC Patch-BK
2016 品牌 PVC 臂章 - 黑色

MS-167

NEW



2016 ICS PVC Patch-TAN
2016 品牌 PVC 臂章 - 沙色

MS-168

NEW



Baseball Cap

休閒帽

Bandan

戰術頭巾

2015 Cap-GY
2015 球帽 - 灰色
MS-147



2015 Cap-GN
2015 球帽 - 綠色
MS-148



2015 Cap-TAN
2015 球帽 - 沙色
MS-149



Bandan A
戰術頭巾 A
MS-138



UNIVERSO SNIPER
AIRSOFT



T-Shirt

服裝

2015 T-Shirt ICS-WH
2015 T-Shirt ICS- 白色

MS-141



2015 T-Shirt CXP-BK
2015 T-Shirt CXP- 黑色

MS-144



2015 T-Shirt ICS-BK
2015 T-Shirt ICS- 黑色

MS-142



2015 T-Shirt USA-GY
2015 T-Shirt 美國國旗 - 灰色

MS-145



2015 T-Shirt ICS-RD
2015 T-Shirt ICS- 紅色

MS-143



2015 T-Shirt UK-BK
2015 T-Shirt 英國國旗 - 黑色

MS-146



Series	Item	Model	Type	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Factory Default Velocity	Stock Type	Magazine Capacity (rounds)	Color
CXP-08	ICS-324	CXP-08 EBB	EBB	Metal	695/595	2,900g	200mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	112-128 m/s (367-420 FPS)	QRS Stock	300	Black
	ICS-325	CXP-08 Crane Stock EBB	EBB	Metal	735/640	2,700g	200mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	112-128 m/s (367-420 FPS)	Crane Stock	300	Black
	ICS-160	CXP-08 Sport Line	AEG	Engineering Plastic	695/595	2,150g	200mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	90-104 m/s (295-341 FPS)	QRS Stock	300	Black
	ICS-144	CXP-08 Crane Stock Sportline	AEG	Engineering Plastic	745/650	2,300g	200mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	90-104 m/s (295-341 FPS)	Crane Stock	300	Black
	IPT-160-1	CXP-08 TAN Sportline	AEG	Engineering Plastic	695/595	2,150g	200mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	90-104 m/s (295-341 FPS)	QRS Stock	300	Tan
CXP-15	ICS-171	CXP-15 Keymod	AEG	Metal	732/642	2,100g	200mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	112-124 m/s (367-407 FPS)	Retractable Stock	300	Black
	ICS-173	CXP-15 Keymod Pistol	AEG	Metal	472	1,900g	200mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	112-124 m/s (367-407 FPS)	N/A	300	Black
	ICS-175	CXP-15 Keymod Crane Stock	AEG	Metal	743/648	2,200g	200mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	112-124 m/s (367-407 FPS)	Crane Stock	300	Black
	ICS-170	CXP-15 Keymod Sportline	AEG	Engineering Plastic	732/642	1,800g	200mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	88-103 m/s (289-338 FPS)	Retractable Stock	300	Black
	ICS-172	CXP-15 Keymod Pistol Sportline	AEG	Engineering Plastic	472	1,600g	200mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	88-103 m/s (289-338 FPS)	N/A	300	Black
	ICS-174	CXP-15 Keymod Crane Stock Sportline	AEG	Engineering Plastic	778/683	1,900g	200mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	88-103 m/s (289-338 FPS)	Crane Stock	300	Black
CXP-16	ICS-238	CXP-16 L	AEG	Metal	980/885	3,300g	303mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	116-136 m/s (381-446 FPS)	Crane Stock	300	Black
	IMT-238-1	CXP-16 L TAN	AEG	Metal	980/885	3,300g	303mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	116-136 m/s (381-446 FPS)	Crane Stock	300	Tan
CXP-APE	ICS-230	CXP-APE	EBB	Metal	784/716	2,900g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	Retractable/ Folding Stock	300	Black
	ICS-231	CXP-APE R	EBB	Metal	895/827	3,000g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	114-133 m/s (374-436 FPS)	Retractable/ Folding Stock	300	Black
	IMT-230-1	CXP-APE TAN	EBB	Metal	784/716	2,900g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	Retractable/ Folding Stock	300	Tan
	IMT-231-1	CXP-APE R TAN	EBB	Metal	895/827	3,000g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	114-133 m/s (374-436 FPS)	Retractable/ Folding Stock	300	Tan
	IMD-230-1	CXP-APE Two Tone	EBB	Metal	784/716	2,900g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	Retractable/ Folding Stock	300	Two-Tone
	IMD-231-1	CXP-APE R Two Tone	EBB	Metal	895/827	3,000g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	114-133 m/s (374-436 FPS)	Retractable/ Folding Stock	300	Two-Tone
CXP-HOG	ICS-270	CXP-HOG MTR	EBB	Metal	795/700	3,000g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	MTR Stock	300	Black
	ICS-271	CXP-HOG MTR	EBB	Metal	795/720	3,000g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	MTR Stock	300	Black
	ICS-272	CXP-HOG QRS	EBB	Metal	775/675	3,000g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	QRS Stock	300	Black
	IMT-270-1	CXP-HOG TAN	EBB	Metal	795/700	3,000g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	MTR Stock	300	Tan
	IMT-271-1	CXP-HOG TAN	EBB	Metal	795/720	3,000g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	MTR Stock	300	Tan
	IMT-272-1	CXP-HOG QRS TAN	EBB	Metal	775/675	3,000g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	QRS Stock	300	Tan
	ICS-274	CXP-HOG Tubular SR	EBB	Metal	910/880	3,300g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	123-134 m/s (404-440 FPS)	QRS Stock	300	Black
	ICS-275	CXP-HOG Tubular L SR	EBB	Metal	925/895	3,300g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	121-134 m/s (397-440 FPS)	QRS Stock	300	Black
	ICS-380	CXP-HOG Tubular SD MTR	EBB	Metal	880/800	2,860g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	120-138 m/s (394-453 FPS)	QRS Stock	300	Black
	ICS-381	CXP-HOG Tubular SD S1	EBB	Metal	900/810	2,920g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	120-138 m/s (394-453 FPS)	QRS Stock	300	Black
	ICS-382	CXP-HOG Tubular SD SR	EBB	Metal	880/910	3,300g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	120-138 m/s (394-453 FPS)	QRS Stock	300	Black
ICS-383	CXP-HOG Tubular SSD MTR	EBB	Metal	800/720	2,690g	303mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	116-136 m/s (381-446 FPS)	QRS Stock	300	Black	
CXP-UK1	ICS-264C	CXP-UK1C	EBB	Metal	795/700	2,587g	263mm	6.04mm	ICS Integrated EBB Gearbox 7mm Bushing	123-133 m/s (404-436 FPS)	MTR Stock	300	Black
	ICS-263	CXP-UK1 Captain	EBB	Metal	512	2,630g	186mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	111-121 m/s (364-397 FPS)	N/A (Pistol Buffer Tube)	300	Black
	ICS-262	CXP-UK1 Captain MTR	EBB	Metal	693/617	2,840g	186mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	111-121 m/s (364-397 FPS)	MTR Stock	300	Black
	ICS-260	CXP-UK1	EBB	Metal	795/700	2,700g	261mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	117-135 m/s (384-443 FPS)	MTR Stock	300	Black
	IMT-264C-1	CXP-UK1C	EBB	Metal	795/700	2,587g	263mm	6.04mm	ICS Integrated EBB Gearbox 7mm Bushing	123-133 m/s (404-436 FPS)	MTR Stock	300	Tan
	IMT-263-1	CXP-UK1 Captain TAN	EBB	Metal	512	2,630g	186mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	111-121 m/s (364-397 FPS)	N/A (Pistol Buffer Tube)	300	Tan
	IMT-262-1	CXP-UK1 Captain MTR TAN	EBB	Metal	693/617	2,840g	186mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	111-121 m/s (364-397 FPS)	MTR Stock	300	Tan
IMT-260-1	CXP-UK1	EBB	Metal	795/700	2,700g	261mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	117-135 m/s (384-443 FPS)	MTR Stock	300	Tan	

Series	Item	Model	Type	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Factory Default Velocity	Stock Type	Magazine Capacity (rounds)	Color
CXP-UK1	ICS-264	CXP-UK1	EBB	Metal	795/700	2,700g	261mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	117-135 m/s (384-443 FPS)	MTR Stock	300	Black
	ICS-265	CXP-UK1 R	EBB	Metal	906/811	2,920g	372mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	121-142 m/s (397-466 FPS)	MTR Stock	300	Black
	ICS-261	CXP-UK1 R	EBB	Metal	906/811	2,920g	372mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	121-142 m/s (397-466 FPS)	MTR Stock	300	Black
	IMT-264-1	CXP-UK1	EBB	Metal	795/700	2,700g	261mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	117-135 m/s (384-443 FPS)	MTR Stock	300	Tan
	IMT-265-1	CXP-UK1 R	EBB	Metal	906/811	2,920g	372mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	121-142 m/s (397-466 FPS)	MTR Stock	300	Tan
	IMT-261-1	CXP-UK1 R	EBB	Metal	906/811	2,920g	372mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	121-142 m/s (397-466 FPS)	MTR Stock	300	Tan
AAR Series	ICS-235	AAR Two Tone	AEG	Engineering Plastic	515/746/795	2,550g	263mm	6.04mm	GIII 7mm Bushing	115-134 m/s (377-440 FPS)	Retractable/Folding Stock	300	Two-Tone
	ICS-233	AAR	AEG	Engineering Plastic	515/746/795	2,550g	263mm	6.04mm	GIII 7mm Bushing	115-134 m/s (377-440 FPS)	Retractable/Folding Stock	300	Black
	ICS-234	AAR Tan	AEG	Engineering Plastic	515/746/795	2,550g	263mm	6.04mm	GIII 7mm Bushing	115-134 m/s (377-440 FPS)	Retractable/Folding Stock	300	Tan
MAR Series	ICS-32	MAR R.A.S.	AEG	Metal	965	3,200g	458mm	6.04mm	GIII 7mm Bushing	115-137 m/s (377-449 FPS)	Fixed Stock	550	Black
	ICS-36	MAR Wooden Stock	AEG	Metal	960	3,314g	458mm	6.04mm	GIII 7mm Bushing	115-137 m/s (377-449 FPS)	Fixed Wooden Stock	550	Black
	ICS-35	MAR M	AEG	Metal	964/714	3,000g	458mm	6.04mm	GIII 7mm Bushing	115-137 m/s (377-449 FPS)	Folding Stock	550	Black
	ICS-34	MAR SU	AEG	Metal	745/510	2,700g	263mm	6.04mm	GIII 7mm Bushing	115-134 m/s (377-440 FPS)	Folding Stock	550	Black
	ICS-37	MAR SN	AEG	Metal	960/715	3,100g	458mm	6.04mm	GIII 7mm Bushing	122-137 m/s (400-449 FPS)	Folding Stock	550	Black
CES Series	ICS-01	CES SD5	AEG	Metal	780	2,240g	230mm	6.04mm	GII 7mm Bushing	112-122 m/s (367-400 FPS)	Fixed Stock	230	Black
	ICS-02	CES SD6	AEG	Metal	740.5/600	2,300g	230mm	6.04mm	GII 7mm Bushing	112-122 m/s (367-400 FPS)	Retractable Stock	230	Black
	ICS-03	CES A4	AEG	Metal	680	2,300g	230mm	6.04mm	GII 7mm Bushing	112-122 m/s (367-400 FPS)	Fixed Stock	230	Black
	ICS-04	CES A5	AEG	Metal	640/500	2,000g	230mm	6.04mm	GII 7mm Bushing	112-122 m/s (367-400 FPS)	Retractable Stock	230	Black
L85/86 Series	ICS-86	L86A2	AEG	Metal	912.8	4,411g	610mm	6.04mm	ICS L85 Gearbox 7mm Bushing	115-133 m/s (377-436 FPS)	Fixed Stock	450	Black/Olive
	ICS-85	L85A2	AEG	Metal	786.5	3,652g	480mm	6.04mm	ICS L85 Gearbox 7mm Bushing	116-139 m/s (382-456 FPS)	Fixed Stock	450	Black/Olive
	ICS-87	L85A2 CARBINE	AEG	Metal	740	3,090g	420mm	6.04mm	ICS L85 Gearbox 7mm Bushing	118-136 m/s (387-446 FPS)	Fixed Stock	450	Black/Olive
CS4 Proline	ICS-320	CS4A1 EBB	EBB	Metal	873/778	2,900g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	120-138 m/s (394-453 FPS)	Retractable Stock	450	Black
	ICS-321	CS4 R.I.S. EBB	EBB	Metal	815/730	3,250g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	116-132 m/s (382-433 FPS)	Crane Stock	450	Black
	ICS-322	CS4 Tubular R.A.S. L	EBB	Metal	873/778	3,000g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	120-138 m/s (394-453 FPS)	MTR Stock	450	Black
	ICS-323	CS4 Tubular R.A.S. S	EBB	Metal	873/778	2,950g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	120-138 m/s (394-453 FPS)	MTR Stock	450	Black
	ICS-220	CS4 Tubular R.A.S. L	AEG	Metal	873/778	2,900g	375mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	115-140 m/s (377-459 FPS)	Retractable Stock	450	Black
	ICS-221	CS4 Tubular R.A.S. S	AEG	Metal	873/778	2,800g	375mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	115-140 m/s (377-459 FPS)	Retractable Stock	450	Black
	ICS-24	CS16A3	AEG	Metal	1025	3,370g	515mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	117-142 m/s (384-466 FPS)	Fixed Stock	450	Black
	ICS-30	CS16A3 R.A.S.	AEG	Metal	1025	3,750g	515mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	117-142 m/s (384-466 FPS)	Fixed Stock	450	Black
	ICS-20	CS4A1	AEG	Metal	873/778	3,000g	375mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	115-140 m/s (377-459 FPS)	Retractable Stock	450	Black
CS4 Sportline	ICS-127	CS4 R.I.S. Commando	AEG	Metal	815/730	3,000g	263mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	113-130 m/s (371-427 FPS)	Crane Stock	450	Black
	IPT-047-1	CS4 R.I.S. Commando TAN Sportline	AEG	Engineering Plastic	815/730	2,500g	263mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	94-109 m/s (308-358 FPS)	Crane Stock	300	Tan
	ICS-41	CS4A1 Sport Line	AEG	Engineering Plastic	873/778	2,500g	375mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	95-113 m/s (312-371 FPS)	Retractable Stock	300	Black
	ICS-42	CS4A1 Fixed Stock Sportline	AEG	Engineering Plastic	875	2,700g	375mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	95-113 m/s (312-371 FPS)	Fixed Stock	300	Black
MGL Series	ICS-47	CS4 R.I.S. Commando Sportline	AEG	Engineering Plastic	815/730	2,500g	263mm	6.04mm	ICS CS4 Split Gearbox 7mm Bushing	94-109 m/s (308-358 FPS)	Crane Stock	300	Black
	ICS-190	MGL	Multiple Grenade Launcher	Engineering Plastic	725/630	2,200g	200mm	40mm	N/A	Depending on grenade	Retractable Stock	Depending on grenade	Black
	ICS-191	MGL Tan		Engineering Plastic	780/675	2,200g	200mm	40mm			Crane Stock		Tan
	ICS-193	MGL S		Metal Handguard/ Reinforced Plastic	725/630	2,400g	200mm	40mm			Retractable Stock		Black
ICS-192	MGL L	Metal Handguard/ Reinforced Plastic		825/725	2,700g	295mm	40mm	Retractable Stock			Black		

Series	Item	Model	Type	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Factory Default Velocity	Stock Type	Magazine Capacity (rounds)	Color
PAR Mk3	ICS-290	PAR Mk3 C MTR	EBB	Metal	828/733	3,190g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-132 m/s (377-434 FPS)	MTR Stock	300	Black
	ICS-291	PAR Mk3 MTR	EBB	Metal	930/835	3,350g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-135 m/s (377-443 FPS)	MTR Stock	300	Black
	ICS-292	PAR Mk3 R MTR	EBB	Metal	987/892	3,470g	420mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	117-138 m/s (385-453 FPS)	MTR Stock	300	Black
	ICS-293	PAR Mk3 CQB MTR	EBB	Metal	838/743	3,350g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	MTR Stock	300	Black
	IMT-290-1	PAR Mk3 C MTR TAN	EBB	Metal	828/733	3,190g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-132 m/s (377-434 FPS)	MTR Stock	300	Tan
	IMT-291-1	PAR Mk3 MTR TAN	EBB	Metal	930/835	3,350g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-135 m/s (377-443 FPS)	MTR Stock	300	Tan
	IMT-292-1	PAR Mk3 R MTR TAN	EBB	Metal	987/892	3,470g	420mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	117-138 m/s (385-453 FPS)	MTR Stock	300	Tan
	IMT-293-1	PAR Mk3 CQB MTR TAN	EBB	Metal	838/743	3,350g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	MTR Stock	300	Tan
PAR Mk3	ICS-225	PAR Mk3 C	EBB	Metal	825/733	3,190g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-132 m/s (377-434 FPS)	Crane Stock	300	Black
	ICS-226	PAR Mk3	EBB	Metal	930/835	3,350g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-135 m/s (377-443 FPS)	Crane Stock	300	Black
	ICS-227	PAR Mk3 R	EBB	Metal	987/892	3,470g	420mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	117-138 m/s (385-453 FPS)	Crane Stock	300	Black
	ICS-228	PAR Mk3 CQB	EBB	Metal	838/743	3,350g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	Crane Stock	300	Black
	IMT-225-1	PAR Mk3 C	EBB	Metal	825/733	3,190g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-132 m/s (377-434 FPS)	Crane Stock	300	Tan
	IMT-226-1	PAR Mk3	EBB	Metal	930/835	3,350g	375mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-135 m/s (377-443 FPS)	Crane Stock	300	Tan
	IMT-227-1	PAR Mk3 R	EBB	Metal	987/892	3,470g	420mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	117-138 m/s (385-453 FPS)	Crane Stock	300	Tan
	IMT-228-1	PAR Mk3 CQB	EBB	Metal	838/743	3,350g	263mm	6.04mm	ICS Split EBB Gearbox 7mm Bushing	115-130 m/s (377-427 FPS)	Crane Stock	300	Tan
TOD Series	ICS-91	TOD ARM	AEG	Metal	980/750	3,500g	515mm	6.04mm	TOD 7mm Bushing	117-138 m/s (385-453 FPS)	Folding Stock	400	Black
	ICS-96	TOD MRS	AEG	Metal	980/750	3,860g	515mm	6.04mm	TOD 7mm Bushing	117-138 m/s (385-453 FPS)	Folding Stock	400	Black
	ICS-92	TOD AR	AEG	Metal	980/750	3,000g	515mm	6.04mm	TOD 7mm Bushing	117-138 m/s (385-453 FPS)	Folding Stock	400	Black
WWII Series	ICS-200	M3 Submachine Gun	AEG	Metal	762.5/587	2,045g	230mm	6.04mm	ICS M3 Gearbox 8mm Bushing	115-128 m/s (377-420 FPS)	Retractable Stock	430	Black
	ICS-202	M1 Grand	AEG	Metal	1100	3,600g	610mm	6.04mm	ICS M1 Gearbox 8mm Bushing	118-135 m/s (387-443 FPS)	Fixed Wooden Stock	42	Black
	ICS-201L	M1 Grand Golden Limited Version	AEG	Metal	1100	3,600g	610mm	8.04mm	ICS M1 Gearbox 8mm Bushing	80-87 m/s (262-285 FPS)	Fixed Wooden Stock	25	Golden





瓦斯動力系統
GBB system


電動動力系統
AEG system


EBB系統
EBB System


金屬槍身
Metal receiver


塑膠槍身
Plastic receiver


8mm槍林BOX
8mm bushing box


7mm槍林BOX
7mm bushing box



6mm BB彈
6mm BB pellet



8mm BB彈
8mm BB pellet



M120彈簧
M120 spring


M100彈簧
M100 spring


430連彈匣
430 pellets mag


ICS 分離式BOX
ICS Split gearbox


一體式齒輪箱
Combination Gearbox


ICS 3號BOX
ICS Ver III gearbox


ICS L85 BOX
ICS L85 gearbox


ICS M1 BOX
ICS M1 gearbox


ICS M3 BOX
ICS M3 gearbox


勿朝路人射擊
Fire to onlooker prohibition


勿朝動物射擊
Fire to animal prohibition


兒童請勿使用
Children prohibition


請勿吞食
Swallow prohibition


請配戴護目鏡
Please wear the eye protection


請詳閱說明書
Please refer to the manual


40mm榴彈
40mm grenade


長軸馬達
Motor (long axis)


H-UP系統
H-UP adjustable



Please contact ICS for the information of worldwide distributors in NAFTA, Latin America, Europe, Africa, Asia and Oceania.

「創新科技、創意休閒」 「尊重人性、追求卓越」 「永續經營、共享共榮」

UNIVERSO SNIPERS AIRSOFT

ICS obtains **ISO 9001**
Quality Management System
Certification

Follow Us on



ICS Airsoft



ICS AEGs



@icsbbairsoft

UNIVERSO SNIPER
AIRSOFT



一芝軒企業有限公司
| CHIH SHIVAN ENTERPRISE CO., LTD
www.icsbb.com / ics@icsbb.com / Tel : +886-4-25256461



UNIVERSO SNIPER
AIRSOFT



一芝軒企業有限公司
CHI H SHIVAN ENTERPRISE CO., LTD

WEB: www.icsbb.com
MAIL: ics@icsbb.com
TEL: +886-4-25256461

