

MODEL 23 SERIES



MODEL 77 SERIES



PELLET REVOLVER SERIES



MODEL 51 SERIES



MODEL 18 SERIES



MODEL 41 SERIES



MODEL 76 SERIES



MODEL 19-20 SERIES



KWC®
PRODUCT 2018 CATALOG

UNIVERSO SNIPERS
SERIES
POSITIV
VIA SOFT
OSERBAINI



KWC®
PRODUCT 2018 CATALOG

1978

Found in 1978, Shun-Chi Huang found Kien Well Toy Industrial Company in Tainan, the south part of Taiwan. It was first established in Huang's house with around 10 workers. We start off as a toy manufacturer and the most famous product is our matchbox car.

1987

with supporting from Taiwan Toy Manufacturers Association (TTMA), KWC starts to import computerization management. We are also one of the first few toy manufacturers successfully integrate computer system at work place.

1989

the company cooperates with top Japan airsoft producer and switch business direction from toy manufacturing to airsoft production.

1992

our 1911 spring pistols is a great hit in Japan market. Then the following year, we launch four more spring pistol series.

1993

with years of experience in airsoft industry, Shun-Chi Huang teams up with several Taiwanese airsoft manufacturers and establishes Taiwan Airsoft Development Association. He is also elected as the first and second chairman of the association.

1995

KWC launches our first gas blowback replicas.

1997

KWC is the first ISO 9002 certified airsoft manufacturer in Taiwan. We also launches gas revolver replicas at the same year.

2004

We introduce our first mid-size sub-machine gun replica with gas blowback system.

2007

We start to work on non-blowback CO2 replicas. The CO2 replicas are more reliable, shoot harder and last longer than gas. It is also known for better performance in cooler temperature.

2008

KWC launch our first CO2 blowback pistol—KCB12. Afterwards we successfully turn several other gas pistol into CO2 power replicas.

2010

KWC introduces full metal CO2 blowback 1911. This has right away makes it to most popular replicas of all time.

2012

To keep up with increasing demand of Airgun and airsoft, KWC expands our factory in a new location.

2014

As an ethical supplier of WalMart, KWC successfully passes the ES audit. This promote our products to all customers thru over 11,000 WalMart stores in the USA.

2015

KWC establishes a new headquarter in Tainan, Taiwan. As our goal of continuing growth and improvement, we strive for best quality products.

UNIVERSO SNIPER
AIRSOFT

TABLE OF CONTENTS

BLOWBACK MODELS / 03-26

| | |
|-------------------------|-------|
| Model 54 Series..... | 03 |
| Model 51 Series..... | 04 |
| Model 19&20 Series..... | 05-06 |
| Model 23 Series..... | 07-08 |
| Model 48 Series..... | 09-10 |
| Model 44 Series..... | 11 |
| Model 46 Series..... | 12 |
| Model 77 Series..... | 13-14 |
| Model 76 Series..... | 15-16 |
| Model 41 Series..... | 17 |
| Model 18 Series..... | 18 |
| Model 15 Series..... | 19-20 |
| Model 88&89 Series..... | 21-22 |
| Model 12 Series..... | 23 |
| Model 74 Series..... | 24 |
| Model 07 Series..... | 25-26 |

NON-BLOWBACK MODELS / 27-40

| | |
|-----------------------------|-------|
| Revolver Series..... | 27 |
| Pellet Revolver Series..... | 28 |
| Pellet 1911 Series..... | 29-30 |
| Model 46 Series..... | 31 |
| Model 43 Series..... | 32 |
| Model 47 Series..... | 33 |
| Model 48 Series..... | 34 |
| Model 40 Series..... | 35 |
| Model 42 Series..... | 36 |
| Model 44 Series..... | 37 |
| Model 45 Series..... | 38 |
| Model 55 Series..... | 39-40 |

SPRING MODELS / 41-48

| | |
|---------------------------|-------|
| Model M4 Series..... | 41-42 |
| Spring Airgun Series..... | 43-48 |

ACCESSORIES / 49-50

| | |
|------------------|-------|
| Accessories..... | 49-50 |
|------------------|-------|



MODEL 54 SERIES

AIR GUN
AAKMB
540
AZB

AIR SOFT
AAKCB
540
AZB



AIR SOFT
AAKCB
510
AZB

AIR SOFT
AAKCB
530
AZB

SPRING GUN
AAKACZ
510
AZB

MODEL 51 SERIES



AIR SOFT
AAKCB
510
BZB

Silver Version Available

MODEL 51 SERIES

UNIVERSO SNIPERS AIRSOFT

- ©High grade CO2 blowback
- ©1:1 scale
- ©Semi auto / Full auto
- ©Operated by 12g CO2 cartridge
- ©Adjustable Hop up system
- ©Real gun disassembly process
- ©Real gun operation including ejection port and hold open



Blowback



Anti skid grip



Integral muzzle break



Full auto version available



Double Action & Single Action

- ©High grade CO2 blowback
- ©1:1 scale
- ©Operated by 12g CO2 cartridge
- ©Adjustable Hop up system
- ©Real gun disassembly process
- ©Real gun operation including ejection port and hold open



Blowback



KCBS3 Semi auto / Full auto



Double Action & Single Action



Anti Skid Grip

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|-------------|-----------------|----------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKMB540AZB | 4.5 mm (0.177") | BLOWBACK | 1115g | 269 mm | 2.0 Joule Max | 105 m/s Max | METAL SLIDE | 15 rds. | AAKMM510AZO |
| AAKCF540AZB | 6 mm (0.2g) | BLOWBACK | 1115g | 269 mm | 2.7 Joule Max | 125m/s Max | METAL SLIDE | 21 rds. | AAKCCM510AZO |

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-------------|----------------|--------|--------|---------------|-------------|--------------|-------------|--------------|
| AAKCB510AZB | 6 mm (0.2g) | BLOWBACK | 1060g | 270 mm | 1.6 Joule Max | 126 m/s Max | METAL SLIDE | 21 rds. | AAKCCM510AZO |
| AAKCB510BZB | 6 mm (0.2g) | BLOWBACK | 1060g | 270 mm | 1.6 Joule Max | 126 m/s Max | METAL SLIDE | 21 rds. | AAKCCM510AZO |
| AAKCB530AZB | 6 mm (0.2g) | BLOWBACK | 1060g | 270 mm | 1.4 Joule Max | 120 m/s Max | METAL SLIDE | 21 rds. | AAKCCM510AZO |
| AAKACZ510AZB | 6 mm (0.2g) | SPRING COCKING | 897g | 274 mm | 0.5 Joule Max | 72 m/s Max | HEAVY WEIGHT | 26 rds. | AAKACS510AZN |

MODEL 19 20 SERIES



MODEL 19 20 SERIES

AIR GUN
AAKCB
190
AZB

AIR SOFT
AAKCCB
190
AZB



AIR GUN
AAKCB
200
AZB

AIR SOFT
AAKCCB
200
AZB

AIR SOFT
AAKCCF
200
AZB

FULL AUTO
SERIES



- ⊙ Premium blowback airgun
- ⊙ Full function blowback
- ⊙ 1:1 scale
- ⊙ Weaver rail compatible with standard flashlight and laser
- ⊙ Semi auto / full auto options on model 20
- ⊙ Operated by 12g CO2 cartridge
- ⊙ Adjustable Hop up system
- ⊙ Real gun operation including ejection port and hold open



Blowback



Ported slide



Trigger Safety



Adjustable Hop up



Tactical Sight



Anti Skid Grip

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|------------------|----------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCB190AZB | 4.5 mm (0.177") | BLOWBACK | 750g | 205 mm | 1.5 Joule Max | 92 m/s Max | METAL SLIDE | 17 rds. | AAKCBM190AZQ |
| AAKCCB190AZB | 6 mm(0.2g) | BLOWBACK | 735g | 205 mm | 1.2 Joule Max | 110 m/s Max | METAL SLIDE | 15 rds. | AAKCCM190AZQ |
| AAKCB200AZB | 4.5 mm (0.177") | BLOWBACK | 755g | 205 mm | 1.5 Joule Max | 92 m/s Max | METAL SLIDE | 17 rds. | AAKCBM200AZQ |
| AAKCCB200AZB | 6 mm(0.2g) | BLOWBACK | 730g | 205 mm | 1.4 Joule Max | 118 m/s Max | METAL SLIDE | 15 rds. | AAKCCM200AZQ |
| AAKCCF200AZB | 6 mm(0.2g) | BLOWBACK | 730g | 205 mm | 1.4 Joule Max | 118 m/s Max | METAL SLIDE | 15 rds. | AAKCCM200AZQ |




AIR GUN
AAKCMF
230
AZB

AIR SOFT
AAKCCF
230
AZB

FULL AUTO
SERIES



- ⊙ High grade CO2 blowback
- ⊙ 1:1 scale
- ⊙ Operated by 12g CO2 cartridge
- ⊙ Adjustable Hop up system
- ⊙ Semi auto / Full auto
- ⊙ Real gun disassembly process
- ⊙ Ambidextrous safety and decocker
- ⊙ Weaver rail compatible with standard flashlight, laser or scopes.



Double Action & single action



Semi auto / Full auto



Weaver rail



Blowback



Ambidextrous Safety & Decocker



Adjustable Hop up

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|----------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCMF230AZB | 4.5 mm (0.177") | BLOWBACK | 1080g | 216 mm | 1.5 Joule Max | 92 m/s Max | FULL METAL | 18 rds. | AAKCM230AZO |
| AAKCCF230AZB | 6 mm (0.2g) | BLOWBACK | 1065g | 216 mm | 1.2 Joule Max | 110 m/s Max | FULL METAL | 22 rds. | AAKCCM230AZO |

AIR GUN
AAKCMB
480
AZB

AIR SOFT
AAKCCB
480
AZB

BLOWBACK 480 SERIES



- © Full function blowback
- © 1:1 scale
- © Operated by 12g CO2 cartridge
- © Semi auto
- © Adjustable Hop up system
- © Real gun disassembly process
- © Real gun operation including ejection port and hold open
- © Interchangeable grips with three different sizes

UNIVERSO SNIPER AIRSOFT



Tactical Rail



Blowback



Double Action



Interchangeable grips



Adjustable Hop up



Scalloped Slide Serrations

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|----------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCMB480AZB | 4.5 mm (0.177") | BLOWBACK | 720g | 194 mm | 1.6 Joule Max | 95 m/s Max | METAL SLIDE | 15 rds. | AAKCM480AZQ |
| AAKCCB480AZB | 6 mm (0.2g) | BLOWBACK | 715g | 194 mm | 1.4 Joule Max | 118 m/s Max | METAL SLIDE | 15 rds. | AAKCCM480AZQ |

BLOWBACK 480 SERIES

AIR GUN
AAKCMB
482
AZB

AIR SOFT
AAKCCB
482
AZB



- © Full function blowback
- © 1:1 scale
- © Operated by 12g CO2 cartridge
- © Semi auto
- © Adjustable Hop up system
- © Real gun disassembly process
- © Real gun operation including ejection port and hold open
- © Interchangeable grips with three different sizes



Tactical Rail



Ported slide



Tactical fixed sights

AIR GUN
AAKCMB
483
AZB

AIR SOFT
AAKCCB
483
AZB



Blowback



Single Action Only



Interchangeable grips



Adjustable Hop up



Hidden manual safety

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|----------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCMB482AZB | 4.5 mm (0.177") | BLOWBACK | 730g | 194 mm | 1.5 Joule Max | 92 m/s Max | METAL SLIDE | 15 rds. | AAKCM480AZQ |
| AAKCCB482AZB | 6 mm (0.2g) | BLOWBACK | 730g | 194 mm | 1.4 Joule Max | 118 m/s Max | METAL SLIDE | 15 rds. | AAKCCM480AZQ |
| AAKCMB483AZB | 4.5 mm (0.177") | BLOWBACK | 760g | 214 mm | 1.9 Joule Max | 104 m/s Max | METAL SLIDE | 15 rds. | AAKCM480AZQ |
| AAKCCB483AZB | 6 mm (0.2g) | BLOWBACK | 755g | 214 mm | 1.2 Joule Max | 110m/s Max | METAL SLIDE | 15 rds. | AAKCCM480AZQ |

AIR GUN
AAKCMB
440
AZB

AIR SOFT
AAKCCB
440
AZB

MODEL 44 SERIES

AIR GUN
AAKCMB
460
AZB

AIR SOFT
AAKCCB
460
AZB

MODEL 46 SERIES



MODEL 44 SERIES

MODEL 46 SERIES

- ⊙ Compact pistol
- ⊙ Full function blowback
- ⊙ Classic collector's replica
- ⊙ High grade CO2 blowback
- ⊙ Operated by 12g CO2 cartridge

- ⊙ Semi auto
- ⊙ Adjustable Hop-up system
- ⊙ Real gun operation including hold open
- ⊙ Real gun disassembly process

- ⊙ 1:1 scale
- ⊙ Operated by 12g CO2 cartridge
- ⊙ Weaver rail compatible with standard flashlight or laser
- ⊙ Rubber grip



Rear Sight Cover



Blowback



Anti Skid Grip



Adjustable Hop up



Adjustable sight



Double action and single action



Ambidextrous safety



Interchangeable grips

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|----------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCMB440AZB | 4.5 mm (0.177") | BLOWBACK | 735g | 160 mm | 1.5 Joule Max | 92 m/s Max | FULL METAL | 15 rds. | AAKCM440AZO |
| AAKCCB440AZB | 6 mm (0.2g) | BLOWBACK | 735g | 160 mm | 1.3 Joule Max | 113 m/s Max | FULL METAL | 15 rds. | AAKCCM440AZO |

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|----------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCMB460AZB | 4.5 mm (0.177") | BLOWBACK | 815g | 185mm | 1.9 Joule Max | 104 m/s Max | METAL SLIDE | 16 rds. | AAKCM460AZO |
| AAKCCB460AZB | 6 mm (0.2g) | BLOWBACK | 795g | 185 mm | 1.4 Joule Max | 118 m/s Max | METAL SLIDE | 16 rds. | AAKCCM460AZO |

MODEL 77 SERIES



AIR GUN
AAKMB
770
AZB

AIR SOFT
AAKCB
770
AZB

MODEL 77 SERIES



- ◎ Full function blowback
- ◎ 1:1 scale
- ◎ Operated by 12g CO2 cartridge
- ◎ Semi auto
- ◎ Adjustable Hop up system
- ◎ Real gun disassembly process
- ◎ Real gun operation including ejection port and hold open
- ◎ Strong blowback recoil

CUSTOMIZATION



Blowback



KCB77 Adjustable Hop up



High capacity magazine available

Extended Magazine see P50

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|-------------|-----------------|----------|--------|--------|---------------|-------------|------------|-------------|-------------|
| AAKMB770AZB | 4.5 mm (0.177") | BLOWBACK | 925g | 220 mm | 1.7 Joule Max | 100 m/s Max | FULL METAL | 17 rds. | AAKMM770AZQ |
| AAKCB770AZB | 6 mm(0.2g) | BLOWBACK | 900g | 218 mm | 1.4 Joule Max | 118 m/s Max | FULL METAL | 14 rds. | AAKCM770AZQ |

MODEL 76 SERIES



AIR GUN
AAKCB
760
AZB

AIR SOFT
AAKCB
760
AZB

MODEL 76 SERIES



Customization (weathering edition)

- ⊙ Full function blowback
- ⊙ 1:1 scale
- ⊙ Operated by 12g CO2 cartridge.
- ⊙ Semi auto
- ⊙ Adjustable Hop up system

- ⊙ Real gun disassembly process
- ⊙ Real gun operation including ejection port and hold open
- ⊙ Strong blowback recoil



Blowback



Grip Safety



Adjustable Hop up



Anti Skid Grip

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|-------------|------------------|----------|--------|--------|---------------|-------------|------------|-------------|-------------|
| AAKCB760AZB | 4.5 mm (0.177") | BLOWBACK | 900g | 218 mm | 1.7 Joule Max | 100 m/s Max | FULL METAL | 17 rds. | AAKCM760AZQ |
| AAKCB760AZB | 6 mm(0.2g) | BLOWBACK | 895g | 218 mm | 1.4 Joule Max | 118 m/s Max | FULL METAL | 14 rds. | AAKCM760AZQ |

MODEL 41 SERIES

MODEL 18 SERIES

AIR GUN
AAKCMB
410
AZB

AIR SOFT
AAKCCB
410
AZB

AIR GUN
AAKCMF
180
AZB

AIR SOFT
AAKCCF
180
AZB

FULL AUTO
SERIES



MODEL 41 SNIPER

MODEL 18 SEMI / FULL AUTO

- ©Realism toggle-lock recoil operation
- ©1:1 SCALE
- ©Operated by 12g CO2 cartridge
- ©Real gun disassembly process
- ©Real gun operation including hold open

- ©Full function blowback
- ©1:1 scale
- ©Operated by 12g CO2 cartridge.
- ©Semi auto / Full auto
- ©Adjustable Hop up system
- ©Real gun disassembly process
- ©Real gun operation including ejection port



4" BARREL



Anti Skid Grip



Realism Toggle-lock Recoil



1:1 SCALE



Rear Sight Cover



Rear Sight Adjustment



Semi / Full Auto Switch



Wooden Pattern Grip



4" BARREL



BLOWBACK

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|----------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCMB410AZB | 4.5 mm (0.177") | BLOWBACK | 830g | 220 mm | 1.6 Joule Max | 95 m/s Max | FULL METAL | 20 rds. | AAKCM410AZO |
| AAKCCB410AZB | 6 mm (0.2g) | BLOWBACK | 930g | 220 mm | 1.3 Joule Max | 112 m/s Max | FULL METAL | 15 rds. | AAKCCM410AZO |

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|----------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCMF180AZB | 4.5 mm (0.177") | BLOWBACK | 1410g | 300 mm | 2.4 Joule Max | 118 m/s Max | FULL METAL | 19 rds. | AAKCM180AZO |
| AAKCCF180AZB | 6 mm (0.2g) | BLOWBACK | 1400g | 300 mm | 1.8 Joule Max | 133 m/s Max | FULL METAL | 22 rds. | AAKCCM180AZO |

AIR GUN
AAKCMB
150
AZB

AIR SOFT
AAKCCB
150
AZB

FULL AUTO
SERIES

MODEL 15 SERIES



- ⊙ High grade CO2 blowback
- ⊙ Full function blowback
- ⊙ 1:1 scale
- ⊙ Operated by 12g CO2 cartridge
- ⊙ Weaver rail compatible with standard flashlight and laser
- ⊙ Semi auto / Full auto
- ⊙ Adjustable Hop up system
- ⊙ Real gun disassembly process
- ⊙ Real gun operation including ejection port and hold open



Blowback



Double Action & Single Action



Semi Auto



Full Auto

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|------------------|----------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCMB150AZB | 4.5 mm (0.177") | BLOWBACK | 1100g | 215mm | 1.7 Joule Max | 100 m/s Max | FULL METAL | 19 rds. | AAKCM150AZQ |
| AAKCCB150AZB | 6 mm(0.2g) | BLOWBACK | 1080g | 216 mm | 1.6 Joule Max | 127 m/s Max | FULL METAL | 27 rds. | AAKCCM150AZQ |



MODEL 88 SERIES



MODEL 89 SERIES



- ⊙ IPSC Pistol
- ⊙ High grade CO2 blowback
- ⊙ Full function blowback
- ⊙ 1:1 Scale
- ⊙ Operated by 12g CO2 cartridge

- ⊙ Mount rail compatible with scopes and red dots.
- ⊙ Semi Auto
- ⊙ Adjustable HOP UP system
- ⊙ Real gun disassembly process
- ⊙ Real Gun operation including ejection port and hold open

- ⊙ IPSC Pistol
- ⊙ High grade CO2 blowback
- ⊙ Full function blowback
- ⊙ 1:1 Scale
- ⊙ Operated by 12g CO2 cartridge

- ⊙ Mount rail compatible with scopes and red dots.
- ⊙ Semi Auto
- ⊙ Adjustable HOP UP system
- ⊙ Real gun disassembly process
- ⊙ Real Gun operation including ejection port and hold open



BLOWBACK




KCB88&89 Adjustable Hop up



Rear Sight Adjustment




Both Side (R&L) Manual Safety



Rail Can Add The Laser Scope



Slide Loading Bar



Muzzle brake

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|-------------|------------------|----------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCB880AZB | 4.5 mm (0.177") | BLOWBACK | 1240g | 215 mm | 2.3 Joule Max | 115 m/s Max | FULL METAL | 16 rds. | AAKMM780AZQ |
| AAKCC880AZB | 6 mm (0.2g) | BLOWBACK | 1215g | 215 mm | 1.1 Joule Max | 109 m/s Max | FULL METAL | 16 rds. | AAKCCM780AZQ |

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|-------------|------------------|----------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCB890AZB | 4.5 mm (0.177") | BLOWBACK | 1435g | 277 mm | 2.0 Joule Max | 108 m/s Max | FULL METAL | 16 rds. | AAKCM780AZQ |
| AAKCC890AZB | 6 mm (0.2g) | BLOWBACK | 1430g | 277 mm | 1.5 Joule Max | 126 m/s Max | FULL METAL | 16 rds. | AAKCCM780AZQ |



MODEL 12 SERIES



MODEL 74 SERIES



UNIVERSO AIRSOFT

- ⊙ Full function blowback
- ⊙ 1:1 scale
- ⊙ Operated by 12g CO2 cartridge.
- ⊙ Semi auto
- ⊙ Adjustable Hop up system
- ⊙ Real gun disassembly process
- ⊙ Real gun operation including ejection port and hold open



Blowback



KCB12 Adjustable Hop up

- ⊙ High grade CO2 blowback
- ⊙ CO2 blowback
- ⊙ 1:1 scale
- ⊙ Operated by 12g CO2 cartridge
- ⊙ Adjustable Hop up system
- ⊙ Real gun disassembly process
- ⊙ Real gun operation including ejection port and hold open



Blowback



Rear Sight Adjustment



Ambidextrous safety

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|-------------|-----------------|----------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCM120AZB | 4.5 mm (0.177") | BLOWBACK | 875g | 200mm | 1.7 Joule Max | 97 m/s Max | METAL SLIDE | 19 rds. | AAKCM120AZQ |
| AAKCC120AZB | 6 mm (0.2g) | BLOWBACK | 855g | 200 mm | 1.4 Joule Max | 120 m/s Max | METAL SLIDE | 22 rds. | AAKCCM120AZQ |

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|-------------|-----------------|----------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCM740AZB | 4.5 mm (0.177") | BLOWBACK | 1275g | 223 mm | 2.0 Joule Max | 108 m/s Max | FULL METAL | 18 rds. | AAKCM740AZQ |
| AAKCC740AZB | 6 mm (0.2g) | BLOWBACK | 1250g | 225 mm | 1.6 Joule Max | 126 m/s Max | FULL METAL | 22 rds. | AAKCCM740AZQ |

AIR GUN
AAKCMF
070
AZB

AIR SOFT
AAKCCF
070
AZB


FULL AUTO
SERIES



- ⊙ Full function CO2 blowback
- ⊙ 1:1 scale
- ⊙ Semi auto / Full auto
- ⊙ Adjustable Hop up system
- ⊙ Real gun operation including ejection port and hold open



BLOWBACK



KCB07 Adjustable Hop up



Grip Safety



Front Sight



Rear Sight

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|------------------|----------|--------|--------|---------------|-------------|--------------|-------------|--------------|
| AAKCMF070AZB | 4.5 mm (0.177") | BLOWBACK | 2200g | 355 mm | 1.8 Joule Max | 100 m/s Max | MOSTLY METAL | 24 rds. | AAKCM070AZQ |
| AAKCCF070AZB | 6 mm (0.2g) | BLOWBACK | 2200g | 355 mm | 1.4 Joule Max | 118 m/s Max | MOSTLY METAL | 38 rds. | AAKCCM070AZQ |

REVOLVER SERIES

PELLET REVOLVER SERIES

NON-BLOW BACK

NON-BLOW BACK

AIR GUN
AAKCMD
682
AZB

AIR GUN
AAKCMD
681
AZB

AIR GUN
AAKCMD
671
AZB

AIR GUN
AAKCMD
661
AZB

AIR SOFT
AAKCCD
681
AZB

AIR SOFT
AAKCCD
671
AZB

AIR SOFT
AAKCCD
661
AZB



6-Round Capacity

- ⊙ Classic revolver
- ⊙ Double action & single action trigger
- ⊙ Full metal
- ⊙ Shell loaded revolver



Adjustable sights



Manual safety



Adjustable sights



Speedloader

Speedloader see P50

- ⊙ Classic revolver.
- ⊙ 1:1 scale
- ⊙ Full metal
- ⊙ Rotary pellet clip



8-Round Capacity



Pellet clip Available see P50



AIRGUN PELLETS

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|--------------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCMD682AZB | 4.5 mm (0.177") | NON-BLOWBACK | 1100g | 285 mm | 2.5 Joule Max | 120 m/s Max | FULL METAL | 6 rds. | AAKCMW680AZL |
| AAKCMD681AZB | 4.5 mm (0.177") | NON-BLOWBACK | 1100g | 285 mm | 2.5 Joule Max | 120 m/s Max | FULL METAL | 6 rds. | AAKCMW680AZL |
| AAKCMD671AZB | 4.5 mm (0.177") | NON-BLOWBACK | 950g | 235 mm | 2.0 Joule Max | 108 m/s Max | FULL METAL | 6 rds. | AAKCMW680AZL |
| AAKCMD661AZB | 4.5 mm (0.177") | NON-BLOWBACK | 900g | 200 mm | 1.3 Joule Max | 86 m/s Max | FULL METAL | 6 rds. | AAKCMW680AZL |
| AAKCCD681AZB | 6 mm (0.2g) | NON-BLOWBACK | 1100g | 285 mm | 2.7 Joule Max | 158 m/s Max | FULL METAL | 6 rds. | AAKCCW680AZL |
| AAKCCD671AZB | 6 mm (0.2g) | NON-BLOWBACK | 950g | 235 mm | 1.6 Joule Max | 125 m/s Max | FULL METAL | 6 rds. | AAKCCW680AZL |
| AAKCCD661AZB | 6 mm (0.2g) | NON-BLOWBACK | 900g | 200 mm | 2.0 Joule Max | 140 m/s Max | FULL METAL | 6 rds. | AAKCCW680AZL |



Double Action & Single Action trigger



Anti Skid Grip



Vertical Adjustment



Horizontal Adjustment

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|--------------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCPD681AZB | 4.5 mm (0.177") | NON-BLOWBACK | 1085g | 285 mm | 3.0 Joule Max | 110 m/s Max | FULL METAL | 8 pellet | AAKCPW680AZL |
| AAKCPD671AZB | 4.5 mm (0.177") | NON-BLOWBACK | 955g | 230 mm | 3.0 Joule Max | 110 m/s Max | FULL METAL | 8 pellet | AAKCPW680AZL |
| AAKCPD661AZB | 4.5 mm (0.177") | NON-BLOWBACK | 870g | 195 mm | 2.5 Joule Max | 100 m/s Max | FULL METAL | 8 pellet | AAKCPW680AZL |

MODEL 76 SERIES

AIR GUN
AAKCPD
761
AZB

PELLET 1911 SERIES



Tactical 1911

- ⦿ 1:1 scale
- ⦿ Operated by 12g CO2 cartridge.
- ⦿ Semi auto
- ⦿ Novel pellet rotary clip design
- ⦿ Tactical version and classic version available



AIRGUN PELLETS



6x2 Rotary Clip

Rotary Clip Available see P50

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|--------------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCPD761AZB | 4.5 mm (0.177") | NON-BLOWBACK | 990g | 220 mm | 3.0 Joule Max | 110 m/s Max | Metal Slide | 6X2 pellet | AAKCP5760AZO |

MODEL 46 SERIES

AIR GUN
AAKCMD
461
AZB

AIR GUN
AAKCMD
460
AZB

AIR SOFT
AAKCCD
461
AZB

AIR SOFT
AAKCCD
460
AZB

SPRING GUN
AAKACZ
460
AZA

AIR GUN
AAKCMD
431
AZB

AIR SOFT
AAKCCD
431
AZB

MODEL 43 SERIES



Rubber grip

- © 1:1 scale
- © Operated by 12g CO2 cartridge
- © Efficient CO2 shooting system with more than 200 BBS shots per CO2 cartridge
- © Weaver rail compatible with standard flashlight or laser
- © Rubber grip
- © Series of products with several versions of different materials and power sources, see chart below for more detail

- © 1:1 scale
- © Operated by 12g CO2 cartridge
- © Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- © Semi auto
- © Metal slide and hammer case for realistic weight

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|----------------|--------|--------|---------------|-------------|--------------|-------------|--------------|
| AAKCMD461AZB | 4.5 mm (0.177") | NON-BLOWBACK | 725g | 181 mm | 2.6 Joule Max | 120 m/s Max | METAL SLIDE | 21 rds. | AAKCMS460AZQ |
| AAKCMD460AZB | 4.5 mm (0.177") | NON-BLOWBACK | 565g | 181 mm | 2.7 Joule Max | 125 m/s Max | PLASTIC | 20 rds. | AAKCMS460AZQ |
| AAKCCD461AZB | 6 mm (0.2g) | NON-BLOWBACK | 710g | 181 mm | 1.8 Joule Max | 134 m/s Max | METAL SLIDE | 15 rds. | AAKCCS460AZQ |
| AAKCCD460AZB | 6 mm (0.2g) | NON-BLOWBACK | 520g | 181 mm | 1.8 Joule Max | 134 m/s Max | PLASTIC | 15 rds. | AAKCCS460AZQ |
| AAKACZ460AZA | 6 mm (0.2g) | SPRING COCKING | 580g | 180 mm | 0.6 Joule Max | 78 m/s Max | FULL PLASTIC | 25 rds. | AAKACS460AZN |

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|--------------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCMD431AZB | 4.5 mm (0.177") | NON-BLOWBACK | 800g | 205 mm | 2.7 Joule Max | 125 m/s Max | METAL SLIDE | 21 rds. | AAKCMS430AZQ |
| AAKCCD431AZB | 6 mm (0.2g) | NON-BLOWBACK | 800g | 205 mm | 1.8 Joule Max | 136 m/s Max | METAL SLIDE | 15 rds. | AAKCMS430AZQ |

MODEL 47 SERIES

MODEL 48 SERIES

AIR GUN
AAKCMD
471
AZB

AIR SOFT
AAKCCD
471
AZB

SPRING GUN
AAKACZ
470
AZA

AIR GUN
AAKCMD
470
AZB

AIR SOFT
AAKCCD
470
AZB

AIR GUN
AAKCMD
481
AZB

AIR SOFT
AAKCCD
481
AZB

SPRING GUN
AAKACZ
480
AZA

AIR GUN
AAKCMD
480
AZB

AIR SOFT
AAKCCD
480
AZB



- © 1:1 scale
- © Operated by 12g CO2 cartridge
- © Efficient CO2 shooting system with more than 250 BBS shots per CO2 cartridge
- © Weaver rail compatible with standard flashlight or laser
- © Series of products with several versions of different materials and power sources, see chart below for more detail

- © 1:1 scale
- © Operated by 12g CO2 cartridge
- © Efficient CO2 shooting system with more than 250 BBs shots per CO2 cartridge
- © Weaver rail compatible with standard flashlight or laser
- © Series with several versions of different materials and power sources see chart below for more detail

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|------------------|----------------|--------|--------|---------------|-------------|--------------|-------------|--------------|
| AAKCMD471AZB | 4.5 mm (0.177") | NON-BLOWBACK | 755g | 190 mm | 2.7 Joule Max | 125 m/s Max | METAL SLIDE | 21 rds. | AAKCMS470AZQ |
| AAKCMD470AZB | 4.5 mm (0.177") | NON-BLOWBACK | 590g | 195 mm | 2.7 Joule Max | 125 m/s Max | PLASTIC | 20 rds. | AAKCMS470AZQ |
| AAKCCD471AZB | 6 mm(0.2g) | NON-BLOWBACK | 690g | 185 mm | 2.2 Joule Max | 149 m/s Max | METAL SLIDE | 14 rds. | AAKCCS470AZQ |
| AAKCCD470AZB | 6 mm(0.2g) | NON-BLOWBACK | 505g | 193 mm | 2.2 Joule Max | 149 m/s Max | PLASTIC | 14 rds. | AAKCCS470AZQ |
| AAKACZ470AZA | 6 mm(0.2g) | SPRING COCKING | 600g | 185 mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 24 rds. | AAKACS470AZN |

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|------------------|----------------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCMD481AZB | 4.5 mm (0.177") | NON-BLOWBACK | 710g | 195 mm | 2.4 Joule Max | 118 m/s Max | METAL SLIDE | 19 rds. | AAKCMS480AZQ |
| AAKCMD480AZB | 4.5 mm (0.177") | NON-BLOWBACK | 519g | 193 mm | 2.4 Joule Max | 118 m/s Max | PLASTIC | 19 rds. | AAKCMS480AZQ |
| AAKCCD481AZB | 6 mm (0.2g) | NON-BLOWBACK | 700g | 190 mm | 1.9 Joule Max | 139 m/s Max | METAL SLIDE | 15 rds. | AAKCCS480AZQ |
| AAKCCD480AZB | 6 mm (0.2g) | NON-BLOWBACK | 480g | 190 mm | 1.9 Joule Max | 139 m/s Max | PLASTIC | 15 rds. | AAKCCS480AZQ |
| AAKACZ480AZA | 6 mm (0.2g) | SPRING COCKING | 525g | 190 mm | 0.5 Joule Max | 75 m/s Max | PLASTIC | 24 rds. | AAKACS480AZN |

AIR GUN
AAKCMD
401
AZB

AIR SOFT
AAKCCD
401
AZB

MODEL 40 SERIES

AIR GUN
AAKCMD
421
AZB

AIR SOFT
AAKCCD
421
AZB

MODEL 42 SERIES



UNIVERSO SNIPER AIRSOFT



- ⦿ 1:1 scale
- ⦿ Operated by 12g CO2 cartridge
- ⦿ Semi auto
- ⦿ Interchangeable parts between non-blow back 40's series and 42's series.
- Works great for customization.
- ⦿ Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge



Tactical Rail

- ⦿ 1:1 scale
- ⦿ Operated by 12g CO2 cartridge
- ⦿ Semi auto
- ⦿ Interchangeable parts between non-blow back 40's series and 42's series.
- Works great for customization.
- ⦿ Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge



Tactical Rail

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|--------------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCMD401AZB | 4.5 mm (0.177") | NON-BLOWBACK | 840g | 220 mm | 2.7 Joule Max | 125 m/s Max | METAL SLIDE | 21 rds. | AAKCMS400AZO |
| AAKCCD401AZB | 6mm (0.2g) | NON-BLOWBACK | 840g | 220 mm | 2.5 Joule Max | 157 m/s Max | METAL SLIDE | 15 rds. | AAKCCS400AZO |

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|--------------|--------|--------|---------------|-------------|-------------|-------------|--------------|
| AAKCMD421AZB | 4.5 mm (0.177") | NON-BLOWBACK | 1070g | 223mm | 2.7 Joule Max | 125 m/s Max | METAL SLIDE | 20 rds. | AAKCMS420AZO |
| AAKCCD421AZB | 6 mm(0.2g) | NON-BLOWBACK | 1065g | 220 mm | 2.5 Joule Max | 157 m/s Max | METAL SLIDE | 14 rds. | AAKCCS420AZO |

AIR GUN
AAKCMD
441
AZB

AIR SOFT
AAKCCD
441
AZB

MODEL 44 SERIES

AIR GUN
AAKCMD
451
AZB

AIR SOFT
AAKCCD
451
AZC

MODEL 45 SERIES

NON BLOW BACK

NON BLOW BACK



Anti Skid Grip

- ⦿ 1:1 scale
- ⦿ Operated by 12g CO2 cartridge
- ⦿ Semi auto only
- ⦿ Compact of pistol
- ⦿ Super stable and long life

- ⦿ 1:1 scale
- ⦿ Operated by 12g CO2 cartridge
- ⦿ Semi auto only
- ⦿ Compact of pistol
- ⦿ Super stable and long life

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|--------------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCMD441AZB | 4.5 mm (0.177") | NON-BLOWBACK | 800g | 160 mm | 2.7 Joule Max | 125 m/s Max | FULL METAL | 18 rds. | AAKCMS440AZQ |
| AAKCCD441AZB | 6 mm (0.2g) | NON-BLOWBACK | 775g | 160 mm | 1.6 Joule Max | 127 m/s Max | FULL METAL | 13 rds. | AAKCCS440AZQ |

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-----------------|--------------|--------|--------|---------------|-------------|------------|-------------|--------------|
| AAKCMD451AZB | 4.5 mm (0.177") | NON-BLOWBACK | 845g | 195 mm | 2.7 Joule Max | 125 m/s Max | FULL METAL | 16 rds. | AAKCMS450AZQ |
| AAKCCD451AZC | 6 mm (0.2g) | NON-BLOWBACK | 845g | 164 mm | 2.7 Joule Max | 165 m/s Max | FULL METAL | 14 rds. | AAKCCS450AZQ |

MODEL 55 SERIES



UNIVERSO SNIPER
AIRSOFT

AIR GUN
AAKCMD
550
AZB

AIR SOFT
AAKCCD
550
AZB

MODEL 55 SERIES



- ◎ 1:1 scale
- ◎ Operated by 12g CO2 cartridge
- ◎ Super stable and long life.
- ◎ Telescopic stock
- ◎ High capacity magazine
- ◎ Semi auto only



Fixed Aperture Sight



High Capacity Magazine



Metal Telescopic Stock



Post Front Sight



Anti Skid Grip

| MODEL | STANDARD BB | RECOIL | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|------------------|--------------|--------|--------|---------------|-------------|--------------------------|-------------|--------------|
| AAKCMD550AZB | 4.5 mm (0.177") | NON-BLOWBACK | 530g | 255 mm | 2.5Joule Max | 120 m/s Max | PLASTIC WITH METAL STOCK | 39 rds. | AAKCMS550AZO |
| AAKCCD550AZB | 6 mm (0.2g) | NON-BLOWBACK | 530g | 255 mm | 2.3 Joule Max | 150 m/s Max | PLASTIC WITH METAL STOCK | 26 rds. | AAKCCS550AZO |



SPRING GUN

SPRING GUN

SPRING GUN
AAKACZ
360
AZC



SPRING GUN
AAKACZ
370
AZC



SPRING GUN
AAKACZ
380
AZC



UNIVERSO SNIPER
AIR SOFT

- ⊙ Dual spring loading system
- ⊙ R.I.S hand guard
- ⊙ High density composite material for extended durability
- ⊙ Adjustable stock to fit all arm lengths
- ⊙ High capacity 350 rounds reservoir in magazine



ADJUSTABLE HOP-UP



SPRING GUN ONLY



SPRING GUN ONLY



SPRING GUN ONLY

| MODEL | STANDARD BB | SPIN | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-------------|--------|--------|--------|---------------|------------|----------|-------------|--------------|
| AAKACZ360AZC | 6 mm (0.2g) | HOP-UP | 1300g | 795 mm | 0.6 Joule Max | 78 m/s Max | PLASTIC | 18 rds. | AAKACS360AZT |
| AAKACZ380AZC | 6 mm (0.2g) | HOP-UP | 1322g | 684 mm | 0.6 Joule Max | 78 m/s Max | PLASTIC | 18 rds. | AAKACS360AZT |

| MODEL | STANDARD BB | SPIN | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|-------------|--------|--------|--------|---------------|------------|----------|-------------|--------------|
| AAKACZ370AZC | 6 mm(0.2g) | HOP-UP | 1540g | 798 mm | 0.6 Joule Max | 78 m/s Max | PLASTIC | 18 rds. | AAKACS360AZT |



SPRING GUN AAKAMZ030AZB



SPRING GUN AAKACZ132AZA



SPRING GUN AAKACZ112AZA



SPRING GUN AAKACZ132BZA



SPRING GUN AAKAMZ112AZB



SPRING GUN AAKACZ112BZA

- ©Material = full abs + metal weight
- ©BB capacity = 12+1 rds.
- ©Easy operation with durable long life
- ©Great starter gun for beginners to the world of airsoft

- ©Spring powered airgun
- ©Easy operation with durable long life
- ©High capacity magazine can load up to 70 BBs per magazine.
- ©Each loading is 16 rounds.



Spring Steel Gun



High Capacity Magazine

| MODEL | STANDARD BB | SPIN | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE | COLOR |
|--------------|-------------------|------------|--------|--------|---------------|------------|--------------|-------------|--------------|--------|
| AAKACZ112AZA | 6 mm (0.2g) | NON-HOP UP | 320g | 215 mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 12 rds. | AAKACS110AZN | |
| AAKACZ112BZA | 6 mm (0.2g) | NON-HOP UP | 320g | 215 mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 12 rds. | AAKACS110BZN | SILVER |
| AAKACZ132AZA | 6 mm (0.2g) | NON-HOP UP | 355g | 215 mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 12 rds. | AAKACS130AZN | |
| AAKACZ132BZA | 6 mm (0.2g) | NON-HOP UP | 355g | 215 mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 12 rds. | AAKACS130AZN | SILVER |
| AAKAMZ030AZB | 4.5 mm (0.177") | NON-HOP UP | 265g | 196 mm | 0.6 Joule Max | 57 m/s Max | FULL PLASTIC | 70 rds. | AAKAMS030AZN | |
| AAKAMZ112AZB | 4.5 mm (0.177") | NON-HOP UP | 315g | 219 mm | 0.7 Joule Max | 63 m/s Max | FULL PLASTIC | 70 rds. | AAKAMS112AZN | |



SPRING GUN AAKACZ032AZA



SPRING GUN AAKACZ113AZA




SPRING GUN AAKACZ142AZA



SPRING GUN AAKACZ020AZA



SPRING GUN AAKACZ142BZA



SPRING GUN AAKACZ032BZA



SPRING GUN AAKACZ020AZA



SPRING GUN AAKACZ113BZA

◎Material = full abs + metal weight

◎BB capacity = 12+1 rds.

◎Easy operation with durable long life

◎Great starter gun for beginners to the world of airsoft

◎Material = full abs + metal weight

◎BB capacity = 12+1 rds.

◎Easy operation with durable long life

◎Great starter gun for beginners to the world of airsoft

| MODEL | STANDARD BB | SPIN | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE | COLOR |
|--------------|-------------|------------|--------|--------|---------------|------------|--------------|-------------|--------------|--------|
| AAKACZ142AZA | 6 mm (0.2g) | NON-HOP UP | 355g | 217 mm | 0.6 Joule Max | 78 m/s Max | FULL PLASTIC | 12 rds. | AAKACS140AZN | |
| AAKACZ142BZA | 6 mm (0.2g) | NON-HOP UP | 355g | 217 mm | 0.6 Joule Max | 78 m/s Max | FULL PLASTIC | 12 rds. | AAKACS140BZN | SILVER |
| AAKACZ032AZA | 6 mm (0.2g) | NON-HOP UP | 400g | 195 mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 12 rds. | AAKACS030AZN | |
| AAKACZ032BZA | 6 mm (0.2g) | NON-HOP UP | 400g | 195 mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 12 rds. | AAKACS030BZN | SILVER |

| MODEL | STANDARD BB | SPIN | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE | COLOR |
|--------------|-------------|--------|--------|--------|---------------|------------|--------------|-------------|--------------|--------|
| AAKACZ020AZA | 6 mm (0.2g) | HOP UP | 620g | 235mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 11 rds. | AAKACS020AZN | |
| AAKACZ113AZA | 6 mm (0.2g) | HOP UP | 370g | 215mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 12 rds. | AAKACS110AZN | |
| AAKACZ113BZA | 6 mm (0.2g) | HOP UP | 750g | 222mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 12 rds. | AAKACS110BZN | SILVER |



SPRING GUN AAKACZ260AZC



SPRING GUN AAKACZ092AZA



SPRING GUN AAKACZ162AZA



SPRING GUN AAKACZ260BZC



SPRING GUN AAKACZ120AZC



SPRING GUN AAKACZ162BZA

- ⊙Material = full abs + metal weight
- ⊙BB capacity = 12+1 rds.
- ⊙Easy operation with durable long life
- ⊙Great starter gun for beginners to the world of airsoft

- ⊙Material = full abs + metal weight
- ⊙BB capacity = 12+1 rds.
- ⊙Easy operation with durable long life
- ⊙Great starter gun for beginners to the world of airsoft

UNIVERSO SNIPERS
AIRSOFT

| MODEL | STANDARD BB | SPIN | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE | COLOR |
|--------------|---------------|------------|--------|--------|---------------|------------|--------------|-------------|--------------|--------|
| AAKACZ162AZA | 6 mm (0.2g) | NON-HOP UP | 330g | 215 mm | 0.6 Joule Max | 78 m/s Max | FULL PLASTIC | 12 rds. | AAKACS160AZN | |
| AAKACZ162BZA | 6 mm (0.2g) | NON-HOP UP | 330g | 215 mm | 0.6 Joule Max | 78 m/s Max | FULL PLASTIC | 12 rds. | AAKACS160BZN | SILVER |
| AAKACZ260AZC | 6 mm (0.2g) | HOP UP | 750g | 222 mm | 0.5 Joule Max | 76 m/s Max | FULL PLASTIC | 12 rds. | AAKACS132AZN | |
| AAKACZ260BZC | 6 mm (0.2g) | HOP UP | 750g | 222 mm | 0.6 Joule Max | 76 m/s Max | FULL PLASTIC | 12 rds. | AAKACS132BZN | SILVER |

| MODEL | STANDARD BB | SPIN | WEIGHT | LENGTH | ENERGY | VELOCITY | MATERIAL | BB CAPACITY | MAGAZINE |
|--------------|---------------|------------|--------|--------|---------------|------------|--------------|-------------|--------------|
| AAKACZ120AZC | 6 mm (0.2g) | HOP UP | 840g | 195mm | 0.5 Joule Max | 75 m/s Max | HEAVY WEIGHT | 14 rds. | AAKACS120AZT |
| AAKACZ092AZA | 6 mm (0.2g) | NON-HOP UP | 360g | 187 mm | 0.5 Joule Max | 75 m/s Max | FULL PLASTIC | 12 rds. | AAKACS090AZN |

ACCESSORIES

ACCESSORIES



AAKZZW006AZX 0.12g BB, 2000 counts BOTTLE



AAKZZW006BZX 0.20g BB, 2000 counts BOTTLE



AAKZZW035AZT Rubber Grip



AAKZZW042AZX CO2 12g Cartridge



AAKZZW155AZT Red Dot Laser



AAKZZW033AZX 0.12g 750 Counts GRENADE shape



AAKZZW033BZX 0.20g 750 Counts GRENADE shape



AAKZZW080AZX 4.5mm Steel BB, 2000 counts / Grenade



AAKZZW150AZL 6mm / 4.5mm Speedloader



Shells are not included



AAKCPW660AZL Pellet Revolver Clip



AAKZZW046AZE Gel Target



AAKZZW041AZE Trap Target



Pellet Rotary Clip Assembly for 1911 Pellet gun

AAKCPW760AZN 4.5 mm



AAKMM770AZQ 4.5 mm

6 mm **26** Steel rds.

4.5 mm **27** Steel rds.

AAKCCM770AZQ 6 mm



AAKZZW047AZO Bull's eye Multi-Function Auto Trap Target



AAKZZW134AZT Holster Black



AAKZZW134BZT Holster Desert Camo



AAKZZW134CZT Holster Camo

ACCESSORIES

ACCESSORIES